

**WARTCALM- antimony trisulfide, nitric acid, thuja occidentalis leafy  
twig, tablet  
Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**WartCalm Tablets**

**Active ingredients** \*\* (in each tablet)

Antimonium crudum 9C HPUS (0.83 mg) (contains less than  $10^{-18}$  mg antimony)

Nitricum acidum 9C HPUS (0.83 mg)

Thuja occidentalis 9C HPUS (0.83 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Purpose\***

Antimonium crudum 9C HPUS (0.83 mg) ... For removal of warts with hard, rough surfaces that often appear in groups

Nitricum acidum 9C HPUS (0.83 mg) ... For removal of yellowish warts that sting

Thuja occidentalis 9C HPUS ... For removal of common warts and plantar warts

**Uses\***

- for the removal of common warts. The common wart is easily recognized by the rough "cauliflower-like" appearance on the surface.
- for the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

**Warnings**

**Do not use** for moles, birthmarks, warts with hair growing on them, genital warts, or warts on the face or mucous membranes.

**Stop use and ask a doctor if** discomfort persists or if warts become painful, start multiplying quickly, or change in appearance.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 6 years of age and older - Dissolve 2 tablets in the mouth 2 times a day, mornings and evenings, until wart is removed or as directed by a doctor. Daily use for at least 1 month is recommended.

Children 2 to 5 years of age - Dissolve 2 tablets in 1 tablespoon of water for easier

intake. Follow directions above.

Children under 2 years of age - Ask a doctor.

**Other information**

- do not use if glued carton and flaps are open or if the blister seal is broken
- store below 86° F (30° C)

croscarmellose sodium, lactose, magnesium stearate

**BoironUSA.com**

**Info@Boiron.com**

**1-800-BOIRON-1**

(1-800-264-7661)

Made in France

Distributed by Boiron Inc.

Newtown Square, PA 19073

Wart Remover\*

Common Wart Varieties Planter (Foot) Warts\*

Non-scarring Wart Remover\*

From the Inside Out

60 meltaway tablets unflavored

Meltaway Tablets Require No Food or Water

No Artificial Colors, Flavors, Sweeteners, or Preservatives

No Known Drug Interactions

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see [BoironUSA.com/info](http://BoironUSA.com/info) for details.

## Drug Facts

**Active ingredients**<sup>†</sup> (in each tablet) **Purpose**  
Antimonium crudum 9C HPUS (0.83 mg).....For removal of warts with hard, rough surfaces that often appear in groups  
(contains less than 10<sup>-18</sup> mg antimony)  
Nitricum acidum 9C HPUS (0.83 mg).....For removal of yellowish warts that sting  
Thuja occidentalis 9C HPUS (0.83 mg).....For removal of common warts and plantar warts  
The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

### Uses

■ for the removal of common warts. The common wart is easily recognized by the rough "cauliflower-like" appearance on the surface.  
■ for the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenaciousness, and the interruption of the footprint pattern.

### Warnings

**Do not use** for moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes.

**Stop use and ask a doctor** if discomfort persists or if warts become painful, start multiplying quickly, or change in appearance.

**If pregnant or breastfeeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

Adults and children 6 years of age and older	Dissolve 2 tablets in the mouth 2 times a day, mornings and evenings, until wart is removed or as directed by a doctor. Daily use for at least 1 month is recommended.
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
Children under 2 years of age	Ask a doctor.

<sup>†</sup>CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.  
<sup>†</sup>C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

## Drug Facts (continued)

### Other information

■ do not use if glued carton end flaps are open or if the blister seal is broken  
■ store below 86°F (30°C)

### Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

### Questions or comments?

BoironUSA.com  
Info@Boiron.com  
1-800-BOIRON-1  
(1-800-264-7661)

Made in France  
Distributed by Boiron Inc.,  
Newtown Square, PA 19073

♻️ please recycle



ORAL TABLET

NDC 0220-9372-04

# WART REMOVER\*

Common Wart Varieties  
Plantar (Foot) Warts\*

Help  
Your Body  
the Natural  
Way

# WartCalm<sup>®</sup>

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Non-Scarring Wart Remover\*
- From the Inside Out

Adults &  
Children  
2+ Years

BOIRON<sup>®</sup>

World Leader in  
Homeopathic Medicines

60  
MELTAWAY  
TABLETS  
Unflavored

WART REMOVER  
**WartCalm<sup>®</sup>**

Adults and children 6 years of age and older:  
Dissolve 2 tablets in the mouth 2 times a day,  
mornings and evenings, until wart is removed  
or as directed by a doctor. Daily use for at least  
1 month is recommended. Children 2 to 5 years  
of age: Dissolve 2 tablets in 1 tablespoon of  
water for easier intake. Follow directions above.  
Children under 2 years of age: Ask a doctor.

BOIRON<sup>®</sup>

WART REMOVER  
**WartCalm<sup>™</sup>**

Adults and children 6 years of age and older:  
Dissolve 2 tablets in the mouth 2 times a day,  
mornings and evenings, until wart is removed  
or as directed by a doctor. Daily use for at least  
1 month is recommended. Children 2 to 5 years  
of age: Dissolve 2 tablets in 1 tablespoon of  
water for easier intake. Follow directions above.  
Children under 2 years of age: Ask a doctor.

BOIRON<sup>®</sup>

**Drug Facts**

**Active ingredients\*** (in each tablet) **Purpose**  
 Antimonium crudum 9C HPUS (0.83 mg).....For removal of warts with hard, rough surfaces that often appear in groups  
 Nitricum acidum 9C HPUS (0.83 mg).....For removal of yellowish warts that sting  
 Thuja occidentalis 9C HPUS (0.83 mg).....For removal of common warts and plantar warts  
 \*The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses**  
 ■ for the removal of common warts. The common wart is easily recognized by the rough "cauliflower-like" appearance on the surface.  
 ■ for the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

**Warnings**  
 Do not use for moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes.  
 Stop use and ask a doctor if discomfort persists or if warts become painful, start multiplying quickly, or change in appearance.  
 If pregnant or breastfeeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 6 years of age and older	Dissolve 2 tablets in the mouth 2 times a day, mornings and evenings, until wart is removed or as directed by a doctor. Daily use for at least 1 month is recommended.
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
Children under 2 years of age	Ask a doctor.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.  
 \*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**Drug Facts (continued)**

**Other information**  
 ■ do not use if glued carton and flaps are open or if the blister seal is broken  
 ■ store below 86°F (30°C)

**Inactive ingredients**  
 croscarmellose sodium, lactose, magnesium stearate

**Questions or comments?**  
 BoironUSA.com  
 Info@Boiron.com  
 1-800-BOIRON-1  
 (1-800-264-7861)

Made in France  
 Distributed by Boiron Inc.  
 Newtown Square, PA 19073

♻️ please recycle

**ORAL TABLET** NDC 0220-9372-04

**WART REMOVER\***  
 Common Wart Varieties  
 Plantar (Foot) Warts\*

Help Your Body the Natural Way

**WartCalm™**  
 MELTAWAY TABLETS

**HOMEOPATHIC MEDICINE**

- Non-Scarring Wart Remover\*
- From the Inside Out

Adults & Children 2+ Years

**BOIRON®**  
 World Leader in Homeopathic Medicines

**60** MELTAWAY TABLETS  
 Unflavored

## WARTCALM

antimony trisulfide, nitric acid, thuja occidentalis leafy twig, tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-9372
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ANTIMONY TRISULFIDE</b> (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	9 [hp_C]
<b>THUJA OCCIDENTALIS LEAFY TWIG</b> (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	9 [hp_C]
<b>NITRIC ACID</b> (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	9 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm

<b>Flavor</b>		<b>Imprint Code</b>	Boiron	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9372-04	1 in 1 BOX	10/15/2021	
1		60 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/15/2021		

**Labeler** - Boiron (282560473)

**Registrant** - Boiron Inc. (014892269)

### Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9372)

Revised: 4/2023

Boiron