

**EUCERIN AGE DEFENSE SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion**  
**Beiersdorf Inc**

-----  
**Eucerin Age Defense SPF 50 Sunscreen Face Lotion**

***Drug Facts***

***Active ingredients***

Avobenzone, Homosalate, Octisalate, Octocrylene

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces
- store this product in upright position

### ***Inactive ingredients***

Water, Alcohol Denat., Butyloctyl Salicylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-6 Stearate, Sodium Stearoyl Glutamate, Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate, Behenyl Alcohol, Butylene Glycol Dicaprylate/Dicaprate, Cetearyl Alcohol, Copernicia Cerifera (Carnauba) Wax, Dibutyl Adipate, Sodium Hyaluronate, Glycyrrhiza Inflata Root Extract, Glycyrrhetic Acid, Tocopherol, Dimethicone, Silica Dimethyl Silylate, Diethylhexyl Syringyldenemalonate, Ethylcellulose, Glyceryl Behenate, L-Carnitine, Polyglyceryl-6 Octastearate, Phenoxyethanol, Glycerin, Xanthan Gum, Ethylhexylglycerin, Disodium EDTA, Hydroxyacetophenone, Polyglyceryl-6 Behenate, Cetyl Alcohol, Sodium Ascorbyl Phosphate

### ***Questions?***

1-800-227-4703

**Eucerin**®

Age Defense

+Hyaluronic Acid

Lightweight Sunscreen Lotion For Face

50 Broad Spectrum SPF 50

Helps Reduce The Signs of Aging\*

Hypoallergenic | Fragrance Free

No Oxybenzone & Octinoxate

**5 AOX Shield**

**Antioxidant Defense**

**Developed with Dermatologists**

**2.5 FL OZ (75 mL)**

NEW

**Eucerin**

**AGE DEFENSE**

+ HYALURONIC ACID

LIGHTWEIGHT SUNSCREEN LOTION FOR FACE

**50**


BROAD SPECTRUM SPF 50

HELPS REDUCE THE SIGNS OF AGING\*  
HYPOALLERGENIC | FRAGRANCE FREE  
NO OXYBENZONE & OCTINOXATE

**5 AOX SHIELD™**  
A HYALURONIC ACID DEFENSE

DEVELOPED WITH DERMATOLOGISTS

2.5 FL OZ (75 mL)



**5 AOX SHIELD™**  
UVA/UVB sun protection plus an Advanced Antioxidant Complex, **5 AOX Shield™**, that goes beyond neutralizing to also guard from free radicals and helps support skin health.

The formula with **Hyaluronic Acid** helps reduce signs of aging for a smooth and youthful appearance.\*



\* with continuous use  
**ACTUAL SIZE**

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%	Sunscreen
<b>Uses</b>	
to help prevent sunburn	
to help protect against other sun protection measures (see Allergens), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
to apply liberally 15 minutes before sun exposure	
to reapply at least every 2 hours	
to use a water resistant sunscreen if swimming or sweating	
to Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.	
To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. – 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
• children under 6 months: Ask a doctor	
<b>Other Information</b>	
to protect this product from a sensitive base and direct sun to help retain its fragrance some fabrics or surfaces may absorb this product in upright position	
<b>Inactive Ingredients</b>	
Water, Alcohol Denat., Butylhexyl Salicylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-6 Stearate, Sodium Stearoyl Glutamate, Diisododecyl Polyglyceryl-3 Dimethyl Siloxane, Behenyl Alcohol, Butylene Glycol, Octopylate/Octoprylate, Cetanol, A Alcohol, Copernicia Caribaea (Carnauba) Wax, Dimethyl Siloxane, Sodium Hydroxide, Glycyrrhiza Inflata Root Extract, Glyceryl Stearate Acetate, Tocopheryl Acetate, Silica Dimethyl Silylate, Octyltrimethyl Silyltrimethylsiloxane, Ethylhexyl Stearate, Ethylhexyl Stearate, L-Carbitol, Polyglyceryl-6 Octanoate, Pentaerythrityl Tetraethylhexanoate, Ethylhexyl Stearate, Decylum EHTA, Hydroxyacetophenone, Polyglyceryl-6 Benzoate, Cetyl Alcohol, Sodium Acetyl Phosphate	
<b>Questions?</b> 1-800-227-4709	

Learn more at [EucerinUS.com](http://EucerinUS.com)

Beiersdorf

Made in Mexico  
Distributed by:  
Beiersdorf Inc.  
Stamford, CT 06901

MART # 98370  
©-reg. TM of  
Beiersdorf AG, Germany



**Eucerin**

Suitable for daily use  
under make up

Developed with  
Dermatologists

Sensitive Skin Experts

Invisible Finish

Ophthalmologist Tested

- Oil Free
- Hypoallergenic
- Non-comedogenic  
(does not clog pores)
- Does not run into eyes  
and sting
- No Octinoxate & Oxybenzone
- Free of fragrance, dyes,  
parabens, PABA & phthalates

## EUCERIN AGE DEFENSE SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-5000
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYGLYCERYL-6 DISTEARATE</b> (UNII: Z35I17EQOP)	
<b>GLYCERIN</b> (UNII: PDC6A3COOX)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCYRRHIZA INFLATA ROOT</b> (UNII: 1MV1Z7MKVQ)	

<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>ETHYLCELLULOSES</b> (UNII: 7Z8S9VYZ4B)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ENOXOLONE</b> (UNII: P540XA09DR)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>GLYCINE PROPIONYL-L-CARNITINE</b> (UNII: 8KVN59D5FL)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYGLYCERYL-6 STEARATE</b> (UNII: ETY9Q81E2T)
<b>DIISOSTEAROYL POLYGLYCERYL-3 DIMER DILINOLEATE</b> (UNII: G323Z25S2O)
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)
<b>POLYGLYCERYL-6 BEHENATE</b> (UNII: 4T2L7QI313)
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>COPERNICIA PRUNIFERA WHOLE</b> (UNII: 6EKZ38572S)
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)

### Product Characteristics

<b>Color</b>	white (Off-White to Yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-5000-4	75 g in 1 TUBE; Type 0: Not a Combination Product	11/03/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/03/2021	

