

**PANTIN- lidocain cream 5% cream**

**tmt america llc**

**Reference Label Set Id: c481ebf1-1972-1e1c-e053-2995a90a78b4**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENTS:**

Lidocaine BP 5%w/w

**PURPOSE:**

Topical Anaesthetic

**INDICATIONS & USAGE**

Uses for temporary relief of pain and itching due to minor skin irritation . To provide topical local analgesia for superficial dermatological procedures.

**WARNING:**

- For External Use only.

When using this Product - Avoid contact with eyes - Do not use in large quantities, particularly over raw surfaces or blistered areas .

Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. Discontinue use.

**KEEP OUT OF REACH OF CHILDREN**

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS FOR USE:**

Directions For Adult & Children above 12 years of Age :

- Applied Before the procedure
- Apply very thick to area and around - Once rubbed in
- apply another layer of cream to the area - Cover the area with saran-Wrap in order for it to remain thick.

For Children under 12 years of age: Consult a physician.

## INACTIVE INGREDIENTS:

Cetostearyl Alcohol , Ceto Macrogol 1000 , Micro Wax, Paraffin Wax, Light Liquid Paraffin, Propylene Glycol, Glycerin & Methyl Paraben

## OTHER INFORMATION:

Protect this product from excessive heat and direct Sun - Please test on small area before use.

\* These statements are not evaluated by Food & Drug Administration.

## PRINCIPAL DISPLAY PANEL



# Carton

NDC 81959-0001-3

**PANTIN**  
Lidocaine 5%

Apply Before

Tattooing - Body Piercing - Laser Treatments - Body Waxing

*Max Strength Topical Anesthetic*

**PANTIN**  
Lidocaine 5%

**3 Easy Steps to apply:**

- Apply very thick cream to area and around & rubbed in
- Apply another layer of cream to the area
- Cover the area with saran wrap in order for it to remain thick.

NDC 81959-0001-3

**PANTIN**  
Lidocaine 5%

Topical Anesthetic Cream

Tattooing - Body Piercing - Laser Treatments - Body Waxing

30g

*Max Strength Topical Anesthetic*

**PANTIN**  
Lidocaine 5%

Topical Anesthetic Cream

[www.pantincream.com](http://www.pantincream.com)

[www.pantincream.com](http://www.pantincream.com)

Close cap tightly after use.

0 046708 650970

Code No. : Gul/Drugs/G-133

Batch No. :

Mfg. Date :

Exp. Date :

Made in India

**Drug Facts**

**Active Ingredients**  
Lidocaine BP 5% w/w.....Topical Anesthetic

**Purpose**  
Uses for temporary relief of pain and itching due to minor skin irritation. To provide topical local analgesia for superficial dermatological procedures.

**Warnings**  
- For External Use only.

**When using this Product** - Avoid contact with eyes - Do not use in large quantities, particularly over raw surfaces or blistered areas.

**Stop use and ask a doctor** if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. Discontinue use.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions For Adult & Children above 12 years of Age:**  
Applied Before the procedure - Apply very thick to area and around - Once rubbed in, apply another layer of cream to the area - Cover the area with saran-wrap in order for it to remain thick.

**Inactive Ingredients** Cetostearyl Alcohol, Ceto Macrogol 1000, Micro Wax, Paraffin Wax, Light Liquid Paraffin, Propylene Glycol, Glycerin & Methyl Paraben.

**Other Information** Protect this product from excessive heat and direct Sun - Please test on small area before use.

**Manufactured for:**  
TMT AMERICA LLC, USA  
5 South Walsh Ave. # 417, Chicago, Illinois 60609, USA

\* These statements are not evaluated by Food & Drug Administration.

# Tube



# PANTIN

## Lidocaine 5%

NDC 81959-0001-3

Topical Anaesthetic Cream

Tattooing - Body Piercing - Laser Treatments - Body Waxing

**30g**



Code No. : GUJ/DRUGS/G-133

**Drug Facts**

**Active Ingredients**  
Lidocaine BP 5% w/w.....

**Purpose**  
Topical Anaesthetic

**Uses** for temporary relief of pain and itching due to minor skin irritation. To provide topical local analgesia for superficial dermatological procedures.

**Warnings** - For External Use only.

**When using this Product** - Avoid contact with eyes - Do not use in large quantities, particularly over raw surfaces or blistered areas.

**Stop use and ask a doctor** if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days. Discontinue use. **Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** *For Adult & Children above 12 years of Age* : Applied Before the procedure - Apply very thick to area and around - Once rubbed in, apply another layer of cream to the area - Cover the area with saran-Wrap in order for it to remain thick.

*For Children under 12 years of age*: Consult a physician.

**Inactive Ingredients** Cetostearyl Alcohol , Ceto Macrogol 1000 , Micro Wax, Paraffin Wax, Light Liquid Paraffin, Propylene Glycol, Glycerin & Methyl Paraben

**Other Information** Protect this product from excessive heat and direct Sun - Please test on small area before use.

\* These statements are not evaluated by Food & Drug Administration.

Manufactured For: **TMT AMERICA LLC, USA**  
5 South Wabash Ave. # 417, Chicago, Illinois 60603, USA

[www.pantincream.com](http://www.pantincream.com)

Made in India

Expiry 36 months from Mfg. Date

Batch No. & Mfg. Date on the crimp. →

PC

- CYAN
- MAGENTA
- YELLOW
- BLACK


ø22(69.4)x123mm

## 2 side labels



50mm

80mm




80mm



80mm





**PANTIN**

lidocain cream 5% cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81959-0001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	2.5 g in 50 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
PARAFFIN (UNII: I9O0E3H2ZE)	1.575 g in 50 g
METHYLPARABEN (UNII: A2I8C7HI9T)	0.075 g in 50 g
WATER (UNII: 059QF0KO0R)	34.025 g in 50 g
LIQUID PETROLEUM (UNII: 6ZAE7X688J)	4.65 g in 50 g
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	0.9 g in 50 g
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	1.275 g in 50 g
GLYCERIN (UNII: PDC6A3C0OX)	0.5 g in 50 g
CETYL ALCOHOL (UNII: 936JST6JCN)	3.5 g in 50 g
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	1 g in 50 g

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81959-0001-5	1 in 1 CARTON	05/21/2019	
1		50 g in 1 JAR; Type 0: Not a Combination Product		
2	NDC:81959-0001-1	1 in 1 CARTON	05/21/2019	
2		100 g in 1 JAR; Type 0: Not a Combination Product		
3	NDC:81959-0001-3	1 in 1 CARTON	06/15/2021	
3		30 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part348	05/21/2019	

**Labeler** - tmt america llc (042585222)

