

**CERAMIDE LIFT AND FIRM EYE SUNSCREEN SPF 15- octinoxate and oxybenzone cream  
Elizabeth Arden, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**BC0993**

**DESCRIPTION**

An eye moisture treatment to diminish the appearance of fine lines and wrinkles, crow's feet, dark circles, and puffiness. Gently lifts and firms the look of skin in the eye area for a brighter, visibly youthful, and more rested look.

**INDICATIONS AND USAGE**

To Use: Pat gently to cleansed skin around the eye area.

For Sunscreen Use: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.

**WARNINGS**

Warnings:

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

**OTC - ACTIVE INGREDIENT**

Active Ingredients: Octinoxate 4.09%, Oxybenzone 1.40%.

**INACTIVE INGREDIENT**

Other Ingredients: Water/Aqua/Eau, Dimethicone, Cetyl Ricinoleate, Octinoxate, Cetearyl Alcohol, Glycerin, Synthetic Beeswax, Butylene Glycol, Stearyl Heptanoate, Myristal Myristate, Isononyl Isononanoate, Oxybenzone, Ammonium Acryloyldimethyltaurate/VP Copolymer, Copernicia Cerifera (Carnauba) Wax/Cera Carnauba/Cire de Carnauba, PPG-2 Isoceteth-20 Acetate, Ceteth-20, Penoxyethanol, Cyclopentasiloxane, Myristyl Laurate, PEG-100 Stearate, Ascorbyl Glucoside, Beeswax/Cera Alba/Cire d'Abeille, BIS-PEG-12 Dimethicone, PEG-20, Sorbitan Tristearate, Steareth-100, Hibiscus Abelmoschuss Seed Extract, Propylene Glycol, VP/Eicosense Copolymer, BHT, Diazolidnyl Urea, Disodium EDTA, Hesperidin Methyl Chalcone, Sodium Hydroxide, Steareth-20, Pyrus Malus (Apple) Fruit Extract, Camellia Sinensis Leaf Extract, Methylparaben, Sodium Lauroyl Lactylate, Xanthan Gum, Silica, Propylparaben, Glycine Soja (Soybean) Seed Extract, PVP, Ceramide 3, Chlorhexidine Digluconate, Phospholipids, Ceramide 6 II, Dipeptide-2, Phytosphingosine, Potassium Sorbate, Tocopheryl Acetate, Ascorbyl Palmitate, Palmitoyl Tetrapeptide-7, Acetyl Octapeptide-3, Ceramide 1.

## **DOSAGE & ADMINISTRATION**

Pat around eyes.

## **OTC - KEEP OUT OF REACH OF CHILDREN**

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control center immediately.

## **OTC - PURPOSE**

Provides SPF 15 sun protection.

## **OTC - WHEN USING**

Keep out of eyes.

An eye moisture treatment to diminish the appearance of fine lines and wrinkles, crow's feet, dark circles and puffiness. Gently lifts and firms the look of skin in the eye area for a brighter, visibly youthful and more rested look.

To use: Pat gently to cleansed skin around the eye area.

Clinically, dermatologist and allergy tested. Ophthalmologist tested.



**Elizabeth Arden**

NEW YORK

**Ceramide**  
**Lift and Firm**  
**Eye Cream Sunscreen**  
**SPF 15**

**Drug Facts (continued)**

STEARETH-20, PVP, VP/EICOSENE COPOLYMER, XANTHAN GUM, SODIUM HYDROXIDE, BHT, HESPERIDIN METHYL CHALCONE, DISODIUM EDTA, SILICA, CYCLOPENTASILOXANE, DIAZOLIDINYL UREA, METHYLPARABEN, PHENOXYETHANOL, POTASSIUM SORBATE, PROPYLPARABEN, CHLORHEXIDINE DIGLUCONATE.

**Other Information**

■ Protect this product from excessive heat and direct sun

**Drug Facts (continued)****Questions or comments?**

■ Call toll free 1-800-326-7337

**Drug Facts****Active Ingredients Purpose**

OCTINOXATE 4.09%..... Sunscreen  
OXYBENZONE 1.40%..... Sunscreen

**Uses**

■ Helps prevent sunburn

**Warnings****Skin Cancer/Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, **not** skin cancer or early skin aging.

**Drug Facts (continued)****■ For external use only**

■ **Do not use** on damaged or broken skin

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs

■ **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)****Directions****For Sunscreen Use:**

■ Apply liberally 15 minutes before sun exposure

■ Reapply:

■ at least every 2 hours

■ Children under 6 months:

Ask a doctor.

**Inactive Ingredients**

WATER/AQUA/EAU, DIMETHICONE, CETYL RICINOLEATE, CETEARYL ALCOHOL, GLYCERIN, SYNTHETIC BEESWAX, BUTYLENE GLYCOL, CETEARYL DIMETHICONE

**Drug Facts (continued)**

CROSSPOLYMER, HYDROGENATED POLYISOBUTENE, PENTYLENE GLYCOL, STEARYL HEPTANOATE, MYRISTYL MYRISTATE, ISONONYL ISONONANOATE, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER, COPERNICIA CERIFERA (CARNAUBA) WAX/ CERA CARNAUBA/ CIRE DE CARNAUBA, PPG-2 ISOCETETH-20 ACETATE, ASCORBYL GLUCOSIDE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, BEESWAX/CERA ALBA/CIRE D'ABEILLE, CAMELLIA SINENSIS LEAF EXTRACT,

**Drug Facts (continued)**

GLYCINE SOJA (SOYBEAN) SEED EXTRACT, HIBISCUS ABELMOSCHUSS SEED EXTRACT, PYRUS MALUS (APPLE) FRUIT EXTRACT, ASCORBYL PALMITATE, TOCOPHERYL ACETATE, BIS-PEG-12 DIMETHICONE, ACETYL OCTAPEPTIDE-3, PROPYLENE GLYCOL, DIPEPTIDE-2, PALMITOYL TETRAPEPTIDE-7, PHOSPHOLIPIDS, PHYTOSPHINGOSINE, CETETH-20, PEG-100 STEARATE, PEG-20 SODIUM LAUROYL LACTYLATE, SORBITAN TRISTEARATE, MYRISTYL LAURATE, STEARETH-100,

To use: Pat gently to cleansed skin around the eye area.  
**ACTIVE INGREDIENTS:**  
 OCTINOXATE 4.90% W/W  
 OXYBENZONE 1.40% W/W  
**USES:** Helps prevent sunburn.

**WARNINGS: SKIN CANCER/SKIN AGING ALERT:** SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. THIS PRODUCT HAS BEEN SHOWN ONLY TO PREVENT SUNBURN, NOT SKIN

Distributed in U.S.A. by  
 ©Elizabeth Arden, Inc.  
 New York, NY 10003  
**elizabetharden.com**  
 Made in U.S.A.  
 No. CERN00119

**IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.**

**Directions for Sunscreen use:** apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. **Other information:** protect this product from excessive heat and direct sun. **Questions or comments?** Call toll free 1-800-326-7337

CANCER OR EARLY SKIN AGING. **FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN.**

Elizabeth Arden

**Ceramide** ↪  
 Lift and Firm  
 Eye Cream  
 Sunscreen SPF 15

## CERAMIDE LIFT AND FIRM EYE SUNSCREEN SPF 15

octinoxate and oxybenzone cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67938-0993
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.58896 g in 14.4 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.2016 g in 14.4 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

<b>CETYL RICINOLEATE</b> (UNII: 1P677500YD)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128MIS)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>STEARYL HEPTANOATE</b> (UNII: 2M4UGL1NCN)	
<b>MYRISTYL MYRISTATE</b> (UNII: 4042ZC00DY)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>PPG-2 ISO CETETH-20 ACETATE</b> (UNII: B16C7YO419)	
<b>CETETH-20</b> (UNII: I835H2IHHX)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>MYRISTYL LAURATE</b> (UNII: 58U0NZN2BT)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52R0NHXW)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>SORBITAN TRISTEARATE</b> (UNII: 6LUM696811)	
<b>STEARETH-100</b> (UNII: 4OH5W9UM87)	
<b>ABELMOSCHUS MOSCHATUS SEED</b> (UNII: UN2QZ55I88)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>HESPERIDIN METHYLCHALCONE</b> (UNII: 4T2GVA922X)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>APPLE</b> (UNII: B423VGH5S9)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>SODIUM LAUROYL LACTYLATE</b> (UNII: 7243K85WFO)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SOYBEAN</b> (UNII: L7HT8F1ZOD)	
<b>CERAMIDE 3</b> (UNII: 4370DF050B)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>OMEGA-3 FATTY ACIDS</b> (UNII: 71M78END5S)	
<b>CERAMIDE 6 II</b> (UNII: F1X8L2B00J)	
<b>VALYLTRYPTOPHAN</b> (UNII: 3G64B4AFQN)	
<b>PHYTOSPHINGOSINE</b> (UNII: GIN46U9Q2Q)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>CERAMIDE 1</b> (UNII: 5THT33P7X7)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67938-0993-1	1 in 1 BOX		
1	NDC:67938-0993-2	14.4 g in 1 JAR		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/27/2010	

**Labeler** - Elizabeth Arden, Inc (849222187)

Revised: 4/2013

Elizabeth Arden, Inc