

**EUCERIN BABY SENSITIVE MINERAL SPF 50 SUNSCREEN- zinc oxide lotion**  
**Beiersdorf Inc**

-----  
**Eucerin Baby Sensitive Mineral SPF 50 Sunscreen Lotion**

***Drug Facts***

***Active ingredient***

Zinc Oxide 24%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

■ children under 6 months: Ask a doctor

### ***Other information***

■ protect this product from excessive heat and direct sun

■ may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

Water, C12-15 Alkyl Benzoate, Isopropyl Palmitate, Butyloctyl Salicylate, Ethylhexyl Pelargonate, Cetyl PEG/PPG-10/1 Dimethicone, Propylene Glycol, Cyclopentasiloxane, Bis-Octyldodecyl Dimer Dilinoleate/Propanediol Copolymer, Dimethicone, Ethylhexyl Methoxycrylene, Polyester-27, Triethoxycaprylylsilane, Beeswax, Hydroxyacetophenone, Sodium Chloride, PEG-12 Dimethicone Crosspolymer, 1,2-Hexanediol, Caprylyl Glycol, Tocopherol

### ***Questions?***

1-800-227-4703

### **NEW**

**Eucerin**®

Baby

Sensitive Mineral

Zinc Oxide Protection

Easy to apply Sunscreen Lotion

**50** Broad Spectrum SPF 50

Hypallergenic | Fragrance & Tear Free

No Oxybenzone, Parabens, Dye, PABA or PHTHALATES

Developed with Dermatologists

4 FL OZ (118 mL)

Drug Facts	
<b>Active Ingredients</b> Zinc Oxide 24%	<b>Purpose</b> Sunscreen
<b>Uses</b> — helps prevent sunburn — if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Apply liberally 15 minutes before sun exposure — reapply — after 80 minutes of sweating or swimming — immediately after towel drying — at least every 2 hours — when Prolonged Exposure. Spend less time in the sun because your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including — wear hats in the sun, especially from 10 a.m. – 2 p.m. — wear long-sleeved shirts, pants, hats, and sunglasses — in child's under 6 months: Ask doctor	

Other Information	
To protect this product from excessive heat and direct sun in any state or damage some fabrics or surfaces	
<b>Inactive Ingredients:</b> Water, C12-15 Alkyl Benzoate, Isopropyl Palmitate, Butyloctyl Salicylate, Ethylhexyl Palmitate, Cetyl PEG-10/1 Dimethicone, Propylene Glycol, Cyclopentasiloxane, Ethylhexyl Glycol Dimethylsiloxane/Propylalcohol Copolymer, Dimethicone, Ethylhexyl Methacrylate, Polysiloxane-27, Triethoxycaprylyl Siloxane, Stearic Acid, Hydroxyacetophenone, Ethylhexyl Chloride, PEG-12 Dimethyl Crosspolymer, 1,3-Hexanediol, Copolyol Glycol, Tocopherol	
<b>Questions?</b> 1-800-327-4303	

Learn more at [EucerinUS.com](http://EucerinUS.com)  
 Eucerin US, Inc. of Beiersdorf AG, Germany  
 Beiersdorf WART # 98376

**NEW**

**Eucerin** 

*Baby* 

**SENSITIVE MINERAL**

**ZINC OXIDE PROTECTION**

EASY TO APPLY SUNSCREEN LOTION

**50**

BROAD SPECTRUM SPF 50

HYPOALLERGENIC | FRAGRANCE & TEAR FREE  
 NO OXYBENZONE, PARABENS, OYE, PABA OR PHTHALATES

DEVELOPED WITH DERMATOLOGISTS  
 WATER RESISTANT (80 MINUTES)

4 FL OZ (118 mL)

## EUCERIN BABY SENSITIVE MINERAL SPF 50 SUNSCREEN

zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-4000
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER</b> (UNII: 965K72OQXO)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER</b> (UNII: TY3J98ZR7R)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	

<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ETHYLHEXYL PELARGONATE</b> (UNII: 3YU1SQ04DV)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	

### Product Characteristics

<b>Color</b>	white (off-white to yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4000-1	118 g in 1 TUBE; Type 0: Not a Combination Product	11/03/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/03/2021	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 11/2024

Beiersdorf Inc