

**EUCERIN SENSITIVE MINERAL SPF 50 SUNSCREEN- zinc oxide lotion**  
**Beiersdorf Inc**

-----  
**Eucerin Sensitive Mineral SPF 50 Sunscreen Lotion**

***Drug Facts***

***Active ingredient***

Zinc Oxide

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

Water, C12-15 Alkyl Benzoate, Isopropyl Palmitate, Butyloctyl Salicylate, Ethylhexyl Pelargonate, Cetyl PEG/PPG-10/1 Dimethicone, Propylene Glycol, Cyclopentasiloxane, Bis-Octyldodecyl Dimer Dilinoleate/Propanediol Copolymer, Dimethicone, Diethylhexyl Syringylidenemalonate, Ethylhexyl Methoxycrylene, Polyester-27, Glycyrrhetic Acid, Glycyrrhiza Inflata Root Extract, Tocopherol (Vitamin E), Sodium Ascorbyl Phosphate, Beeswax, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, PEG-12 Dimethicone Crosspolymer, Triethoxycaprylylsilane, Sodium Chloride

### ***Questions?***

1-800-227-4703

**Eucerin**®

Sensitive Mineral

Zinc Oxide Protection

Lightweight Sunscreen Lotion

50 Broad Spectrum SPF 50

Hypoallergenic | Fragrance Free

No Oxybenzone and Octinoxate

5 AOX Shield Antioxidant Defense

Developed With Dermatologists

Water Resistant (80 Minutes)

4 FL OZ (118 mL)

text MUST NOT run  
**Drug Facts**  
 over dashed line  
**Active ingredient** **Purpose**  
 Zinc Oxide 24% ..... Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Other information**  
 ■ protect this product from excessive heat and direct sun  
 ■ may stain or damage some fabrics or surfaces

**Inactive ingredients** Water, C12-15 Alkyl Benzoate, Isopropyl Palmitate, Butyloctyl Salicylate, Ethylhexyl Pelargonate, Cetyl PEG/PPG-10/1 Dimethicone, Propylene Glycol, Cyclopentasiloxane, Bis-Octyldodecyl Dimer Diinoleate/Propanediol Copolymer, Dimethicone, Diethylhexyl Syringylidenemalonate, Ethylhexyl Methoxycrylene, Polyester-27, Glycyrrhelic Acid, Glycyrrhiza Inflata Root Extract, Tocopherol (Vitamin E), Sodium Ascorbyl Phosphate, Beeswax, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, PEG-12 Dimethicone Crosspolymer, Triethoxycaprylsilane, Sodium Chloride

**Questions?** 1-800-227-4703

Learn more at [EucerinUS.com](http://EucerinUS.com) ©=reg. TM. of  
**Beiersdorf** NART # 98375 **Beiersdorf AG, Germany**



DECO  
 AREA

**NEW & IMPROVED FORMULA**

**Eucerin®**

**SENSITIVE MINERAL**

**ZINC OXIDE PROTECTION**

LIGHTWEIGHT SUNSCREEN LOTION

**50**

BROAD SPECTRUM SPF 50

NO OXYBENZONE & OCTINOXATE

**5 AOX SHIELD™**  
 ANTIOXIDANT DEFENSE

DEVELOPED WITH DERMATOLOGISTS  
 WATER RESISTANT (80 MINUTES)

4 FL OZ (118 mL)

This area will be cut off

**EUCERIN SENSITIVE MINERAL SPF 50 SUNSCREEN**

zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-1000
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	

<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)
<b>BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER</b> (UNII: TY3J98ZR7R)
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>ETHYLHEXYL PELARGONATE</b> (UNII: 3YU1SQ04DV)
<b>GLYCYRRHIZA INFLATA ROOT</b> (UNII: 1MV1Z7MKVQ)
<b>GLYCYRRHETINIC ACID</b> (UNII: P540XA09DR)
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)

### Product Characteristics

<b>Color</b>	white (off-white to yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-1000-1	118 g in 1 TUBE; Type 0: Not a Combination Product	11/03/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/03/2021	

**Labeler** - Beiersdorf Inc (001177906)