

**SUNFORGETTABLE TOTAL PROTECTION FACE SHIELD BRONZE- zinc
oxide lotion
Colorescience**

Sunforgettable Total Protection Face Shield Bronze

Sunforgettable Total Protection Face Shield Bronze



SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE
SPF 50

colorescience®

SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE

Enjoy a perfect, natural sun-kissed glow all year long without the damage! This powerful protector features a beautiful bronze tint with our exclusive EnviroCarbon™ Technology to provide all-mineral protection from environmental aggressors such as UVA/UVB, pollution, blue light, and infrared radiation. Patented ingredients and a hydrating, antioxidant-rich mineral formula nourish and protect skin against free radicals that contribute to skin damage. Total protection in an elegant texture that blends easily with a weightless finish.

- + All-mineral sunscreen active ingredients
- + Elegant, non-greasy, lightweight coverage
- + Natural-looking bronze tint
- + Dermatologist tested, oil-free, non-comedogenic, vegan

For USA only

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12.0%.....Sunscreen
Use: • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure. Wipe last on moisturized skin. • Reapply • After 40 minutes of swimming or sweating. Immediately after toweling dry. • At least every 2 hours. • Children under 6 months

of age: Ask a doctor.
See Precaution Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. to 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients
Water, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propenylidene Dimethicone, Caprylyl Methacrylate, Methacrylate, Triethyl Salicylate, Mica, Triaurin-4 Phosphate, Dimethacrylate, Polyethylene Glycol Dimethyl Methacrylate, Dimethylsiloxane, Methylacrylate, Sodium Chloride, Stearic Acid, Laureth-9, Laureth-10, Laureth-11, Laureth-12, Laureth-13, Laureth-14, Laureth-15, Laureth-16, Laureth-17, Laureth-18, Laureth-19, Laureth-20, Laureth-21, Laureth-22, Laureth-23, Laureth-24, Laureth-25, Laureth-26, Laureth-27, Laureth-28, Laureth-29, Laureth-30, Laureth-31, Laureth-32, Laureth-33, Laureth-34, Laureth-35, Laureth-36, Laureth-37, Laureth-38, Laureth-39, Laureth-40, Laureth-41, Laureth-42, Laureth-43, Laureth-44, Laureth-45, Laureth-46, Laureth-47, Laureth-48, Laureth-49, Laureth-50, Laureth-51, Laureth-52, Laureth-53, Laureth-54, Laureth-55, Laureth-56, Laureth-57, Laureth-58, Laureth-59, Laureth-60, Laureth-61, Laureth-62, Laureth-63, Laureth-64, Laureth-65, Laureth-66, Laureth-67, Laureth-68, Laureth-69, Laureth-70, Laureth-71, Laureth-72, Laureth-73, Laureth-74, Laureth-75, Laureth-76, Laureth-77, Laureth-78, Laureth-79, Laureth-80, Laureth-81, Laureth-82, Laureth-83, Laureth-84, Laureth-85, Laureth-86, Laureth-87, Laureth-88, Laureth-89, Laureth-90, Laureth-91, Laureth-92, Laureth-93, Laureth-94, Laureth-95, Laureth-96, Laureth-97, Laureth-98, Laureth-99, Laureth-100.

How to Use
Shake well before each use.
Apply liberally and evenly to face, neck, and décolleté.



Distributed in UK by
colorescience®
Canfield, CA 92011
Made in USA
colorescience.com
DORIS
EU: 2170 Merano, DE
UK: London WC2H 8JQ, GB
U.S. Patent No. 8,130,707
and license from
SolScience, LLC
170861211



For USA only

Drug Facts (continued)

Inactive Ingredients (continued)
Isocetyl-10, Ethyl, Dimethylmethoxy Chromanol, Octylphenyl Sulfonate, Fruit Peel Extract, Hydroxyethyl Acrylate, Hydroxyethyl Methacrylate, Caprylyl Glycol, Hexylene Glycol, Tetradecyl Glucoside Diacetate, Sodium Hydroxide, Polyethylene Glycol, Propenylidene Dimethicone, Benzoin Resinoid, Iron Oxides CI 77491, CI 77492, CI 77499.

Other Information • Protect this product from excessive heat and direct sun.

Questions or comments?
Call toll free 866-426-5673

Ingredients (EU)

Aqua, Zinc Oxide, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propenylidene Dimethicone, Caprylyl Methacrylate, Methacrylate, Triethyl Salicylate, Mica, Triaurin-4 Phosphate, Dimethacrylate, Polyethylene Glycol Dimethyl Methacrylate, Dimethylsiloxane, Methylacrylate, Sodium Chloride, Stearic Acid, Laureth-9, Laureth-10, Laureth-11, Laureth-12, Laureth-13, Laureth-14, Laureth-15, Laureth-16, Laureth-17, Laureth-18, Laureth-19, Laureth-20, Laureth-21, Laureth-22, Laureth-23, Laureth-24, Laureth-25, Laureth-26, Laureth-27, Laureth-28, Laureth-29, Laureth-30, Laureth-31, Laureth-32, Laureth-33, Laureth-34, Laureth-35, Laureth-36, Laureth-37, Laureth-38, Laureth-39, Laureth-40, Laureth-41, Laureth-42, Laureth-43, Laureth-44, Laureth-45, Laureth-46, Laureth-47, Laureth-48, Laureth-49, Laureth-50, Laureth-51, Laureth-52, Laureth-53, Laureth-54, Laureth-55, Laureth-56, Laureth-57, Laureth-58, Laureth-59, Laureth-60, Laureth-61, Laureth-62, Laureth-63, Laureth-64, Laureth-65, Laureth-66, Laureth-67, Laureth-68, Laureth-69, Laureth-70, Laureth-71, Laureth-72, Laureth-73, Laureth-74, Laureth-75, Laureth-76, Laureth-77, Laureth-78, Laureth-79, Laureth-80, Laureth-81, Laureth-82, Laureth-83, Laureth-84, Laureth-85, Laureth-86, Laureth-87, Laureth-88, Laureth-89, Laureth-90, Laureth-91, Laureth-92, Laureth-93, Laureth-94, Laureth-95, Laureth-96, Laureth-97, Laureth-98, Laureth-99, Laureth-100.

How to Use (EU) Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if a serious reaction occurs. Re-apply frequently to maintain protection, especially after perspiring, swimming or tanning.

- + Protects from: UVA/UVB, pollution, blue light, IR
- + Natural-looking tint
- + Hydrating, antioxidant-rich

50 Broad Spectrum
SPF 50 Sunscreen
PA++++
ALL-MINERAL ACTIVES
WATER/SWEAT RESISTANT (40 MINUTES)
Net Wt. 1.8 fl. oz. / 55 mL



Sunforgettable Total Protection Face Shield Bronze



SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE
SPF 50

colorescience®

SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE

Enjoy a perfect, natural sun-kissed glow all year long without the damage! This powerful protector features a beautiful bronze tint with our exclusive EnviroCarbon™ Technology to provide all-mineral protection from environmental aggressors such as UVA/UVB, pollution, blue light, and infrared radiation. Patented ingredients and a hydrating, antioxidant-rich mineral formula nourish and protect skin against free radicals that contribute to skin damage. Total protection in an elegant texture that blends easily with a weightless finish.

- + All-mineral sunscreen active ingredients
- + Elegant, non-greasy, lightweight coverage
- + Natural-looking bronze tint
- + Dermatologist tested, oil-free, non-comedogenic, vegan

For USA only

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12.0%.....Sunscreen
Use: • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure. Wipe last on moisturized skin. • Reapply • After 40 minutes of swimming or sweating. Immediately after toweling dry. • At least every 2 hours. • Children under 6 months

of age: Ask a doctor.
See Precaution Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. to 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients
Water, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Glycol, Dimethicone, Caprylyl Methicone, Methacrylates, Triethyl Salicylate, Mica, Triaurin-4 Phosphate, Dimethiconol Propylene Glycol Glycolate Crosspolymer, Lauryl PEG-10 Dimethylsiloxane Dimethylsilylate, Dimethicone, Methylacrylate, Sodium Citrate, Bisabolol, Decyl Dimethylsilylate, Tocopheryl Phosphate, Ethylhexylglycerin, Allantoin, Triamela Fuciformis Sarcocolla Extract, Helianthus Annuus Seed Extract, Caprylyl Glycol, Hexylene Glycol, Nicotianum Glutamate Diacetate, Sodium Hydroxide, Dihydroxyacetone, Phenoxyethanol, Sodium Benzoate, Sorbic Acid, (+/-) CI 77801, CI 77491, CI 77492, CI 77499.

How to Use
Shake well before each use. Apply liberally and evenly to face, neck, and décolleté.



Distributed in UK by
colorescience®
Canfield, CA 92011
Made in USA
colorescience.com
DORFUS
EU: 2170 Merano, DE
UK: London WC2H 8JQ, GB
U.S. Patent No. 8,130,707
and license from
SolScience, LLC
170861211



For USA only

Drug Facts (continued)

Inactive Ingredients (continued)
Isocetyl-10, Ethica, Dimethylmethoxy Chromanol, Oenothera Biennis Fruit Pod Extract, Helianthus Annuus Seed Extract, Spray-Etched, Caprylyl Glycol, Hexylene Glycol, Tetraedim Glutamate Diacetate, Sodium Hydroxide, Dihydroxyacetone, Phenoxyethanol, Sodium Benzoate, Sorbic Acid, Thiamyl Diolate CI 77801, Iron Oxides CI 77491, CI 77492, CI 77499.

Other Information • Protect this product from excessive heat and direct sun.

Questions or comments?
Call toll free 866-426-5673

Ingredients (EU)
Aqua, Zinc Oxide, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Glycol, Dimethicone, Caprylyl Methicone, Methacrylates, Triethyl Salicylate, Mica, Triaurin-4

Phosphate, Dimethiconol Propylene Glycol Glycolate Crosspolymer, Lauryl PEG-10 Dimethylsilylate Dimethylsilylate, Dimethicone, Methylacrylate, Sodium Citrate, Bisabolol, Decyl Dimethylsilylate, Tocopheryl Phosphate, Ethylhexylglycerin, Allantoin, Triamela Fuciformis Sarcocolla Extract, Helianthus Annuus Seed Extract, Caprylyl Glycol, Hexylene Glycol, Nicotianum Glutamate Diacetate, Sodium Hydroxide, Dihydroxyacetone, Phenoxyethanol, Sodium Benzoate, Sorbic Acid, (+/-) CI 77801, CI 77491, CI 77492, CI 77499.

How to Use (EU) Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and seek a doctor's attention if a reaction occurs. Re-apply frequently to maintain protection, especially after perspiring, swimming or tanning.

- + Protects from: UVA/UVB, pollution, blue light, IR
- + Natural-looking tint
- + Hydrating, antioxidant-rich

50 Broad Spectrum
SPF 50 Sunscreen
PA++++
ALL-MINERAL ACTIVES
WATER/SWEAT RESISTANT (40 MINUTES)
Net Wt. 1.8 fl. oz. / 55 mL



Sunforgettable Total Protection Face Shield Bronze



SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE
SPF 50

colorescience®

SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE

Enjoy a perfect, natural sun-kissed glow all year long without the damage! This powerful protector features a beautiful bronze tint with our exclusive EnviroCarbon™ Technology to provide all-mineral protection from environmental aggressors such as UVA/UVB, pollution, blue light, and infrared radiation. Patented ingredients and a hydrating, antioxidant-rich mineral formula nourish and protect skin against free radicals that contribute to skin damage. Total protection in an elegant texture that blends easily with a weightless finish.

- + All-mineral sunscreen active ingredients
- + Elegant, non-greasy, lightweight coverage
- + Natural-looking bronze tint
- + Dermatologist tested, oil-free, non-comedogenic, vegan

For USA only

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12.0%.....Sunscreen
Use: • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure. Wipe last on moisturized skin. • Reapply • After 40 minutes of swimming or sweating. Immediately after toweling off. • At least every 2 hours. • Children under 6 months

of age: Ask a doctor.
See Precaution Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. to 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients
Water, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propenylidene Dimethicone, Caprylyl Methacrylate, Methacrylate, Triethyl Salicylate, Mica, Triaurin-4 Phosphate, Dimethiconol Propylhexanoate/Silica Crosspolymer, Lauryl PEG-10 Hexa(trimethylsilyloxyethyl) Dimethicone, Methylacrylate, Stearic Acid, Stearalkyl Dimethyl Laurinethiodipropionate Tocopheryl Phosphate, Ethylhexylglycerin, Allantoin, Triamela Fuciformis Sarcocolla Extract, Triamela Fuciformis Sarcocolla Extract, Caffeoyl Glycol, Hesperidin Glycoside, Tocotrienol, Tocopherol Acetate, Phenoxyethanol, Sodium Benzoate, Sorbic Acid, (+)-CI 77001, CI 77491, CI 77492, CI 77499.

How to Use
Shake well before each use. Apply liberally and evenly to face, neck, and décolleté.



Distributed in UK by
colorescience®
Canfield, CA 92011
Made in USA
colorescience.com
DORIS
EU: 2170 Merano, DE
UK: London WC2H 9JQ, GB
U.S. Patent No. 8,130,707
and license from
SolScience, LLC
170861211



For USA only

Drug Facts (continued)

Inactive Ingredients (continued)
Isocetyl-10, Ethica, Dimethylmethoxy Chromanol, Oenothera Biennis Fruit Pod Extract, Helianthus Annuus (Sunflower) Sprout Extract, Caprylyl Glycol, Hesperidin Glycoside, Tocopherol Acetate, Phenoxyethanol, Sodium Benzoate, Sorbic Acid, Triamela Fuciformis Sarcocolla Extract, Triamela Fuciformis Sarcocolla Extract, Caffeoyl Glycol, Hesperidin Glycoside, Tocotrienol, Tocopherol Acetate, Phenoxyethanol, Sodium Benzoate, Sorbic Acid, (+)-CI 77001, CI 77491, CI 77492, CI 77499.

Other Information • Protect this product from excessive heat and direct sun.

Questions or comments?
Call toll free 866-426-5673

Ingredients (EU)
Aqua, Zinc Oxide, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propenylidene Dimethicone, Caprylyl Methacrylate, Methacrylate, Triethyl Salicylate, Mica, Triaurin-4

Phosphate, Dimethiconol Propylhexanoate/Silica Crosspolymer, Lauryl PEG-10 Hexa(trimethylsilyloxyethyl) Dimethicone, Methylacrylate, Stearic Acid, Stearalkyl Dimethyl Laurinethiodipropionate Tocopheryl Phosphate, Ethylhexylglycerin, Allantoin, Triamela Fuciformis Sarcocolla Extract, Triamela Fuciformis Sarcocolla Extract, Caffeoyl Glycol, Hesperidin Glycoside, Tocotrienol, Tocopherol Acetate, Phenoxyethanol, Sodium Benzoate, Sorbic Acid, (+)-CI 77001, CI 77491, CI 77492, CI 77499.

How to Use (EU) Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if a serious reaction occurs. Re-apply frequently to maintain protection, especially after perspiring, swimming or tanning.

- + Protects from: UVA/UVB, pollution, blue light, IR
- + Natural-looking tint
- + Hydrating, antioxidant-rich

50 Broad Spectrum
SPF 50 Sunscreen
PA++++
ALL-MINERAL ACTIVES
WATER/SWEAT RESISTANT (40 MINUTES)
Net Wt. 1.8 fl. oz. / 55 mL



Sunforgettable Total Protection Face Shield Bronze



SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE
SPF 50

colorescience®

SUNFORGETTABLE™
TOTAL PROTECTION™
FACE SHIELD BRONZE

Enjoy a perfect, natural sun-kissed glow all year long without the damage! This powerful protector features a beautiful bronze tint with our exclusive EnviroCarbon™ Technology to provide all-mineral protection from environmental aggressors such as UVA/UVB, pollution, blue light, and infrared radiation. Patented ingredients and a hydrating, antioxidant-rich mineral formula nourish and protect skin against free radicals that contribute to skin damage. Total protection in an elegant texture that blends easily with a weightless finish.

- + All-mineral sunscreen active ingredients
- + Elegant, non-greasy, lightweight coverage
- + Natural-looking bronze tint
- + Dermatologist tested, oil-free, non-comedogenic, vegan

For USA only

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12.0%.....Sunscreen
Use: • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure. Wipe last on moisturized skin. • Reapply • After 40 minutes of swimming or sweating. Immediately after toweling off. • At least every 2 hours. • Children under 6 months

of age: Ask a doctor. Sun Protection Measure: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. to 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients
Water, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propenylidene Dimethicone, Caprylyl Methacrylate, Methacrylate, Triethyl Salicylate, Mica, Triaurin-4 Phosphate, Dimethiconol Propylhexanoate/Dimethyl Siloxane Crosspolymer, Lauryl PEG-10 Dimethicone, Dimethylmethoxyethyl Dimethicone, Methylacrylate, Stearic Acid, Stearalkyl Dimethyl Laurinethiodipropionate Tocopheryl Phosphate, Ethylhexylglycerin, Allantoin, Triamela Fuciformis Sarcocolla Extract, Tamarix Fuciformis Sarcocolla Extract, Cedretholone and opposite side panel

For USA only

Drug Facts (continued)

Inactive Ingredients (continued)
Isocetyl-10, Ethica, Dimethylmethoxy Chromanol, Octapipris Squalene Fruit Peel Extract, Hydroxylated Ammonium Sulfonate, Spray-D Coated, Caprylyl Glycol, Hexylene Glycol, Tetradecyl Glucoside Diacrylate, Sodium Hexafluoroantimonate Acid, Propenylidene Sodium Benzoate, Benzoic Acid, Titanium Dioxide CI 77891, Iron Oxides CI 77491, CI 77492, CI 77499.

Other Information • Protect this product from excessive heat and direct sun.

Questions or comments?
Call toll free 866-426-5673

Ingredients (E1)

Water, Zinc Oxide, C12-15 Alkyl Benzoate, Butyltolyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Propenylidene Dimethicone, Caprylyl Methacrylate, Methacrylate, Triethyl Salicylate, Mica, Triaurin-4

Phosphate, Dimethiconol Propylhexanoate/Dimethyl Siloxane Crosspolymer, Lauryl PEG-10 Dimethylmethoxyethyl Dimethicone, Methylacrylate, Stearic Acid, Stearalkyl Dimethyl Laurinethiodipropionate Tocopheryl Phosphate, Ethylhexylglycerin, Allantoin, Triamela Fuciformis Sarcocolla Extract, Tamarix Fuciformis Sarcocolla Extract, Cedretholone, Stearic Acid, Dimethylmethoxy Chromanol, Octapipris Squalene Fruit Peel Extract, Hydroxylated Ammonium Sulfonate, Caprylyl Glycol, Hexylene Glycol, Tetradecyl Glucoside Diacrylate, Sodium Hexafluoroantimonate Acid, Propenylidene Sodium Benzoate, Benzoic Acid, CI 77891, CI 77491, CI 77492, CI 77499.

How to Use (E1) Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if a serious reaction occurs. Re-apply frequently to maintain protection, especially after perspiring, swimming or toweling.

How to Use
Shake well before each use. Apply liberally and evenly to face, neck, and décolleté.



Distributed in UK by
colorescience®
Canfield, CA 92011
Made in USA
colorescience.com
DORFUS
EU: 2170 Merano, DE
UK: London WC2H 8JQ, GB
U.S. Patent No. 8,130,707
and license from
SolScience, LLC
170861211

- + Protects from: UVA/UVB, pollution, blue light, IR
- + Natural-looking tint
- + Hydrating, antioxidant-rich

50 Broad Spectrum
SPF 50 Sunscreen
PA++++
ALL-MINERAL ACTIVES
WATER/SWEAT RESISTANT (40 MINUTES)
Net Wt. 1.8 fl. oz. / 55 mL



Sunforgettable Total Protection Face Shield Bronze

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68078-043
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	135.6 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CAESALPINIA SPINOSA FRUIT POD (UNII: EXY4496LWD)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
MICA (UNII: V8A1AW0880)	
NIACINAMIDE (UNII: 25X51I8RD4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (450000000 MW) (UNII: 9KB5R958PB)	
PROPANEDIOL (UNII: 5965N8W85T)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
DISODIUM LAURIMINODIPROPIONATE TOCOPHERYL PHOSPHATES (UNII: 0K5Y9U1P6M)	
DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALLANTOIN (UNII: 344S277G0Z)	
TRILAURETH-4 PHOSPHATE (UNII: M96W2OLL2V)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HELIANTHUS ANNUUS SPROUT (UNII: 4P26HG1S5W)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-043-02	1 in 1 CARTON	05/24/2021	
1	NDC:68078-043-01	55 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/24/2021	

Labeler - Colorescience (128731929)

Revised: 10/2025

Colorescience