

**NEUTROGENA ULTRA SHEER MOISTURIZING FACE SERUM SUNSCREEN BROAD SPECTRUM SPF 60 PLUS- avobenzone, homosalate, octisalate, and octocrylene lotion**  
Kenvue Brands LLC

-----

**Neutrogena Ultra Sheer Moisturizing Face Serum Sunscreen Broad Spectrum SPF 60 Plus**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 3%	Sunscreen
Homosalate 13.5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

- Children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- May stain some fabrics

### **Inactive ingredients**

Water, Butyloctyl Salicylate, Glycerin, Alcohol Denat., Silica, Dimethicone, Aluminum Starch Octenylsuccinate, Polyurethane-62, Phenoxyethanol, Pentylene Glycol, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Acrylates/Dimethicone Copolymer, Glyceryl Stearate, Chlorphenesin, Styrene/Acrylates Copolymer, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Sodium Hydroxide

### **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 50 mL Carton Label**

#### **NEW**

**Neutrogena**®

**DERMATOLOGIST**

**RECOMMENDED BRAND**

**Ultra Sheer**®

moisturizing

face serum

sunscreen

**BROAD SPECTRUM**

**SPF 60+**

FRAGRANCE FREE

**60+**

**WITH VITAMIN E**

soft + weightless

all-day hydration

oxybenzone free

water resistant (80 minutes)

**1.7 FL OZ (50 mL)**

Neutrogena®

BROAD SPECTRUM  
SPF 60+

FRAGRANCE FREE

NEW

Neutrogena®

DERMATOLOGIST  
RECOMMENDED BRAND

Ultra Sheer®

moisturizing  
face serum

sunscreen

BROAD SPECTRUM  
SPF 60+

FRAGRANCE FREE

60+

WITH VITAMIN E  
soft + weightless  
all-day hydration  
oxybenzone free  
water resistant (80 minutes)

1.7 FL OZ (50 mL)

Neutrogena  
Ultra Sheer®  
moisturizing  
face serum  
with  
Vitamin E

helioplex®  
broad spectrum uva-uvb

- Weightless, all-day hydration
- Acts as a makeup primer
- Skin feels soft, smooth and moisturized
- Doesn't leave a white cast
- Soft finish
- Non-greasy
- Non-comedogenic
- Fragrance free

**Drug Facts**

Active ingredients	Purpose
Avobenzone (3%).....	Sunscreen
Homosalate (13.5%) ..	Sunscreen
Octisalate (5%).....	Sunscreen
Octocrylene (10%) .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early

**Drug Facts (continued)**

skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

■ apply liberally 15 minutes before sun exposure

■ reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

ACTUAL SIZE

**Drug Facts (continued)**

■ children under 6 months of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- May stain some fabrics

**Inactive ingredients**

Water, Butyloctyl Salicylate, Glycerin, Alcohol Denat., Silica, Dimethicone, Aluminum Starch Octenylsuccinate, Polyurethane-62, Phenoxyethanol, Pentylene Glycol, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Acrylates/Dimethicone Copolymer, Glyceryl Stearate, Chlorphenesin, Styrene/Acrylates Copolymer, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Sodium Hydroxide

**Questions?**

Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:  
**JOHNSON & JOHNSON  
CONSUMER INC.**  
Skillman, NJ 08558  
© J&JCI 2022  
Pat. [www.jjciipats.com](http://www.jjciipats.com)  
30053268



LOT/EXP



# NEUTROGENA ULTRA SHEER MOISTURIZING FACE SERUM SUNSCREEN BROAD SPECTRUM SPF 60 PLUS

avobenzone, homosalate, octisalate, and octocrylene lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0717
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	135 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYURETHANE-62</b> (UNII: TBK645J3J8)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW)</b> (UNII: S7ZA3CCJ4M)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0717-2	1 in 1 CARTON	12/07/2021	
1		50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/07/2021	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC