

WALGREENS PAIN RELIEVING CREAM- lidocaine 4% cream
Walgreens

Walgreens Pain Relieving Cream + Lidocaine

Lidocaine HCl 4%

Topical Anesthetic

temporarily relieves minor joint and muscle pain

For external use only

- On large areas of the body or on cut, irritated or swollen skin
- On punctured wounds
- for more than one week without consulting a doctor

- Use only as directed. Read and follow all directions and warnings on this carton
- do not allow contact with eyes
- do not bandage or apply local heat to the area of use
- do not use at the same time as other topical analgesics

- the condition worsens, redness present, irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

ask a health professional before use

Keep out of reach of children and pets

If swallowed, get medical help or contact a Poison Control Center right way

Adults and children over 12 years: Apply a thin layer to the affected area every 6 to 8 hours, not exceeding 3 applications in a 24 hour period.

Children under 12 years of age: ask a doctor

benzyl alcohol, carbomer, glycerin, hydrogenated lecithin, isopropyl palmitate, polysorbate 80, triethanolamine, vitamin E, water

1800-925-4733



Walgreens

Drug Facts

Active ingredient Purpose
Lidocaine HCl 4%.....Topical anesthetic

Uses Temporarily relieves minor joint and muscle pain

Warnings

For external use only
Do not use
on large areas of the body or on cut, irritated or swollen skin
on puncture wounds
for more than one week without consulting a doctor

When using this product
use only as directed. Read and follow all directions and warnings on this carton.
do not allow contact with the eyes
do not bandage or apply local heat (such as heating pads) to the area of use
do not use at the same time as other topical anesthetics

Stop use and ask a doctor if
condition worsens, redness present, irritation develops
symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children over 12 years:
Apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period.
Children under 12 years of age: ask a doctor

Inactive ingredients
benzyl alcohol, carbonic glycerin, hydroxyethylcellulose, isopropyl palmitate, polyethylene glycol, hydroxybenzoin, vitamin E, water

Questions? 1-800-925-4788

NET WT 2.7 OZ (76.5 g)

**ODOR FREE
Pain Relieving
Cream + Lidocaine**
LIDOCAINE HCl 4% / TOPICAL ANESTHETIC

- Maximum Strength
- Non-Greasy
- Temporarily relieves minor joint & muscle pain
- No irritation or burning



READ AND KEEP OUTSIDE CARTON FOR COMPLETE PRODUCT INFORMATION. CHILD RESISTANT AND TAMPER EVIDENT: DO NOT USE IF THE BOTTLE IS DAMAGED OR TAMPERED WITH. CLOSE CAP TIGHTLY AFTER EACH USE.



Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Chatterm, Inc., the distributor of Aspercreme®.

DISTRIBUTED BY:
WALGREEN CO.
200 WILMOT RD.,
DEERFIELD, IL 60015
100% SATISFACTION
GUARANTEED
Walgreens.com
©2021 Walgreen Co.
MADE IN U.S.A.



ITEM 100490 W10076-0252-1
9 11817 01080 6
2100723(01)

W3DRG0322-F

NDC 0383-3037-02



Compare to the active ingredient in Odor Free Aspercreme® with 4% Lidocaine®



**ODOR FREE
Pain Relieving
Cream
+ Lidocaine**
LIDOCAINE HCl 4% / TOPICAL ANESTHETIC

Maximum Strength

Non-Greasy

- Temporarily relieves minor joint & muscle pain
- No irritation or burning

NET WT 2.7 OZ (76.5 g)



142785-0
99788
88788



Drug Facts

Active ingredient Purpose
Lidocaine HCl 4%.....Topical anesthetic

Uses temporarily relieves minor joint and muscle pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens, redness present, irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

- Apply a thin layer to affected area every 8 to 8 hours, not to exceed 3 applications in a 24 hour period.

Children under 12 years of age: ask a doctor

Inactive Ingredients

benzyl alcohol, carbomer, glycerin, hydroxyethylcellulose, isopropyl palmitate, polyacrylate 80, triethanolamine, vitamin E, water

Questions? 1-800-525-4728

VALUE SIZE NDC 0383-3037-04



ODOR FREE Pain Relieving Cream + Lidocaine

LIDOCAINE HCl 4% / TOPICAL ANESTHETIC

Maximum Strength

Non-Greasy

- Temporarily relieves minor joint & muscle pain
- No irritation or burning

NET WT 4.7 OZ (133 g)

READ AND KEEP OUTSIDE CARTON FOR COMPLETE PRODUCT INFORMATION. **CHILD RESISTANT AND TAMPER EVIDENT: DO NOT USE IF THE BOTTLE IS DAMAGED OR TAMPERED WITH. CLOSE CAP THOROUGHLY AFTER EACH USE.**



Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Chatham, Inc., the distributor of Aspercreme®.

DISTRIBUTED BY:
WALGREEN CO.
200 WILMOT RD.
DEERFIELD, IL 60015
100% SATISFACTION
GUARANTEED
walgreens.com
©2021 Walgreen Co.
MADE IN U.S.A.



210720011
894-892

W3OR60322-F

NDC 0383-3037-04

VALUE SIZE



ODOR FREE Pain Relieving Cream + Lidocaine

LIDOCAINE HCl 4% / TOPICAL ANESTHETIC

Maximum Strength

Non-Greasy

- Temporarily relieves minor joint & muscle pain
- No irritation or burning

NET WT 4.7 OZ (133 g)



WALGREENS PAIN RELIEVING CREAM

lidocaine 4% cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-3037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 9O3K93S3TK)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-3037-02	76.5 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/10/2022	
2	NDC:0363-3037-04	133 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/10/2022	

Labeler - Walgreens (008965063)

Revised: 10/2023

Walgreens