

## **HEALTHWISE LIDOCAINE PAIN RELIEF- lidocaine patch**

### **Veridian Healthcare**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **HealthWise 4% Lidocaine Pain Relief Patch**

### **Active ingredient**

Lidocaine 4%

### **Purpose**

Topical anesthetic

### **Uses**

For temporary relief minor pain

### **Warnings**

#### **For external use only**

#### **Do not use**

- more than one patch on your body at a time
- on cut or swollen skin
- on puncture wounds
- For more than one week without consulting a doctor if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened

#### **When using this product**

- use only as directed
- read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of a used patch in a manner that always keeps the product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingest this patch.

#### **Stop use and ask a doctor if**

- conditions worsen
- Redness is present

- Irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of an injury, such as pain, swelling, or blistering where the product was applied.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center 800-222-1222 right away.

**Directions**

**Adults and children 12 years of age and over:**

- clean and dry affected area
- carefully remove the backing from the patch starting at a corner
- Apply the sticky side of patch to the affected area.
- Use one patch for up to 12 hours
- Discard patch after single use

**Children under 12 years of age:** consult a physician.

**Other information**

- store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive ingredients**

aluminum glycinate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

**Questions or comments?**

Toll free **866-326-1313**

**Principal Display Panel**



**Drug Facts**

**Active ingredient**..... **Purpose**  
Lidocaine 4.0%..... Topical anesthetic

**Use** Temporarily relieves minor pain.

**Warnings**

For external use only

Do not use ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.

When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical anesthetics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if ■ Condition worsens ■ Rashness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 800-222-1222 right away.

**Directions**

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

**Other information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive ingredients**

aluminum glycidate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

\*This product is not manufactured or distributed by Healtwise America Inc., distributor of Salonpas® Lidocaine Pads.

NEW


HealthWise™

COMPARE TO  
SALONPAS® LIDOCAINE PATCH  
ACTIVE INGREDIENT\*

NDC71101-915-96

Maximum Strength  
**PAIN RELIEF**  
4% Lidocaine Patch

- No-Mess, Targeted Pain Relief
- Single-Use Application
- Easy to Apply and Remove
- Stay-Put Flexible Patch
- Odor Free
- Lasts Up to 12 Hours



MODEL 59-9116

TOLL-FREE  
Customer Care Help Line  
866-326-1313  
Mon-Fri 8:30 am-4:30 pm CST

**6 PATCHES**  
3.93 IN. X 5.51 IN. (10 cm x 14 cm)

HealthWise™  
Manufactured for: Veridian Healthcare, LLC  
1172 Lakeside Drive, Cumma, IL 60021 USA  
www.veridianhealthcare.com  
Made in China  
9259014 08/21 VCS10046  
©2021 Veridian Healthcare, LLC



Child Resistant Packaging

LOT  
EXP

**HEALTHWISE LIDOCAINE PAIN RELIEF**

lidocaine patch

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71101-915
<b>Route of Administration</b>	TOPICAL, PERCUTANEOUS, TRANSDERMAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>WATER</b> (UNII: 059QF0KOOR)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71101-915-06	6 in 1 BOX	10/01/2021	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/01/2016	

**Labeler** - Veridian Healthcare (830437997)

### Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co., Ltd.,		529128763	manufacture(71101-915)

Revised: 10/2021

Veridian Healthcare