

ROLAIDS EXTRA STRENGTH FRUIT- calcium carbonate and magnesium hydroxide tablet, chewable
Chattem, Inc.

Roloids Extra Strength Tablets Fruit

Extra Strength Antacid Roloids Assorted Fruit 10 Chewable Tablets
Drug Facts

Active ingredient

(in each tablet)

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

Purpose

Antacid

Use

relieves:

- heartburn
- sour stomach
- acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are

now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

Directions

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

Other information

each tablet contains: **calcium 270 mg, magnesium 55 mg**

- contains FD&C yellow no. 5 (tartrazine)

Inactive ingredients

blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (309-060)

Dist. by CHATTEM, INC.
P.O. Box 2219
Chattanooga, TN 37409

Extra Strength Antacid Roloids Assorted Fruit 96 Chewable Tablets

Drug Facts

Active ingredient

(in each tablet)

Calcium carbonate USP 675 mg
Magnesium hydroxide USP 135 mg

Purpose

Antacid

Use

relieves:

- heartburn
- sour stomach
- acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are

now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

Directions

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

Other information

- each tablet contains: **calcium 270 mg, magnesium 55 mg**
- contains FD&C yellow no. 5 (tartrazine) as a color additive

Inactive ingredients

blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (309-056)

As a daily source of calcium and magnesium, chew 2 tablets twice daily.

Supplement Facts

Serving Size: 2 Tablets, Servings Per Container: 48, Amount Per Serving: Calories 8, Total Carb 2 g (<1% DV*), Sugars 2 g (†DV), Calcium 540 mg (54% DV), Magnesium 110 mg (29% DV). *Percent Daily Values (DV) are based on a 2,000 calories diet.

†Daily Value not established.

Other ingredients

sucrose, dextrose, stearic acid, magnesium stearate, silicon dioxide, natural and artificial flavors, red 40 lake, yellow 6 lake, yellow 5 lake, blue 1 lake, sucralose

Extra Strength Antacid Roloids Assorted Fruit 30 Chewable Tablets**Drug Facts****Active ingredient****(in each tablet)**

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

Purpose

Antacid

Use

relieves:

- heartburn
- sour stomach
- acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are

now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

Directions

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

Other information

- each tablet contains: **calcium 270 mg, magnesium 55 mg**
- contains FD&C yellow no. 5 (tartrazine) as a color additive

Inactive ingredients

blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (309-060)

Dist. by CHATTEM, INC.
P.O. Box 2219
Chattanooga, TN 37409

PRINCIPAL DISPLAY PANEL

EXTRA STRENGTH ANTACID

Roloids®

10 Assorted Fruit Chewable Tablets

EXTRA STRENGTH ANTACID

©2013 Chattem, Inc. 0083432-01

Roloids®



Assorted
10 Fruit
Chewable Tablets



Drug Facts

0-41167-10024-0

Drug Facts (continued)

Active ingredients (in each tablet) Purpose

Calcium carbonate USP 675 mg Antacid
Magnesium hydroxide USP 135 mg Antacid

Uses relieves: ■ heartburn ■ sour stomach
■ acid indigestion

Warnings Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. **When using this product** ■ do not take more than 10 tablets in a 24-hour period ■ do not use the maximum dosage for more than 2 weeks ▶

Keep out of reach of children.

Directions ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor

Other information each tablet contains:
calcium 270 mg, magnesium 55 mg
■ contains FD&C yellow no. 5 (tartrazine)

Inactive ingredients blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucrallose, sucrose, yellow 5 lake, yellow 6 lake (309-060)

Dist. by Chattem, Inc., P.O. Box 2219, Chattanooga, TN 37409

Safety Sealed - Do not use if foil wrapping is damaged

PRINCIPAL DISPLAY PANEL

EXTRA STRENGTH

Roloids®
ANTACID/ CALCIUM & MAGNESIUM SUPPLEMENT
Goes to Work
INSTANTLY
96 Chewable Tablets
Assorted *Fruit*

<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> chew 2-4 tablets as symptoms occur, or as directed by a doctor <p>Other information</p> <ul style="list-style-type: none"> each tablet contains: calcium 270 mg, magnesium 55 mg contains FD&C yellow no. 5 (tartrazine) as a color additive <p>Inactive ingredients: dextrose, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 5, FD&C yellow no. 6, flavors, magnesium stearate, maltodextrin, silicon dioxide, stearic acid, sucralose, sucrose</p>	<p style="text-align: center;">EXTRA STRENGTH</p> <h1 style="text-align: center;">Rolaids®</h1> <p style="text-align: center;">ANTACID/CALCIUM & MAGNESIUM SUPPLEMENT</p> <p style="text-align: center;"><i>Goes to Work INSTANTLY</i></p>  <p style="text-align: center;">96 Chewable Tablets</p> <p style="text-align: center;"><i>Assorted Fruit</i> Naturally & Artificially Flavored</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients (in each tablet)</th> <th>Purposes</th> </tr> </thead> <tbody> <tr> <td>Calcium carbonate USP 675 mg</td> <td>Antacid</td> </tr> <tr> <td>Magnesium hydroxide USP 135 mg</td> <td>Antacid</td> </tr> </tbody> </table> <p>Uses</p> <p>relieves: ■ heartburn ■ sour stomach ■ acid indigestion ■ upset stomach associated with these symptoms</p> <p>Warnings</p> <p>Ask a doctor or pharmacist before use if you</p> <ul style="list-style-type: none"> are now taking a prescription drug. Antacids may interact with certain prescription drugs. <p>When using this product</p> <ul style="list-style-type: none"> do not take more than 10 tablets in a 24-hour period do not use the maximum dosage for more than 2 weeks <p>Keep out of reach of children.</p>	Active ingredients (in each tablet)	Purposes	Calcium carbonate USP 675 mg	Antacid	Magnesium hydroxide USP 135 mg	Antacid
Active ingredients (in each tablet)	Purposes							
Calcium carbonate USP 675 mg	Antacid							
Magnesium hydroxide USP 135 mg	Antacid							
<p style="text-align: right;">357-023</p> <p>As a daily source of calcium and magnesium, chew 2 tablets twice daily</p> <p>Supplement Facts</p> <p>Serving Size: 2 Tablets, Servings Per Container: 48, Amount Per Serving: Calories 10, Total Carb 2 g (<1% DV*), Total Sugars 2 g (†DV), Includes 2 g Added Sugars (4% DV), Calcium 540 mg (40% DV), Magnesium 110 mg (25% DV). *% Daily Values (DV) are based on a 2,000-calorie diet. †Daily Value not established.</p> <p>Other ingredients: sucrose, dextrose, stearic acid, maltodextrin, magnesium stearate, silicon dioxide, natural and artificial flavors, FD&C red no. 40, FD&C yellow no. 6, FD&C yellow no. 5, FD&C blue no. 1, sucralose</p> <p style="text-align: right;">9920-12-19</p>	<p>Do not use if inner foil seal on bottle is broken or missing.</p> <p>SANOFI </p> <p>Distributed by Chattem, Inc., a Sanofi Company P.O. Box 2219 Chattanooga, TN 37409 ©2019 Chattem, Inc. 010705-01</p> 							

PRINCIPAL DISPLAY PANEL

EXTRA STRENGTH

Rolaids®

ANTACID

Rapid Relief of:

Heartburn

Acid Indigestion

3 Rolls


30 Chewable Tablets

Assorted Fruit

Drug Facts	
Active ingredients (in each tablet)	Purpose
Calcium carbonate USP 675 mg	Antacid
Magnesium hydroxide USP 135 mg	Antacid
Uses relieves:	
■ heartburn ■ sour stomach ■ acid indigestion	
Warnings	
Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.	
When using this product ■ do not take more than 10 tablets in a 24-hour period	
■ do not use the maximum dosage for more than 2 weeks	
Keep out of reach of children.	
Directions ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor	
Other information	
■ each tablet contains: calcium 270 mg, magnesium 55 mg	
■ contains FD&C yellow no. 5 (tartrazine) as a color additive	
Inactive ingredients blue 1 lake, dextrose, flavors, magnesium stearate, maltodextrin, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (333-037)	



Distributed by Chattem, Inc.
P.O. Box 2219, Chattanooga, TN 37409
©2016 Chattem, Inc.
0100113-01 9025-04-16



ROLAIDS EXTRA STRENGTH FRUIT

calcium carbonate and magnesium hydroxide tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-1002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	675 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	135 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
DEXTROSE (UNII: IY9XDZ35W2)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Product Characteristics

Color	red, purple, yellow, orange	Score	no score
Shape	ROUND	Size	16mm
Flavor	FRUIT (cherry, grape, lemon, orange)	Imprint Code	R;X
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1002-3	3 in 1 CELLO PACK	09/01/2013	
1	NDC:41167-1002-4	10 in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:41167-1002-1	96 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	02/28/2023
3	NDC:41167-1002-2	116 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	07/31/2019
4	NDC:41167-1002-0	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	07/31/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2013	

Labeler - Chattem, Inc. (003336013)