

**ZICAM COLD REMEDY MEDICATED FRUIT DROPS - ELDERBERRY- zinc acetate anhydrous, zinc gluconate, and sambucus nigra flowering top bar, chewable Church & Dwight Co., Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Zicam® Cold Remedy Medicated Fruit Drops - Elderberry**

Zincum aceticum 2x

Zincum gluconicum 2x

Sambucus nigra (elderberry) 4x

<b>Active ingredients (in each medicated drop)</b>	<b>Purpose</b>
Zincum aceticum 2x	Reduces duration of the common cold and helps relieve nasal congestion
Zincum gluconicum 2x	Helps relieve cold symptoms
Sambucus nigra (elderberry) 4x	

**Uses**

Reduces duration of the common cold and helps relieve nasal congestion

Zicam® Cold Remedy was not formulated to be effective for flu or allergies.

**Warnings**

**If you are allergic or sensitive to zinc,** consult a doctor before using.

**Stop use and ask a doctor if** symptoms persist or are accompanied by a fever or new symptoms occur.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **for best results, use at the first sign of a cold and continue to use until symptoms completely subside**
- adults and children 12 years of age and older:
  - take one medicated drop at onset of symptoms
  - chew slowly and dissolve completely before swallowing
  - repeat every 2 - 3 hours, not to exceed 5 medicated drops in 24 hours. Take until symptoms are gone.

- to avoid minor stomach upset, do not take on an empty stomach
- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use

### **Other information**

- store between 15-29°C (59-84°F)
- avoid freezing and excessive heat

### **Inactive ingredients**

citric acid, corn syrup, dextrose, dicalcium phosphate, disodium phosphate, FD&C Blue #1, FD&C Red #40, flavors, malic acid, pectin, purified water, sodium citrate, sodium polyphosphate, sucralose, sucrose

### **PRINCIPAL DISPLAY PANEL - 25 Drop Bottle Label**

GREAT TASTING!

Plus  
ELDERBERRY

ZICAM<sup>®</sup>  
COLD REMEDY

SHORTENS COLDS

TAKE AT THE FIRST  
SIGN OF A COLD

THE  
PRE-COLD<sup>®</sup>  
MEDICINE

MEDICATED  
FRUIT DROPS

ELDERBERRY FLAVOR

25 DROPS • HOMEOPATHIC



SAFETY SEALED. DO NOT USE IF MARKED INNER FOIL SEAL IS DISTURBED OR MISSING.

**S** SATISFACTION GUARANTEED Questions? Comments? Call 877-942-2626 toll free. [www.zicam.com](http://www.zicam.com)

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

This product is not required to go through the FDA's New Drug Application approval process.



DISTRIBUTED BY  
CHURCH & DWIGHT CO., INC.  
EWING, NJ 08628  
70101528  
ZCLB-30156-01

**Drug Facts**

**Active ingredients (in each medicated drop)** Purpose  
Zincum aceticum 2x Reduces duration of the common cold  
Zincum gluconicum 2x .....and helps relieve nasal congestion  
Sambucus nigra (elderberry) 4x .....Helps relieve cold symptoms †

**Uses**  
Reduces duration of the common cold and helps relieve nasal congestion  
Zicam® Cold Remedy was not formulated to be effective for flu or allergies.

**Warnings**  
If you are allergic or sensitive to zinc, consult a doctor before using.  
Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ for best results, use at the first sign of a cold and continue to use until symptoms completely subside  
■ adults and children 12 years of age and older: ■ chew slowly and dissolve completely before swallowing ■ repeat every 2 - 3 hours, not to exceed 5 medicated drops in 24 hours. Take until symptoms are gone.  
■ to avoid minor stomach upset, do not take on an empty stomach.  
■ do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.  
■ children under 12 years of age: ask a doctor before use.

**Other information** ■ store between 15-29°C (59-84°F)  
■ avoid freezing and excessive heat

**Inactive ingredients** citric acid, corn syrup, dextrose, dicalcium phosphate, sodium phosphate, FD&C Blue #1, FD&C Red #40, flavors, malted wheat, purified water, sodium citrate, sodium polyphosphate, sucralose, sucrose



## ZICAM COLD REMEDY MEDICATED FRUIT DROPS - ELDERBERRY

zinc acetate anhydrous, zinc gluconate, and sambucus nigra flowering top bar, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10237-469
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC ACETATE ANHYDROUS</b> (UNII: H2ZEY72PME) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2 [hp_X]
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	2 [hp_X]
<b>SAMBUCUS NIGRA FLOWERING TOP</b> (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	4 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MALIC ACID</b> (UNII: 817L1N4CKP)	
<b>PECTIN</b> (UNII: 89NA02M4RX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SODIUM POLYMETAPHOSPHATE</b> (UNII: P1BM4ZH95L)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	

**Product Characteristics**

<b>Color</b>	PURPLE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	24mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	Z
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-469-25	25 in 1 BOTTLE; Type 0: Not a Combination Product	10/12/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		10/12/2021	

**Labeler** - Church & Dwight Co., Inc. (001211952)

Revised: 1/2024

Church &amp; Dwight Co., Inc.