ALLERGY RELIEF- diphenhydramine hcl capsule Rite Aid Corporation

Rite Aid 44-190

Active ingredient (in each banded capsule)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

| adults and children 12 years and over | 1 to 2 capsules |
|---------------------------------------|--------------------|
| children 6 to under 12 years | 1 capsule |
| children under 6 years | do not use |

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN OR IF RED BAND AROUND CAPSULE IS BROKEN OR MISSING
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

butylparaben, corn starch, D&C red #28, edible ink, FD&C blue #1, FD&C red #40, gelatin, lactose anhydrous, magnesium stearate, methylparaben, polysorbate 80, propylparaben, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-0190-8

Compare to the active ingredient in Benadryl®*

ALLERGY RELIEF

DIPHENHYDRAMINE HCl 25 mg ANTIHISTAMINE

RELIEF OF Sneezing • Runny nose Itchy, watery eyes Itchy throat

ACTUAL SIZE

24 CAPSULES

EACH CAPSULE INDIVIDUALLY BANDED FOR YOUR PROTECTION

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING OR IF RED BAND AROUND CAPSULE IS BROKEN OR MISSING

*This product is not manufactured or distributed by Kenvue, Inc., owner of the registered trademark Benadryl®. 50844 REV1117E19008

DISTRIBUTED BY:

RITE AID, 200 NEWBERRY COMMONS ETTERS, PA 17319 www.riteaid.com

SATISFACTION GUARANTEE

If you're not satisfied, we'll happily refund your money.

ALLERGY RELIEF

DIPHENHYDRAMINE HCI 25 ma

ANTIHISTAMINE

NDC 11822-0190-8

Compare to the active ingredient in Benadryl®*

E AID. NEWBERRY COMMONS ERS, PA 17319 www.rites

ALLERGY RELIEF

DIPHENHYDRAMINE HCI 25 mg

ANTIHISTAMINE

RELIEF OF

Sneezing • Runny nose Itchy, watery eyes Itchy throat



EACH CAPSULE INDIVIDUALLY BANDED FOR YOUR PROTECTION.

ALLERGY RELIEF

DIPHENHYDRAMINE HCI 25 mg

ANTIHISTAMINE

REV1117E19008

print / no varnish area lot no. & exp. date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN OR BROKEN OR IF RED BAND AROUND CAPSULE IS BROKEN OR MISSING

Unestions of comments? 1-800-426-9391

methylparaben, polysorbate 80, propyparaben, silicon gelatin, lactose anhydrous, magnesium stearate, D&C red #28, edible ink, FD&C blue #1, FD&C red #40, Inactive ingredients butyparaben, com starch,

> ■ see end flap for expiration date and lot number protect from moisture

> > 12.-30.C (26.-80.E)

■ store at 25°C (77°F); excursions permitted between MISSING

RED BAND AROUND CAPSULE IS BROKEN OR IS OPENED OR BLISTER IS TORN OR BROKEN OR IF ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACK AGE Other information

| children under 6 years | do not use |
|----------------------------------|-------------------|
| years | |
| children 6 to under 12 | 1 csbanje |
| years and over | |
| adults and children 12 | 1 to 2 capsules |
| AN A LIBIT & WILL & VID 3 ALL AN | CIDALI 67 III COC |

 excitability may occur, especially in children таспіпелу

- nee cangou when driving a motor vehicle or operating
 - quowsiness social alcoholic beverages alcohol, sedatives, and tranquitizers may increase
 - LUSTIKED GLOWSIDESS LUSY OCCUL

When using this product

taking sedatives or tranquilizers. Ask a doctor or pharmacist before use if you are

- quijicrità in mination due to eniargement of the prostate pronchitis a glaucoma
 - a breathing problem such as emphysema or chronic Ask a doctor before use if you have

uixs uo pasn auo uava

 with any other product containing diphenhydramine, no uot nee to wake a child sleepy sвијшем

common cold: In runny nose In sneezing ■ temporarily relieves these symptoms due to the itching of the nose or throat Buizaaus ■



Rite Aid 44-190

ALLERGY RELIEF

diphenhydramine hcl capsule

| Product Information | | | |
|----------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11822-0190 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | |
|---|----------------------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| BUTYLPARABEN (UNII: 3QPI1U3FV8) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| D&C RED NO. 28 (UNII: 767IP0Y5NH) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| GELATIN, UNSPECIFIED (UNII: 2G86QN327L) | |
| ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| METHYLPARABEN (UNII: A218C7HI9T) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |

| Product Characteristics | | | |
|-------------------------|-------------|--------------|----------|
| Color | pink, white | Score | no score |
| Shape | CAPSULE | Size | 14mm |
| Flavor | | Imprint Code | 44;107 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|---|-------------------------|-----------------------|
| 1 | NDC:11822- 0190-8 | 2 in 1 CARTON | 03/15/1990 | |
| 1 | | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:11822- 0190-1 | 1 in 1 CARTON | 03/15/1990 | |
| 2 | | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M012 | 03/15/1990 | | |
| | | | | |

Labeler - Rite Aid Corporation (014578892)

| Establishment | | | |
|-------------------------|---------|-----------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| LNK International, Inc. | | 038154464 | pack(11822-0190) |

| Establishment | | | |
|-------------------------|---------|-----------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| LNK International, Inc. | | 832867837 | pack(11822-0190) |

| Establishment | | | |
|-------------------------|---------|-----------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| LNK International, Inc. | | 868734088 | manufacture(11822-0190) |

| Establishment | | | |
|-------------------------|---------|-----------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| LNK International, Inc. | | 967626305 | pack(11822-0190) |

Revised: 8/2023 Rite Aid Corporation