

MAX REVIVE PLASTER- menthol, methyl salicylate patch
Big 5 Nutrition LLC

MAXREVIVE ® PLASTER External Analgesic Plaster

Backache, Arthritis, Strains, Bruises, Sprains

Drug Facts

Active Ingredients

Menthol 4%

Methyl Salicylate 1%

Purpose

External Analgesic

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with: ■ arthritis ■ strains ■ bruises ■ sprains ■ simple backache

Warnings

For external use only

Do not use

■ on wounds ■ irritated or damaged skin ■ sensitive skin ■ with a heating pad ■ if pregnant ■ with, or as the same time as, other external analgesic P.roducts ■ if allergic to aspirin or salicylates ■ If allergic to any ingredients of this product

When using this product

- avoid contact with the eyes
- do not bandage tightly
- do not apply to wounds or damaged skin
- do not use more than 3 plasters a day
- do not use 1 hour before or after bathing

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- rashes, itching or redness are present
- side effects occur.

If pregnant. ask a health professional before use.

Keep out of reach of childrento avoid accidental poisoning

In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use otherwise than as directed.

Directions

- Adults and children 12 years of age and older: clean and dry affected area. Remove plaster from the protective layer, apply to the affected area, rub the area with your hand to secure the patch.
- Plaster will remain effective for 8 hours.
- Avoid using the same patch on the same area for more than 2 days.
- Do not apply to area with excessive hair. Adhesive plaster may hurt skin upon removal.
- Wet patch with warm water before removing from skin.
- Children under 12 years of age: Do not use or consult a doctor.

Other Information

- Store unused patch in the pouch
- Store at room temperature, 20 to 25°C(68 to 77°F)

Inactive Ingredients

Chinese Clematidis Root & Rhizome, Yellow wax, Momordica cochinchinensis seeds, Castor Seeds, Myrrh, Frankincense, Sesame Oil, Resin, FD&C Blue No_ 2, FD&C Yellow No. 4, Zinc Oxide

Questions or Comments

Call: 1-800-617-2021

Package Label - Principal Display Panel



CUT HERE

RESEAL POUCH AFTER OPENING


Max Revive® Plaster

External Analgesic Plaster

藥品資料	
Drug Facts	藥品質料
Active Ingredients Menthhol 4%.....External Analgesic Methyl Salicylate 1%.....External Analgesic	主要成份 薄荷醇4%.....外用止痛 水楊酸甲酯1%.....外用止痛
Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ arthritis ■ strains ■ bruises ■ sprains ■ simple headache	用途 緩解下列同程度痛症及肌肉疼痛: ■關節炎 ■扭傷 ■瘀傷 ■扭傷 ■背痛
Warnings For external use only	警告 只供外用
Do not use ■ on wounds ■ irritated or damaged skin ■ sensitive skin ■ with a heating pad ■ if pregnant ■ with, or at the same time as, other external analgesic medicines ■ allergic to aspirin, or salicylates ■ if allergic to any ingredients of this product	不可用於 ■傷口 ■過敏或受損皮膚 ■皮膚過敏 ■加熱墊 ■孕婦 ■其他止痛藥品共同使用 ■對阿司匹林或水楊酸鹽類 ■對此藥品的成分過敏
When using this product ■ avoid contact with the eyes ■ do not bandage tightly ■ do not apply to wounds or damaged skin ■ do not use more than 3 plasters a day ■ do not use 1 hour before or after bathing	使用此藥品時 ■避免接觸眼睛 ■勿用繃帶緊綁 ■勿敷於傷口或受損皮膚 ■每日最多使用三片 ■沐浴前或後一小時內使用
Stop use and ask a doctor if ■ symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days ■ excessive irritation of the skin develops ■ rash, itching or redness are present ■ side effects occur.	如經以下情況請停用並諮詢醫師 ■症狀持續超過七天 ■症狀暫時緩解後又復發 ■造成皮膚過敏 ■之紅腫、發癢或紅腫 ■副作用。
If pregnant, ask a health professional before use, especially if you are pregnant or breastfeeding. In case of overdose, get medical help or contact a Poison Control Center right away. Do not use otherwise than as directed.	懷孕婦女、請諮詢醫生 ■如懷孕、懷孕中、或正在哺乳，請先諮詢醫生或藥劑師，立即諮詢醫生或藥劑師。 ■遵照說明書及小心使用。
Directions ■ Adults and children 12 years of age and older: clean and dry affected area. Remove plaster from the protective layer, apply to the affected area, rub the area with your hand to secure the patch. ■ Children 6 to 11 years of age: apply to the affected area for no more than 2 days. ■ Do not apply to area with excessive hair. Adhesive plaster may hurt skin upon removal, before removing from skin. ■ Children under 12 years of age: Do not use or consult a doctor.	用法 ■成人及十二歲以上兒童：清潔和徹底乾燥患處的部位。撕去膏貼上的保護層，貼敷於患處最明顯的位置或穴位，並以手掌輕揉貼敷部位以確保牢固。 ■六至十一歲兒童：貼敷於患處8小時。 ■患處貼敷後應避免刮毛。 ■不可用於特別多毛的皮膚部位，本品黏性極強，在剝除時可能會傷及皮膚。 ■十二歲以下兒童：勿用或諮詢醫師。
Other Information Store in original pouch ■ Store at room temperature, 20 to 25°C (68 to 77°F)	其他資訊 ■原裝包裝在紙袋內 ■儲存於室溫(20至25°C/68至77°F)
Inactive Ingredients Chinese Clematidis Root & Rhizome, Yellow Wax, Momordica cochinchinensis seeds, Cassia Seed, Sesame Oil, Menthol, Transincense, Sesame Oil Resin, FD&C Blue No. 2, FD&C Yellow No. 4, Zinc Oxide	非主要成份 威靈仙，黃蠟，木薑子， 黃藤子，沒藥，乳香，蘇合， 佛手，FD&C藍色2號，FD&C黃色4號， 氧化鋅
Questions or Comments Call: 1-800-417-2021	

Distributed by:
Big 5 Nutrition LLC
Made in Taiwan

368233001011



MAX REVIVE PLASTER

menthol, methyl salicylate patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82198-0001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.04 g in 1 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.01 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
MOMORDICA COCHINCHINENSIS SEED (UNII: 2T87O1UPVD)	
CLEMATIS CHINENSIS ROOT (UNII: 8Z18N528CU)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
SESAME OIL (UNII: QX10HY4QV)	

FRANKINCENSE (UNII: R9XLF1R1WM)
YELLOW OB (UNII: QE535CBH7S)
RICINUS COMMUNIS SEED (UNII: 7EK4SFN1TX)
MYRRH (UNII: JC71GJ1F3L)
PINUS MASSONIANA RESIN (UNII: 64S07U83T7)
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)
ZINC OXIDE (UNII: SOI2LOH54Z)

Product Characteristics

Color	green	Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82198-0001-1	3 in 1 BAG	10/11/2021	
1		2.3 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/11/2021	

Labeler - Big 5 Nutrition LLC (114574559)

Establishment

Name	Address	ID/FEI	Business Operations
TAIWAN SHUENN-AN BIOTECHNOLOGY PHARMACEUTICAL CO., LTD.		656348265	manufacture(82198-0001) , pack(82198-0001) , label(82198-0001)

Revised: 11/2023

Big 5 Nutrition LLC