

**MAX REVIVE PLASTER- menthol, methyl salicylate patch**  
**Big 5 Nutrition LLC**

-----  
**MAXREVIVE ® PLASTER External Analgesic Plaster**

Backache, Arthritis, Strains, Bruises, Sprains

**Drug Facts**

---

**Active Ingredients**

Menthol 4%

Methyl Salicylate 1 %

**Purpose**

External Analgesic

External Analgesic

---

**Uses**

For the temporary relief of minor aches and pains of muscles and joints associated with:

- arthritis ■ strains ■ bruises ■ sprains
- simple backache

**Warnings**

**For external use only**

**Do not use**

- on wounds ■ irritated or damaged skin ■ sensitive skin ■ with a heating pad ■ if pregnant ■ with, or as the same time as, other external analgesic products ■ if allergic to aspirin or salicylates ■ if allergic to any ingredients of this product

**When using this product**

- avoid contact with the eyes
- do not bandage tightly
- do not apply to wounds or damaged skin
- do not use more than 3 plasters a day
- do not use 1 hour before or after bathing

**Drug Facts(continued)**

**Stop use and ask doctor if**

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops

- rashes, itching or redness are present
- side effects occur.

**If pregnant**, ask a health professional before use.

**Keep out of reach of children** to avoid accidental poisoning.

**In case of overdose, get medical help or contact a Poison Control Center right away.**

**Do not use** otherwise than as directed.

### ***Directions***

- Adults and children 12 years of age and older: clean and dry affected area. Remove plaster from the protective layer, apply to the affected area, rub the area with your hand to secure the patch.
- Plaster will remain effective for 8 hours.
- Avoid using the same patch on the same area for more than 2 days.
- Do not apply to area with excessive hair. Adhesive plaster may hurt skin upon removal.

### ***Drug Facts(continued)***

#### ***Directions (continued)***

- Wet patch with warm water before removing from skin.
- Children under 12 years of age: Do not use or consult a doctor.

#### ***Other information***

- Store unused patch in the pouch
- Store at room temperature, 20 to 25°C(68 to 77°F)

#### ***Inactive ingredients***

Chinese Clematidis Root & Rhizome, Yellow wax, Momordica cochinchinensis seeds, Castor Seeds, Myrrh, Frankincense, Sesame Oil, Resin, FD&C Blue No. 2, FD&C Yellow No. 4, Zinc Oxide

#### ***Questions or comments***

Call:1-800-617-2021

#### **Package Label**

# Max Revive<sup>®</sup> Plaster

## External Analgesic Plaster

### Drug Facts

**Active Ingredients**      **Purpose**  
 Menthol 4% .....External Analgesic  
 Methyl Salicylate 1% ....External Analgesic

**Uses**  
 For the temporary relief of minor aches and pains of muscles and joints associated with:  
 ■arthritis ■strains ■bruises ■sprains  
 ■simple backache

**Warnings**  
**For external use only**

**Do not use**  
 ■on wounds ■irritated or damaged skin  
 ■sensitive skin ■with a heating pad  
 ■if pregnant ■with, or as the same time as, other external analgesic products  
 ■if allergic to aspirin or salicylates  
 ■if allergic to any ingredients of this product

**When using this product**  
 ■avoid contact with the eyes  
 ■do not bandage tightly  
 ■do not apply to wounds or damaged skin  
 ■do not use more than 3 plasters a day  
 ■do not use 1 hour before or after bathing

### Drug Facts(continued)

**Stop use and ask a doctor if**  
 ■condition worsens  
 ■symptoms persist for more than 7 days  
 ■symptoms clear up and occur again within a few days  
 ■excessive irritation of the skin develops  
 ■rashes, itching or redness are present  
 ■side effects occur.

**If pregnant**, ask a health professional before use. **Keep out of reach of children** to avoid accidental poisoning. **In case of overdose, get medical help or contact a Poison Control Center right away. Do not use otherwise than as directed.**

**Directions**  
 ■Adults and children 12 years of age and older:clean and dry affected area. Remove plaster from the protective layer, apply to the affected area, rub the area with your hand to secure the patch.  
 ■Plaster will remain effective for 8 hours.  
 ■Avoid using the same patch on the same area for more than 2 days.  
 ■Do not apply to area with excessive hair. Adhesive plaster may hurt skin upon removal.

### Drug Facts(continued)

■Wet patch with warm water before removing from skin.  
 ■Children under 12 years of age: Do not use or consult a doctor.

**Other Information**  
 ■Store unused patch in the pouch  
 ■Store at room temperature, 20 to 25°C(68 to 77°F)

**Inactive Ingredients**  
 Chinese Clematidis Root & Rhizome, Yellow wax, Momordica cochinchinensis seeds, Castor Seeds, Myrrh, Frankincense, Sesame Oil, Resin, FD&C Blue No. 2, FD&C Yellow No. 4, Zinc Oxide

**Questions or Comments**  
 Call:1-800-617-2021

**Distributed by:**  
 Big 5 Nutrition LLC

Made in Taiwan

RESEAL POUCH AFTER OPENING  
 CUT HERE



# Max Revive<sup>®</sup> Plaster

## External Analgesic Plaster

CUT HERE  
RESEAL POUCH AFTER OPENING

- Backache • Arthritis • Strains
- Bruises • Sprains
- Elastic Breathable Pad

FOR EXTERNAL USE ONLY  
Contains 5 (7.5X10cm 2.9 inchX3.9 inch) Patches

### MAX REVIVE PLASTER

menthol, methyl salicylate patch

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82198-0002
<b>Route of Administration</b>	TOPICAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII: L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.04 g in 1 g
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII: O414PZ4LPZ)	METHYL SALICYLATE	0.01 g in 1 g

#### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>YELLOW OB</b> (UNII: QE535CBH7S)	
<b>CLEMATIS CHINENSIS ROOT</b> (UNII: 8Z18N528CU)	

<b>MOMORDICA COCHINCHINENSIS SEED</b> (UNII: 2T87O1UPVD)	
<b>RICINUS COMMUNIS SEED</b> (UNII: 7EK4SFN1TX)	
<b>MYRRH</b> (UNII: JC71GJ1F3L)	
<b>FRANKINCENSE</b> (UNII: R9XLF1R1WM)	
<b>SESAME OIL</b> (UNII: QX10HYY4QV)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>PINUS MASSONIANA RESIN</b> (UNII: 64S07U83T7)	

### Product Characteristics

<b>Color</b>	green	<b>Score</b>	
<b>Shape</b>	RECTANGLE	<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82198-0002-1	5 in 1 BAG	10/11/2021	
1		1.7 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/11/2021	

**Labeler** - Big 5 Nutrition LLC (114574559)

### Establishment

Name	Address	ID/FEI	Business Operations
TAIWAN SHUENN-AN BIOTECHNOLOGY PHARMACEUTICAL CO., LTD.		656348265	manufacture(82198-0002) , pack(82198-0002) , label(82198-0002)

Revised: 11/2023

Big 5 Nutrition LLC