

ARNICARE- arnica montana gel
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Gel

Arnica montana 1X HPUS 7%

The letters HPUS indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Arnica montana 1X HPUS Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

For relief of muscle pain and stiffness due to minor injuries, overexertion and falls. Reduces pain and swelling as well as discoloration from bruising.

For external use only

When using this product

Avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

Use only as directed

dryness or irritation may occur

do not tightly wrap or bandage the treated area

do not apply heat or ice to treated area immediately before or after use.

Do not use if glued carton and flaps are open or if the tube seal is broken.

condition persists for more than 3 days or worsens

symptoms clear up and occur again within a few days.

Apply a thin layer of Arnicare Gel to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare

Alcohol, carbomer, sodium hydroxide. purified water

Tube 2.6, 1.5, 4.1 or .5 OZ

Store at 68-77 ° F (20-25 ° C)

Questions, Comments?

www.boironusa.com

info@boironusa.com

1-800-BOIRON-1 (1-800-264-7661)

Boiron Information Center

6 Campus Boulevard

Newtown Square, PA 19073-3267

Keep out of reach of children

NEW LOOK!

Muscle Pain & Stiffness • Swelling from Injuries • Bruises*

PAIN RELIEF*

NDC 0220-9000-59

Arnicare®GEL

Quickly Absorbed ■ Non-Greasy ■ Fragrance-Free

BOIRON®

World Leader in Homeopathic Medicines

NET WT. 2.6 oz (75 g)

HOMEOPATHIC MEDICINE



Feel Better Faster

Drug Facts

Active ingredient* Purpose Arnica montana... Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises. The Active "PLUS" indicates that the component in this product is officially recognized in the Homeopathic Pharmacopoeia of the United States.

Uses: temporarily relieves muscle pain and stiffness due to: minor injuries, overexertion, falls, reduce symptoms of bruising such as: pain, swelling, discoloration

Warnings: For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product: avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin; use only as directed; dryness or irritation may occur; do not tightly wrap or bandage the treated area; do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if: condition persists for more than 3 days or worsens; symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information: do not use if glass caplet and flap are open or if the tube seal is broken.

Inactive ingredients: alcohol, carbomer, purified water, sodium hydroxide.

Made from fresh Arnica montana. CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

NEW LOOK!

NDC 0220-9000-59

PAIN RELIEF*

Muscle Pain & Stiffness Swelling from Injuries Bruises*

Arnicare®GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed Non-Greasy Fragrance-Free



Feel Better Faster



NET WT. 2.6 oz (75 g)

BOIRON®

World Leader in Homeopathic Medicines

arnica natural ACTIVE INGREDIENT*

Arnicare®GEL

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/info for details.

Made in France

Distributed by Boiron, Inc., Newkann Square, TN, 38003 1-800-BOIRON-4 (1-800-284-7589)

please recycle



3 069524 03559 4



Drug Facts (continued)

Stop use and ask a doctor if:

- condition persists for more than 3 days or worsens
- symptoms clear, or and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If used in the evening, wait 5 minutes before applying Arnicare Gel.

Questions or comments?
1-800-808-1111 (1-800-254-1111)

Other information: Do not use if glad carton and top are cover or if the lid seal is broken.

Inactive ingredients: alcohol, capsaicin, purified water, sodium hyaluronate.

Homeopathic mother tincture made from Arnica montana fresh whole plant.

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*T, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

COUPON INSIDE!

**Muscle Pain & Stiffness
Swelling from Injuries
Bruises***

ArnicareGEL
MADE WITH
arnica natural
ACTIVE INGREDIENT

NDC 0220-9000-65

PAIN RELIEF*



ArnicareGEL

Quickly Absorbed ■ Non-Creasy ■ Fragrance-Free

BOIRON®

World Leader in Homeopathic Medicines

HOMEOPATHIC MEDICINE
NET WT. 0.5 oz (14 g)

Drug Facts

Active ingredient: Arnica montana... 7%
The active "PHOS" indicates that the compound in this product is officially recognized in the Homeopathic Pharmacopoeia of the United States.

Uses:

- temporarily relieve muscle pain and stiffness due to:
- injury or bruise
- overexertion
- muscle symptoms of training such as:
- strain
- swelling
- dislocation

Purpose:

- relieves muscle pain & stiffness, swelling from injuries, discomfort from bruises

Warnings:

For external use only.

Do not use if you are allergic to Arnica montana or if any of this product's inactive ingredients.

When using this product:

- avoid contact with eyes, mucous membranes, wounds, scrapes or irritated skin
- use only as directed
- if rashes or irritation may occur
- do not lightly scrub or massage the treated area
- do not apply heat to the treated area immediately before or after use



6 3 069696 0000 696965 3

LOT:
EXP:

ETJL12MA
01 2020



Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
please recycle



NDC 0220-9000-59

ETU/PAL
12 2016

PAIN RELIEF*
Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare®
GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



Arnicare GEL

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
1-800-BOIRON-1 (1-800-254-7611)

BOIRON®
World Leader in
Homeopathic Medicines

NET WT.
2.6 oz (75 g)

Drug Facts

Active ingredient(s) Purpose
Arnica montana Relieves muscle pain & stiffness, swelling from injuries, dislocation from trauma
The letters "NPLS" indicate that the component in this product is officially recognized in the Homeopathic Pharmacopoeia of the United States

Uses*
■ Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only.
Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product
■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed
■ if irritation or irritation may occur
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if
■ condition persists for more than 3 days of use
■ symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 3 minutes before applying Arnicare Gel.

Other information do not use if gel's container and flask are open or if the tube seal is broken.

Inactive ingredients alcohol, carbonic, purified water, sodium hydroxide.

Made from fresh Arnica montana.
***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**
*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

PAIN RELIEF*

arnica natural
ACTIVE INGREDIENT



World Leader in Homeopathic Medicines

BOIRON®

Quickly Absorbed ■ Non-Greasy ■ Fragrance-Free

Arnicare®
GEL

HOMEOPATHIC
MEDICINE
NET WT. 2.6 oz (75 g)

Muscle Pain & Stiffness • Swelling from Injuries • Bruises*

PAIN RELIEF*

NDC 0220-9000-59

LOT:
EXP:

NEW LOOK!

PAIN RELIEF*
Muscle Pain & Stiffness • Swelling from Injuries • Bruises*

NDC 0220-9000-59



Feel Better Faster

Arnicare® GEL

Quickly Absorbed ■ Non-Greasy ■ Fragrance-Free

BOIRON®

World Leader in Homeopathic Medicines

HOMEOPATHIC MEDICINE

NET WT. 2.6 oz (75 g)



Drug Facts

Active ingredient Purpose**
Arnica montana..... Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises
1X HPUS 7%
The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses
Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only.
Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product
■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed
■ dryness or irritation may occur
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if
■ condition persists for more than 3 days or worsens
■ symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton and flaps are open or if the tube seal is broken.

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

*Made from fresh Arnica montana.
**CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

NEW LOOK! NDC 0220-9000-59

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare® GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



Feel Better Faster



NET WT.
2.6 oz (75 g)

BOIRON®
World Leader in Homeopathic Medicines

arnica natural
ACTIVE INGREDIENT

Arnicare® GEL

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

please recycle

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
1-800-80IRON-1 (1-800-80-4761)





NDC 0220-9000-84

Arnica®
Roll-on

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Drug Facts (continued)

Other information

do not use if glued carton end flaps are open • dispose of 6 months after opening

Inactive ingredients
alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnica.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.
Newtown Square
PA 19073



please recycle
Made in France



Arnica®
Roll-on

HOMEOPATHIC MEDICINE

- Non-Greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



arnica natural
ACTIVE INGREDIENT*

NET WT.
1.5 oz. (45g)

BOIRON®

World Leader in Homeopathic Medicines

arnica natural
active ingredient*

Use Arnica Roll-on at the onset of pain.

Arnica Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. Arnica Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.

- No mess roll-on
- Non-greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. For more details, visit BoironUSA.com/promise.

Drug Facts

Active ingredient**	Purpose*
Arnica montana 1X HPUS 7%	Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*
temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls
reduces pain, swelling, and discoloration from bruises

Warnings
For external use only. Avoid contact with eyes, mucous membranes, damaged skin, or wounds. **Do not use** if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product
use only as directed
do not tightly wrap or bandage the treated area
do not apply heat or ice to the treated area immediately before or after use.
Stop use and ask a doctor if condition persists for more than 3 days or worsens.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Apply a thin layer of Arnica Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnica Roll-on.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
**C, K, CK, and X are homeopathic solutions. see BoironUSA.com/info for details.
*Homeopathic mother tincture made from Arnica montana fresh whole plant.

ETU.1EQF
11/18

LOT:
EXP:

334

NDC 0220-9000-66



NO MESS ROLL-ON APPLICATOR

Muscle Pain & Stiffness
Swelling from Injuries • Bruises*



arnica natural
active ingredient*

TWIN PACK

PAIN RELIEF*

Arnica®

Roll-on

HOMEOPATHIC MEDICINE

2 HANDY TUBES
for Home and on the Go

- Massaging Roller Ball
- Quickly Absorbed
- Unscented



BOIRON®
World Leader in
Homeopathic Medicines



CONTAINS 2
1.5 OZ ROLL-ON TUBES
NET WT. 3 OZ (90 g)

6855967
05/2019

LOT:
EXP:



Distributed by Boiron Inc.,
Newtown Square, PA 19073
Please recycle
Made in France

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1825, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/promise for details.

arnica natural
active ingredient



CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.
*C, K, Ca, and X are homeopathic dilutions; see BoironUSA.com/info for details.
†Homeopathic mother tincture made from Arnica montana fresh white plant.

Questions or comments?

Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-284-1663)

Inactive ingredients

alcohol, carbonated purified water, sodium hydroxide

Other information

■ do not use if lead carton end caps are open

■ dispose of 6 months after opening

Directions

Shake well before each use. With the applicator facing down, gently squeeze the tube then roll ball against skin to apply a thin layer of product to affected area. Massage gently 3 times a day or as needed. If heat or ice is used, dry the area and wait 5 minutes before applying Arnica Roll-on.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if condition persists for more than 5 days or worsens.

■ do not apply heat or ice to the treated area immediately before or after use.

■ use only as directed ■ do not tightly wrap or bandage the treated area

When using this product

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

Warnings

Avoid contact with eyes, mucous membranes, damaged skin, or wounds.

For external use only

■ temporary relieves muscle pain and stiffness due to minor injuries, overexertion, and falls

■ reduces pain, swelling, and discoloration from bruises

Uses

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Arnica montana relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

Drug Facts

Active ingredient

Arnica montana

Purpose

Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

HOW TO APPLY

1 SHAKE

2 LIGHTLY SQUEEZE

3 MASSAGE

Arnicare Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. Arnica Roll-on is recommended by doctors, plastic surgeons, and physical therapists, and used by professional athletes and savvy moms.

Use Arnica Roll-on at the onset of pain.

arnica natural
active ingredient



- No mess roll-on and savvy moms.
- Non-greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

NDC 0220-9000-84

PAIN RELIEF*

Muscle Pain & Stiffness Swelling from Injuries Bruises*

Arnicare® Roll-on

HOMEOPATHIC MEDICINE

- Non-Greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



arnica natural
ACTIVE INGREDIENT*

NET WT.
1.5 oz. (45 g)

BOIRON®
World Leader in Homeopathic Medicines

arnica natural active ingredient

Use Arnicare Roll-on at the onset of pain.

Arnicare Roll-on is made from *Arnica montana* (a mountain daisy), which has been used for centuries to naturally relieve pain. Arnicare Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.

- No mess roll-on
- Non-greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. For more details, visit BoironUSA.com/promise.

Distributed by Boiron Inc.
Newtown Square
PA 19073



ETU.1EY6
04/19

arnica natural active ingredient

Drug Facts

Active ingredient**	Purpose*
Arnica montana..... 1X HPUS 7%	Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls
- reduces pain, swelling, and discoloration from bruises

Warnings

For external use only.
Avoid contact with eyes, mucous membranes, damaged skin, or wounds. **Do not use** if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product
■ use only as directed ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use.
Stop use and ask a doctor if condition persists for more than 3 days or worsens. **Keep out of reach of children.**
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Shake well before each use. With the applicator facing down, lightly squeeze the tube then roll ball against skin to apply a thin layer of product to affected area. Massage gently 3 times a day or as needed. If heat or ice is used, dry the area and wait 5 minutes before applying Arnicare Roll-on.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.
*Homeopathic mother tincture made from Arnica montana fresh whole plant.

Drug Facts (continued)

Other information
■ do not use if glued carton end flaps are open ■ dispose of 6 months after opening

Inactive ingredients
alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-284-7661)

HOW TO APPLY



please recycle
Made in France

SP12438A1

0022169



Active ingredient**

Arnica montana 1X HPUS 7%

Uses* ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls ■ reduces pain, swelling, and discoloration from bruises **Warnings** For external use only. Avoid contact with eyes, mucous membranes, damaged skin, or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product ■ use only as directed ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor** if condition persists for more than three days or worsens. **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. **Directions** Apply a thin layer of Arnicare Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait five minutes before applying Arnicare Roll-on.

Other information ■ do not use if glued carton end flaps are open or if the tube seal is broken ■ dispose of six months after opening **Inactive ingredients** alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com
1-800-BOIRON-1 (1-800-284-7661)
Made in France

Distributed by Boiron Inc.
Newtown Square, PA
*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.
*Homeopathic mother tincture made from Arnica montana fresh whole plant.

U.S. PAT. & TRADEMARK OFFICE

NDC 0220-9000-84

PAIN RELIEF*

**Muscle Pain and Stiffness
Swelling from Injuries
Bruises***

**Arnicare®
Roll-on**

HOMEOPATHIC MEDICINE

- Non-greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



NET WT.
1.5 oz. (45g)

BOIRON®

World Leader in Homeopathic Medicines

NDC 0220-9000-84

PAIN RELIEF*

**Muscle Pain and Stiffness
Swelling from Injuries
Bruises***

**Arnicare®
Roll-on**

HOMEOPATHIC MEDICINE

- Non-greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



NET WT.
1.5 oz. (45g)

BOIRON®

World Leader in Homeopathic Medicines

**Arnicare®
Roll-on**

Drug Facts (continued)

Other information

■ do not use if glued carton end flaps are open or if the tube seal is broken
■ dispose of six months after opening

Inactive ingredients
alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-284-7661)
Distributed by Boiron Inc.
8 Campus Blvd.
Newtown Square
PA 19073-3267



please recycle
Made in France



3 06969 00084 7

**arnica
natural**
active ingredient*

Use Arnicare Roll-on at the onset of pain.

Arnicare Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain.

Arnicare Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.

- No mess Roll-On
- Non-Greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/ promise for details.

Drug Facts

Active ingredient**	Purpose*
Arnica montana 1X HPUS 7%	Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*
■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls
■ reduces pain, swelling, and discoloration from bruises

Warnings
For external use only. Avoid contact with eyes, mucous membranes, damaged skin, or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product ■ use only as directed ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor** if condition persists for more than three days or worsens. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Apply a thin layer of Arnicare Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait five minutes before applying Arnicare Roll-on.

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.
*Homeopathic mother tincture made from Arnica montana fresh whole plant.

Drug Facts

Active ingredient**	Purpose
Arnica montana, 1X HPUS 7%	Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls
- reduces pain, swelling, and discoloration from bruises

Warnings

For external use only. Avoid contact with eyes, mucous membranes, damaged skin, or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- use only as directed
 - do not tightly wrap or bandage the treated area
 - do not apply heat or ice to the treated area immediately before or after use.
- Stop use and ask a doctor if condition persists for more than 3 days or worsens.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-on.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- dispose of 6 months after opening

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.
6 Campus Blvd.
Newtown Square
PA 19073-3267

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.
*Homeopathic mother tincture made from Arnica montana fresh whole plant.



arnica natural
active ingredient*



arnica natural
active ingredient*

The Boiron Promise

At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/promise for details.

please recycle
Made in France



TWIN PACK PAIN RELIEF*

Arnicare®
Roll-on

HOMEOPATHIC MEDICINE

2 Handy Tubes for Home and on the Go

- Massaging Roller Ball
- Quickly Absorbed
- Unscented



CONTAINS **2**
1.5 OZ. ROLL-ON TUBES
NET WT. 3 OZ. (90 g)

BOIRON®
World Leader in Homeopathic Medicines



arnica natural
active ingredient*

Use Arnicare Roll-on at the onset of pain.

Arnicare Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. Arnicare Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.

- No mess roll-on
- Non-greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

Arnicare®
Gel

Drug Facts

(continued)

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

www.Arnicare.com
www.BoironUSA.com
info@boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.
6 Campus Boulevard
Newtown Square, PA
19073-3267



please recycle

Made in France



PAIN RELIEF*

**Muscle Pain & Stiffness
Swelling from Injuries
Bruising***

Arnicare®
Gel

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Unscented, Paraben-Free
- Works Naturally with Your Body



NET WT.
2.6 oz (75 g)

BOIRON®

World Leader in Homeopathic Medicines

arnica natural
active ingredient

Use Arnicare at the First Sign of Pain

Arnicare Gel is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It has a cooling effect for fast pain relief. Arnicare is recommended by doctors, plastic surgeons and pharmacists, and used by professional athletes and savvy moms.

- Quickly absorbed by the skin
- Non-greasy
- Unscented
- Paraben-free

The Boiron Promise

At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing homeopathic medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your satisfaction. Please visit boironusa.com/promise for details.

Drug Facts

Active ingredient**	Purpose*
Arnica montana, 1X HPUS 7%	Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
- reduces pain, swelling and discoloration from bruises

Warnings

For external use only.

Avoid contact with eyes, mucous membranes, damaged skin or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product use only as directed do not bandage tightly or use a heating pad.

Stop use and ask a doctor if condition persists for more than 8 days or worsens. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store at 68-77°F (20-25°C)

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions; see www.boironusa.com for details.

NDC 0220-9000-54

Arnicare[®]
Gel

Drug Facts (continued)

Inactive ingredients
alcohol, carbomer,
purified water, sodium
hydroxide

**Questions
or comments?**

www.Arnicare.com
www.BoironUSA.com
info@boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.
6 Campus Boulevard
Newtown Square, PA
19073-3267



♻️ please recycle

Made in France



PAIN RELIEF*

**Muscle Pain & Stiffness
Swelling from Injuries
Bruising***

Arnicare[®]
Gel

HOMEOPATHIC MEDICINE

- **Quickly Absorbed**
- **Non-Greasy**
- **Unscented, Paraben-Free**
- **Works Naturally with Your Body**



NET WT.
1.5 oz (45g)

BOIRON[®]

World Leader in Homeopathic Medicines

arnica
natural
active ingredient

**Use Arnicare
at the First
Sign of Pain**

Arnicare Gel is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It has a cooling effect for fast pain relief. Arnica is recommended by doctors, plastic surgeons and pharmacists, and used by professional athletes and savvy moms.

- **Quickly absorbed by the skin**
- **Non-greasy**
- **Unscented**
- **Paraben-free**

The Boiron Promise

At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing homeopathic medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details

Drug Facts

Active ingredient**	Purpose*
Arnica montana... 1X HPUS-7%	Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
- reduces pain, swelling and discoloration from bruises

Warnings

For external use only.
Avoid contact with eyes, mucous membranes, damaged skin or wounds. **Do not use** if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product use only as directed. Do not bandage tightly or use a heating pad.
Stop use and ask a doctor if condition persists for more than 3 days or worsens.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store at 68-77°F (20-25°C)

**These "Uses" have not been evaluated by the Food and Drug Administration. **C, K, CK, and X are homeopathic dilutions; see www.boironusa.com for details.*

FEEL BETTER FASTER

Neck, Back, Shoulder, Leg and Foot
Muscle Pain & Stiffness • Swelling from Injuries • Bruising*

Arnicare[®]Gel
Quickly Absorbed



arnica
natural
active ingredient

Use Arnicare Gel at the first sign of pain and feel better faster!

PAIN RELIEF*

Arnicare[®]Gel
Quickly Absorbed

Unscented • Paraben-Free • Works Naturally with Your Body



BOIRON[®]

World Leader in Homeopathic Medicines

HOMOEOPATHIC
MEDICINE

NET WT. 2.6 oz (75 g)

♻️ please recycle

Made in France



The Boiron Promise

At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1832, the Boiron family has been committed to providing homeopathic medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

*These "Uses" have not been evaluated by the Food and Drug Administration. [†]U, K, O, and X are homeopathic dilutions; see www.boironusa.com for details.

<p>Directions Apply a thin layer of Arnicare Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.</p>	<p>Drug Facts</p> <p>Active Ingredient[†] Arnica montana 1X HPUS-7%</p> <p>Purpose Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising</p>
<p>Other Information ■ do not use if glued carton end flaps are open or if the tube seal is broken ■ non-greasy ■ store at 68-77°F (20-25°C)</p>	<p>Uses ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls ■ reduces pain, swelling and discoloration from bruises</p> <p><i>The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.</i></p>
<p>Inactive ingredients alcohol, carboner, purified water, sodium hydroxide</p>	<p>Warnings For external use only. Avoid contact with eyes, mucous membranes, damaged skin or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product use only as directed. Do not bandage tightly or use a heating pad. Stop use and ask a doctor if condition persists for more than 3 days or worsens. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
<p>Questions or comments? www.arnicare.com info@boiron.com www.boironusa.com 1-800-BOIRON-1 (1-800-264-7661) Distributed by Boiron Inc., 6 Campus Boulevard, Newtown Square, PA 19073-0287</p>	<p>These "Uses" have not been evaluated by the Food and Drug Administration. [†]U, K, O, and X are homeopathic dilutions; see www.boironusa.com for details.</p>

Drug Facts

(continued)

Other information

■ do not use if the tube seal is broken

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com

BoironUSA.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc.

6 Campus Boulevard

Newtown Square, PA 19073-3267

*Homeopathic mother tincture made from Arnica montana fresh whole plant. These "Uses" have not been evaluated by the Food and Drug Administration. "C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Made in France please recycle

FEEL BETTER FASTER

Neck, Back, Shoulder, Leg and Foot
Muscle Pain & Stiffness
Swelling from Injuries • Bruising*



Arnicare Gel is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It has a cooling effect for fast pain relief. Arnicare is recommended by doctors, plastic surgeons and pharmacists and used by professional athletes and savvy moms.

SAMPLE
NOT FOR SALE

NDC 0220-9000-65

PAIN RELIEF*

Arnicare[®] Gel

Quickly Absorbed



Unscented • Paraben-Free • Help Your Body the Natural Way

BOIRON[®]

World Leader in Homeopathic Medicines

HOMEOPATHIC
MEDICINE

NET WT. 0.5 oz (14 g)

Drug Facts

Active ingredient**

Arnica montana.....Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruises

1X HPUS-7%
The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Uses* ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls ■ reduces pain, swelling and discoloration from bruises

Warnings For external use only. Avoid contact with eyes, mucous membranes, damaged skin or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad, Stop use and ask a doctor if condition persists for more than 3 days or worsens. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. ▶

NDC 0220-9000-66



Drug Facts
(continued)

Inactive ingredients
alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?
Arnicare.com
BoironUSA.com
info@boiron.com
1-800-BOIRON*1
(1-800-264-7861)
Distributed by Boiron Inc.,
6 Campus Boulevard
Newtown Square, PA
19073-3267

*Homeopathic mother tincture made from Arnica montana fresh whole plant.



please recycle
Made in France



3 06969 00057 1

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruising*

**Arnicare®
Gel**

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Unscented, Paraben-Free

VALUE SIZE



NET WT.
4.1 oz (120 g)

BOIRON®
World Leader in Homeopathic Medicines

**arnica
natural
active ingredient**

**Use Arnicare
at the First
Sign of Pain**

Arnicare Gel is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It has a cooling effect for fast pain relief. Arnicare is recommended by doctors, plastic surgeons and pharmacists, and used by professional athletes and savvy moms.

- Quickly absorbed by the skin
- Non-greasy
- Unscented
- Paraben-free

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/ promise for details.

Drug Facts

Active ingredient**	Purpose*
Arnica montana 1X HPUS-7%	Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
- reduces pain, swelling and discoloration from bruises

Warnings
For external use only.
Avoid contact with eyes, mucous membranes, damaged skin or wounds.
Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad.
Stop use and ask a doctor if condition persists for more than 3 days or worsens.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed.

Other information
■ do not use if glued carton end flaps are open or if the tube seal is broken

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

ARNICARE

arnica montana gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	1 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0K00R)	

SODIUM HYDROXIDE (UNII: 55X04QC32I)

CARBOMER HOMO POLYMER TYPE C (UNII: 4Q93RCW27E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9000-66	1 in 1 PACKAGE	01/09/2007	
1		120 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-9000-59	1 in 1 PACKAGE	01/09/2007	
2		75 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0220-9000-54	1 in 1 PACKAGE	01/09/2007	
3		45 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:0220-9000-65	1 in 1 PACKAGE	01/09/2007	
4		14 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:0220-9000-84	1 in 1 PACKAGE	06/01/2018	
5		45 g in 1 TUBE; Type 0: Not a Combination Product		
6	NDC:0220-9000-86	2 in 1 PACKAGE	06/01/2018	
6		45 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/09/2007	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9000)

Revised: 5/2020

Laboratoires Boiron