IBUPROFEN MIGRAINE- ibuprofen capsule, liquid filled CVS Pharmacy

CVS Ibuprofen Migraine

Active ingredient (in each orange oval capsule)

Solubilized ibuprofen equal to 200 mg ibuprofen (NSAID)*

(present as the free acid and potassium salt)

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

treats migraine

Warnings

Allergy alert:Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning:This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Heart attack and stroke warning:NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more

than directed or for longer than directed.

Medication overuse headache warning:Headaches may worsen if this product is used for 10 or more days per month.

Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

Ask a doctor before use if

- you have never had migraines diagnosed by a health professional
- you have a headache that is different from your usual migraines
- you have the worst headache of your life
- you have fever and stiff neck
- you have headaches beginning after or caused by head injury, exertion, coughing or bending
- you have experienced your first headache after the age of 50
- you have daily headaches
- you have a migraine so severe as to require bed rest
- stomach bleeding warning applies to you
- you have problems or serious side effects from taking pain relievers or fever reducers
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

- under a doctor's care for any serious condition
- taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin
- taking any other drug

When using this product

• take with food or milk if stomach upset occurs

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- you have symptoms of heart problems or stroke:
- chest pain
- trouble breathing

- weakness in one part or side of body
- slurred speech
- leg swelling
- migraine headache pain is not relieved or gets worse after the first dose
- any new symptoms appear

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use ibuprofen at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause delivery problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- the smallest effective dose should be used
- adults: take 2 capsules with a glass of water; if symptoms persist or worsen, ask your doctor; do not take more than 2 capsules in 24 hours, unless directed by a doctor
- under 18 years of age: ask a doctor

Other information

- each capsule contains: potassium 20 mg
- read all warnings and directions before use. Keep carton.
- store at 20° to 25°C (68° to 77°F)
- avoid excessive heat above 40°C (104°F). Protect from light.

Inactive ingredients

gelatin, pharmaceutical ink, polyethylene glycol, potassium hydroxide, purified water, sorbitan and sorbitol

Questions or comments?

call toll free 1-888-235-2466

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2022 CVS/pharmacy
CVS.com®
1-800-SHOP CVS
V-38090

CVS ® Quality

Money Back Guarantee

[†]All trademarks are property of their respective owners. This product is not affiliated with the owners of Motrin [®]IB Migraine.

80's Count Carton

CVSHealth ®

Compare to Motrin [®]IB Migraine active ingredient [†] MIGRAINE RELIEF

Ibuprofen Capsules. 200 mg

Pain Reliever (NSAID)

80 SOFTGELS**

**Liquid-Filled Capsules

Actual Size



IBUPROFEN MIGRAINE

ibuprofen capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-892
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
IBUPROFEN (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg

Inactive Ingredients

Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POTASSIUM HYDROXIDE (UNII: WZ H3C48M4T)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	white (Dye free)	Score	no score
Shape	OVAL	Size	15mm
Flavor		Imprint Code	IB5
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-892- 11	1 in 1 CARTON	10/20/2021	
1		20 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-892- 78	1 in 1 CARTON	10/20/2021	
2		80 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category			Marketing End Date
ANDA	ANDA078682	10/20/2021	

Labeler - CVS Pharmacy (062312574)

Registrant - Bionpharma Inc. (079637826)

Establishment				
Name	Address	ID/FEI	Business Operations	
Patheon Softgels Inc.		002193829	manufacture(69842-892)	

Revised: 12/2025 CVS Pharmacy