

ECO-GARD SA CONCENTRATE- iodine solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Attention

For External Use Only

Wash hands thoroughly after handling

Get medical advice/attention if you feel unwell

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Iodine Teat Dip Concentrate

FOR INDUSTRIAL USE ONLY

DIRECTIONS:

ECO-GARD S.A. CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter(s): A dilute solution of a 0.5% iodine teat dip will consist of 7 parts potable water and 1 part Eco-Gard S.A. Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 3 parts potable water and 1 part Eco-Gard S.A. Concentrate by volume.

IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Application of Diluted Eco-Gard S.A. Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh Eco-Gard S.A., dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh Eco-Gard S.A., dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh Eco-Gard S.A., spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh Eco-Gard S.A., spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Eco-Gard S.A. Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended product within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

Attention

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

Principal Display Panel and Representative Label

ECOLAB®

Ecolab-Gard™ S.A. Concentrate

Iodine Teat Dip Concentrate

- **An aid in reducing the spread of organisms which may cause mastitis**
- **Does not contain Nonylphenol Ethoxylate (NPE)**

ACTIVE INGREDIENT:

Titrateable Iodine.....3.6%

INERT INGREDIENTS:..... 96.4%

(contains glycerin, propylene glycol)

TOTAL:.....100.0%

208 L (55 US GAL)

6300381

772036/5300/1017

This product may be patented: www.ecolab.com/patents

Ecolab · 1 Ecolab Place · St Paul MN 55102 USA · tel: 1 800 392 3392

© 2017 Ecolab USA · All rights reserved

Made in U.S.A.

www.ecolab.com · 752677/5301/1017



KEEP FROM
FREEZING
NO DEJE QUE
SE CONGELE

Eco-Gard™ S.A. Concentrate

Iodine Teat Dip Concentrate Yodo concentrado para el tratamiento de pezones

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Does not contain Nonylphenol Ethoxylate (NPE) | No contiene Etoxilatos de nonilfenol

ACTIVE INGREDIENT:

Titratable Iodine..... 3.6%

INERT INGREDIENTS:..... 96.4%

(contains propylene glycol, glycerin)

TOTAL:..... 100.0%

Attention | Atención

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE

NOT FOR HUMAN USE | NO ES PARA USO HUMANO

Read other label for directions for use, first aid and precautionary statements

Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas



Teat Dip
Baño de tetina



Teat Spray
Rocedor de tetina



208 L (55 US GAL)

6300381

Eco-Gard™ S.A. Concentrate

Iodine Teat Dip Concentrate

FOR INDUSTRIAL USE ONLY

DIRECTIONS:

ECO-GARD S.A. CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter(s): A dilute solution of a 0.5% iodine teat dip will consist of 7 parts potable water and 1 part Eco-Gard S.A. Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 3 parts potable water and 1 part Eco-Gard S.A. Concentrate by volume.

IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Application of Diluted Eco-Gard S.A. Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh Eco-Gard S.A., dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh Eco-Gard S.A., dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh Eco-Gard S.A., spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh Eco-Gard S.A., spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Eco-Gard S.A. Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended product within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/attention if you feel unwell

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

This product may be patented | Este producto puede ser patentado | www.ecolab.com/patents

Ecolab - 1 Ecolab Place - St Paul MN 55102 USA - tel: 1 800 392 3392
 © 2017 Ecolab USA - All rights reserved | Todos los derechos reservados
 Made in U.S.A. | Hecho en EE.UU.
www.ecolab.com - 7526775301/1017

Yodo concentrado para el tratamiento de pezones

PARA USO INDUSTRIAL SOLAMENTE

INSTRUCCIONES:

ECO-GARD S.A. CONCENTRATE DILUIR ANTES DE USAR

NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA

USAR ÚNICAMENTE EN UN SISTEMA DE DOSIFICACIÓN RECOMENDADO POR ECOLAB

Parámetro(s) de dilución: Una solución diluida de baño antiséptico para pezones con yodo al 0,5% contendrá 7 partes de agua potable y 1 parte de Eco-Gard S.A. Concentrate por volumen. Una solución diluida de baño antiséptico para pezones con yodo al 1% contendrá 3 partes de agua potable y 1 parte de Eco-Gard S.A. Concentrate por volumen.

IMPORTANTE: Nunca utilice el producto concentrado sobre los pezones. Una vez que el producto para baño de pezones concentrado se haya diluido, no lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

Preparado para ubres: Si se realiza un paso de limpieza de ubres antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubres adecuada y procedimientos de limpieza apropiados. Los pezones deben secarse con toallas de uso único.

Aplicación de Eco-Gard S.A. Concentrate diluido

Instrucciones para el sellado de pezones

Sellado del pezón previo al ordeño: Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga Eco-Gard S.A. fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Bañe toda la superficie de cada pezón en un recipiente que contenga Eco-Gard S.A. fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

Instrucciones para el rociado de pezones

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con Eco-Gard S.A. fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

Rociado de pezones posterior al ordeño: Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con Eco-Gard S.A. fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

Uso ampliado: Si la vaca va a parir, comience a realizar el baño dos veces al día unos 10 días antes del parto.

PRECAUCIÓN: Eco-Gard S.A. Concentrate no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, encargue a un veterinario que examine la condición y la trate si es necesario.

AVISO: Utilice el producto mezclado dentro de 6 meses de la fecha de mezcla.

Consulte con su representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

Atención

Solo de uso externo

Lavarse las manos cuidadosamente después de la manipulación.

Consultar a un médico si la persona se encuentra mal.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

ECO-GARD SA CONCENTRATE

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-481
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-481-21	208000 mL in 1 DRUM		
2	NDC:47593-481-44	1135000 mL in 1 CONTAINER		
3	NDC:47593-481-35	2000000 mL in 1 CONTAINER		
4	NDC:47593-481-17	56800 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/25/2011	

Labeler - Ecolab Inc. (006154611)

Revised: 10/2025

Ecolab Inc.