

ALLERGY RELIEF- diphenhydramine hcl tablet
Navarro Discount Pharmacies,LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCL 25mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
 - runny nose
 - sneezing

Warnings

Do not use with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	25 mg to 50 mg (1 to 2 tablets)
children 6 to under 12 years of age	25 mg (1 tablet)
children under 6 years of age	ask a doctor
children under 4 years of age	do not use

Other information

- **each tablet contains:** calcium 0.1mg
- store at 59° to 77°F in a dry place
- protect from light

Inactive ingredients

FD&C red no. 40, hypromellose 2910, hydroxypropyl cellulose, lactose anhydrous, microcrystalline cellulose, polyethylene glycol 6000, sodium starch glycolate, silicic acid anhydride, stearic acid, titanium dioxide

Package label

Allergy Relief



Allergy Tablet

Tableta para Alergias

NDC #59970-082-24

Compare to Benadryl Allergy®
active ingredient*

Compare con el ingrediente
activo de Benadryl Allergy®*

Para información en Español lea el inserto



Allergy Tablet
Tableta para Alergias



Allergy Tablet

Tableta para Alergias

■ Diphenhydramine HCl Tablets
Tabletas de Difenhidramina HCl

■ Antihistamine
Antihistamínico

Relief for:

- Sneezing
- Itchy, Watery Eyes
- Itchy Throat or Runny Nose due to Colds & Allergies

Alivio para:

- Estornudos
- Ojos llorosos y con picazón
- Garganta con Picazón o Nariz Mucosa debida a Resfriados & Alergias

ZN75

Easy to Swallow
Fácil de tragar

20
Tablets
Tabletas

LOT & EXP.
LOTE & FECHA DE VENCIMIENTO

Tamper Evident: This product is protected in a child resistant, sealed blister. Do not use if blister or printed foil is broken.
Evidencia de Alteración: Este producto está empacado en una ampolla sellada a prueba de niños. No usar si la ampolla o la lámina de aluminio impreso está rota.

Drug Facts

Active ingredient (in each tablet) **Purpose**
 Diphenhydramine HCl 25mg.....Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose □ sneezing □ itchy, watery eyes □ itchy nose or throat
- temporarily relieves these symptoms due to the common cold
 - runny nose □ Sneezing

Warnings

Do not use with any other product containing diphenhydramine, even one used on skin

- Ask a doctor before use if you have** ■ glaucoma
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- When using this product** ■ drowsiness may occur
- avoid alcoholic drinks
 - alcohol, sedatives, and tranquilizers may increase drowsiness
 - excitability may occur, especially in children
 - use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions ■ take every 4 to 6 hours
 ■ do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	25 mg to 50 mg (1 to 2 tablets)
children 6 to under 12 years of age	25 mg (1 tablet)
children under 6 years of age	ask a doctor
children under 4 years of age	do not use

Other information

- each tablet contains: calcium 0.1mg
- store at 15° - 30°C (59° - 77°F) in a dry place
- protect from light

Inactive ingredients

FD&C red no. 40, hydroxypropyl cellulose, hypromellose 2910, lactose anhydrous, microcrystalline cellulose, polyethylene glycol 6000, silicic acid anhydride, sodium starch glycolate, stearic acid, titanium dioxide

*This product is not manufactured or distributed by McNeil Consumer Healthcare, Inc., owner of the registered trademark, Benadryl Allergy®.

*Este producto no es fabricado o distribuido por McNeil Consumer Healthcare, Inc., propietario de la marca registrada, Benadryl Allergy®.

Exclusively distributed by:
Distribuido exclusivamente por:

MAGE LAN
 DISTRIBUTION SOLUTIONS
 Medley, Florida 33178



Made in Korea
Fabricado en Corea



ALLERGY RELIEF

diphenhydramine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59970-082
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE 2910 (50 MPA.S) (UNII: 1IVH67816N)	
HYDROXYPROPYL CELLULOSE (UNII: RFW2ET671P)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	ZN75
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59970-082-24	2 in 1 BOX		
1		10 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/01/2013	

Labeler - Navarro Discount Pharmacies,LLC (094930963)

Revised: 2/2013

Navarro Discount Pharmacies,LLC