

**MOTION SICKNESS RELIEF- dimenhydrinate tablet**  
**Cardinal Health 110, LLC. DBA Leader**

-----  
**Leader 44-198**

***Active ingredient (in each tablet)***

Dimenhydrinate 50 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

***Warnings***

**Do not use**

for children under 2 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

adults and children 12 years and over	1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	½ to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	½ tablet every 6-8 hours; do not exceed 1½ tablets in 24 hours, or as directed by a doctor

**Other information**

- **each tablet contains:** calcium 35 mg
- see end flap for expiration date and lot number
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture

**Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**Questions or comments?**

**1-800-426-9391**

**Principal display panel**

NDC 70000-0749-1

LEADER™

**Original Formula  
Motion Sickness Relief**

Dimenhydrinate, 50 mg | Antiemetic

Prevents Nausea,  
Vomiting & Dizziness  
for Children & Adults

12 TABLETS

Actual Size

**COMPARE TO  
DRAMAMINE®  
ORIGINAL FORMULA  
active ingredient\***

100% Money Back Guarantee

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula. 50844 ORG051819802

100%  
Money Back  
Guarantee  
Return to place of purchase.

**CardinalHealth™**

DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43017  
www.myleader.com 1-800-200-6313  
Essential to Care™ since 1979

©2025 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the LEADER LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.



**LEADER**<sup>TM</sup>

NDC 70000-0749-1

Original Formula

# Motion Sickness Relief

Dimenhydrinate, 50 mg | Antiemetic

Prevents Nausea,  
Vomiting & Dizziness  
for Children & Adults



Actual Size

**12 TABLETS**

**COMPARE TO  
DRAMAMINE<sup>®</sup>  
ORIGINAL FORMULA**  
active ingredient\*

100% Money Back Guarantee

Z-Fold  
LEBG302104

©2025 Cardinal Health. All rights reserved. CARDINAL HEALTH, the Cardinal Health logo, ESSENTIAL TO CARE, LEADER, and the LEADER logo are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

**CardinalHealth<sup>TM</sup>**  
DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43007  
www.myleader.com 1-800-200-6313  
Essential to Care<sup>SM</sup> since 1979

Return to place of purchase.  
**100% Money Back Guarantee**

\*This product is not manufactured or distributed by MedTech Products Inc., owner of the registered trademark Dramamine<sup>®</sup> Original Formula. 50844 ORG051819802

B-4225-198-02  
OR00051819802

no print / no varnish area  
lot no. & exp. date

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BUSTLER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Unimethylated 50 mg. Antiemetic

**Uses** for prevention and treatment of these symptoms associated with motion sickness: ■ nausea ■ vomiting ■ dizziness

**Warnings**  
Do not use for children under 2 years of age unless directed by a doctor.  
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking:  
■ alcohol, sedatives, and tranquilizers may increase marked drowsiness may occur  
■ drowsiness ■ avoid alcoholic beverages  
■ use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional for medical help or contact a Poison Control Center right away.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.


**When using this product**  
■ marked drowsiness may occur  
■ alcohol, sedatives, and tranquilizers may increase marked drowsiness may occur


**Other information**  
■ each tablet contains: calcium 35 mg  
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BUSTLER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture  
■ see end flap for expiration date and lot number

**Inactive ingredients** croscarmellose sodium, dicalcium calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**Questions or comments?** 1-800-426-9391

CIN 6079644 REV. 10/25





Leader 44-198

## MOTION SICKNESS RELIEF

dimenhydrinate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0749
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M, 8-CHLOROTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;198
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0749-1	2 in 1 CARTON	12/05/2025	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	12/05/2025	

**Labeler** - Cardinal Health 110, LLC. DBA Leader (063997360)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(70000-0749)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(70000-0749) , pack(70000-0749)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(70000-0749)

Revised: 12/2025

Cardinal Health 110, LLC. DBA Leader