

**GLYCERIN - glycerin suppository
LOHXA**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Child Glycerin Supp

Active ingredient (in each suppository)

Glycerin 1.2g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort or a burning sensation

Ask a Doctor before using any laxative if child has

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than two weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if child has

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage

children 2 to under 6 1 suppository, or as directed by a doctor

children under 2 years ask a doctor

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Child Glycerin Suppositories, 25 count

Child Glycerin Suppositories 25 count

Repackaged by:

Lohxa

Worcester MA 01608 USA

NDC 70166-312-25

OTC

**GLYCERIN (CHILD)
SUPPOSITORIES**

For Rectal Use only

1.2 gram

Keep away from
excessive heat

25 UNITS x Child Suppository

**GLYCERIN (CHILD)
SUPPOSITORIES**

1.2 gram



LOT:

EXP:

For Rectal Use only

Each 1 suppository contains

Glycerin..... 1.2 gram

Store at Controlled Room Temperature 20 to 25 °C (68 to 77°F)
[See USP Controlled Room Temperature],
See insert for dosage and administration
For Institutional Use.

Repackaged by:
Lohxa
Worcester, MA 01608 U.S.A



GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70 166-312(NDC:69842-722)
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	1 g in 1.2

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70 166-312-25	25 in 1 BOX	06/28/2019	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	08/18/2016	

Labeler - LOHXA (079872715)

Registrant - LOHXA (079872715)

Establishment

Name	Address	ID/FEI	Business Operations
LOHXA		079872715	relabel(70166-312) , repack(70166-312)

Revised: 10/2019

LOHXA