

**OXYMETAZOLINE HCL- oxymethazoline hcl spray**  
**Preferred Pharmaceuticals Inc.**

-----  
**12 Hour Decongestant Nasal Spray**

***Drug Facts***

***Active ingredient***

Oxymetazoline HCL 0.05%

***Purpose***

Nasal decongestant

***Uses***

temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies

temporarily relieves sinus congestion and pressure

shrinks swollen nasal membranes

**Ask a doctor before use if you have**

heart disease

high blood pressure

thyroid disease

diabetes

trouble urinating due to an enlarged prostate gland

**Stop use and ask a doctor if** symptoms persist

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril. Not more often than every 10-12 hours. Do not exceed 2 doses in 24 hours.

**children under 6 years of age:** ask a doctor.

**Instructions for use:** Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull to remove. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm even stroke and sniff deeply. Wipe nozzle clean after use and snap cap back onto bottle.

***Other information***

store between 20° to 25° C (68° to 77° F)

retain carton for future reference on full labeling

***Inactive ingredients***

benzalkonium chloride, dibasic sodium phosphate, edetate disodium dihydrate, monobasic sodium phosphate, polyethylene glycol, propylene glycol, povidone, purified water

**Questions or comments?**

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

***Warnings***

**Ask a doctor before use if you have**

heart disease

high blood pressure

thyroid disease

diabetes

trouble urinating due to an enlarged prostate gland

**When using this product**

**do not use more than directed**

do not use more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.

temporary discomfort such as burning, stinging, sneezing, or an increased nasal discharge may occur

use of this container by more than one person may spread infection

NDC 68788-7516-3

Reliabel-1 Laboratories

12 Hour Decongestant Nasal Spray

Oxymetazoline HCL

Pump Mist Anti-Drip

Rapid & Powerful

Congestion Relief

12 Hour Relief

1 FL OZ (30 mL)

Relabeled By: Preferred Pharmaceuticals Inc.

**Nasal Decongestant 12-Hour Spray**

Compare to Afrin

Active Ingredient Oxymetazoline HCl, 0.05%

**Pkg Size:** Exp Date:

Lot#:

Batch#:




Ins:

Mfg: Reliable 1 Laboratories LLC

Prod#:

**Warning**

Ask a doctor before use if you have heart disease, high blood pressure, diabetes, thyroid disease, trouble swallowing due to enlarged thyroid gland. When using this product, do not use more than directed, do not use for more than three days, use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur. Use of this container by more than one person may spread infection. Stop use and ask a doctor if symptoms persist. If pregnant or breast-feeding, ask a health professional before use. Keep this and all medication out of the reach of children. Store between 20° and 25°C (68° to 77°F). Retain carton for future reference.

Nasal Decongestant 12-Hour Spray

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Nasal Decongestant 12-Hour Spray

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Nasal Decongestant 12-Hour Spray

Qty: Ins:

Insurance NDC:

Lot#: Bat#:

Nasal Decongestant 12-Hour Spray

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

**Directions English**

Take \_\_\_\_\_ sprays in each nostril every \_\_\_\_\_ hours

Use as directed by your doctor

**Instrucciones Español:**

La Toma \_\_\_\_\_ rocia cada \_\_\_\_\_ horas

Usó según lo dirigido por su doctor

OXYMETHAZOLINE HCL			
oxymethazoline hcl spray			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68788-7516(NDC:69618-050)
<b>Route of Administration</b>	NASAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>OXYMETHAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETHAZOLINE - UNII:8VLN5B44ZY)	OXYMETHAZOLINE HYDROCHLORIDE	0.05 mg	
Inactive Ingredients			
Ingredient Name	Strength		
<b>SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS</b> (UNII: KH7I04HPUU)			
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)			
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)			
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)			
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)			
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)			

**WATER** (UNII: 059QF0KO0R)

**POVIDONE, UNSPECIFIED** (UNII: FZ989GH94E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-7516-3	1 in 1 CARTON	02/11/2020	
1		1 in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part341	02/11/2020	

**Labeler** - Preferred Pharmaceuticals Inc. (791119022)

**Registrant** - Preferred Pharmaceuticals Inc. (791119022)

### Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	RELABEL(68788-7516)

Revised: 7/2024

Preferred Pharmaceuticals Inc.