

OXYMETAZOLINE HCL- oxymethazoline hcl spray
Preferred Pharmaceuticals Inc.

12 Hour Decongestant Nasal Spray

Drug Facts

Active ingredient

Oxymetazoline HCL 0.05%

Purpose

Nasal decongestant

Uses

temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies

temporarily relieves sinus congestion and pressure

shrinks swollen nasal membranes

Ask a doctor before use if you have

heart disease

high blood pressure

thyroid disease

diabetes

trouble urinating due to an enlarged prostate gland

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril. Not more often than every 10-12 hours. Do not exceed 2 doses in 24 hours.

children under 6 years of age: ask a doctor.

Instructions for use: Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull to remove. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm even stroke and sniff deeply. Wipe nozzle clean after use and snap cap back onto bottle.

Other information

store between 20° to 25° C (68° to 77° F)

retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride, dibasic sodium phosphate, edetate disodium dihydrate, monobasic sodium phosphate, polyethylene glycol, propylene glycol, povidone, purified water

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

Warnings

Ask a doctor before use if you have

heart disease

high blood pressure

thyroid disease

diabetes

trouble urinating due to an enlarged prostate gland

When using this product

do not use more than directed

do not use more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.

temporary discomfort such as burning, stinging, sneezing, or an increased nasal discharge may occur

use of this container by more than one person may spread infection

NDC 68788-7516-3

Reliabel-1 Laboratories

12 Hour Decongestant Nasal Spray

Oxymetazoline HCL

Pump Mist Anti-Drip

Rapid & Powerful

Congestion Relief

12 Hour Relief

1 FL OZ (30 mL)

Relabeled By: Preferred Pharmaceuticals Inc.

Nasal Decongestant 12-Hour Spray



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed.

Nasal Decongestant 12-Hour Spray
Qty: Ins:
Lot: Bat:
Prod# (NDC):

Log

Nasal Decongestant 12-Hour Spray
Qty: Ins:
Lot: Bat:
Prod# (NDC):

Chart

Nasal Decongestant 12-Hour Spray
Qty:
Insurance NDC:
Lot: Bat:

Billing

Nasal Decongestant 12-Hour Spray
Qty: Ins:
Lot: Bat:
Prod# (NDC):

Patient

Compare to Afrin
Active Ingredient Oxymetazoline HCl, 0.05%
Pkg Size: Exp Date: #####/#####
Lot#: Batch#:



Directions English

Take _____ sprays in each nostril every _____ hours Use as directed by your doctor



GTIN #####
SN #####
EXP #####

Instrucciones Espanol:

La Toma _____ rocia cada _____ horas Uso según lo dirigido por su doctor

Warning
Ask a doctor before use if you have: heart disease, high blood pressure, diabetes, thyroid disease, trouble urinating due to enlarged prostate gland. When using this product: Do not use more than directed, do not use for more than three days, use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur. Use of this container by more than one person may spread infection. Stop use and ask a doctor if symptoms persist. If pregnant or breast-feeding, ask a health professional before use. Keep this and all medication out of the reach of children. Store between 20° and 25° C (68° to 77° F). Retain carton for future reference

OXYMETHAZOLINE HCL

oxymethazoline hcl spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-7516(NDC:69618-050)
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETHAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETHAZOLINE - UNII:8VLN5B44ZY)	OXYMETHAZOLINE HYDROCHLORIDE	0.05 mg

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
EDETATE SODIUM (UNII: MP1J8420LU)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

WATER (UNII: 059QF0KO0R)

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-7516-3	1 in 1 CARTON	02/11/2020	
1		1 in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part341	02/11/2020	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	RELABEL(68788-7516)

Revised: 8/2025

Preferred Pharmaceuticals Inc.