

**GOOD NEIGHBOR PHARMACY ADULT TUSSIN DM- dextromethorphan hydrobromide, guaifenesin solution**  
**Amerisource Bergen**

-----  
**Amerisource Bergen Adult Tussin DM Drug Facts**

**Active ingredients (in each 20 mL)**

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

## Other information

- **each 20 mL contains:** sodium 14 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

## Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

## Questions or comments?

**1-800-719-9260**

## Package/Label Principal Display Panel

Compare to Robitussin<sup>®</sup> Cough + Chest Congestion DM active ingredients

GOOD NEIGHBOR PHARMACY<sup>®</sup>

ADULT

Tussin DM

cough suppressant (dextromethorphan HBr)

expectorant (guaifenesin)

Cough & Chest Congestion

Relieves:

- Mucus
- Cough

Non-Drowsy  
 Raspberry Flavor  
 Alcohol Free  
 For Ages 12 & Over  
 See New Dosing  
 4 fl oz (118 mL)



**Drug Facts**

**Active ingredients**      **Purposes**  
*(in each 20 mL)*  
 Dextromethorphan HBr,  
 USP 20 mg.....Cough suppressant  
 Guaifenesin, USP 200 mg.....Expectorant

**Uses**  
 ■ temporarily relieve cough due to minor throat and bronchial irritation as may occur with a cold  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**  
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
 Ask a doctor before use if you have  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
 ■ do not take more than 6 doses in any 24-hour period  
 ■ measure only with dosing cup provided  
 ■ keep dosing cup with product  
 ■ mL = milliliter  
 ■ this adult product is not intended for use in children under 12 years of age

**Drug Facts (continued)**

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

**Other information**  
 ■ each 20 mL contains: sodium 14 mg  
 ■ store at 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

**Questions or comments?**  
 1-800-719-9260

\*Good Neighbor Pharmacy® Tussin DM is not manufactured or distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

**GLUTEN FREE**

Distributed By  
 AmerisourceBergen  
 1 West First Avenue  
 Conshohocken, PA 19428  
 Questions or Concerns?  
[www.mygnp.com](http://www.mygnp.com)



**PARENTS:**  
 Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**GOOD NEIGHBOR PHARMACY®**

**ADULT**

**Tussin DM**  
 cough suppressant (dextromethorphan HBr)  
 expectorant (guaifenesin)

**Cough & Chest Congestion**

NDC 46122-704-26

**GOOD NEIGHBOR PHARMACY®**

Compare to Robitussin® Cough + Chest Congestion DM active ingredients\*

**ADULT**

**Tussin DM**  
 cough suppressant (dextromethorphan HBr)  
 expectorant (guaifenesin)

**Cough & Chest Congestion**

Relieves:  
 • Mucus  
 • Cough

Non-Drowsy  
 Raspberry Flavor

Alcohol Free  
 For Ages 12 & Over  
 See New Dosing

4 fl oz (118 mL)

ABCH: 10262120

0 87701 43424 2

63K26 29 C1

NDC 46122-704-26

**GOOD NEIGHBOR PHARMACY®**

Compare to Robitussin® Cough + Chest Congestion DM active ingredients\*

**ADULT**

**Tussin DM**  
 cough suppressant (dextromethorphan HBr)  
 expectorant (guaifenesin)

**Cough & Chest Congestion**

Relieves:  
 • Mucus  
 • Cough

Non-Drowsy  
 Raspberry Flavor

Alcohol Free  
 For Ages 12 & Over  
 See New Dosing

4 fl oz (118 mL)

# GOOD NEIGHBOR PHARMACY ADULT TUSSIN DM

dextromethorphan hydrobromide, guaifenesin solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-704
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 20 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-704-26	1 in 1 CARTON	05/04/2022	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46122-704-34	1 in 1 CARTON	05/11/2022	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/04/2022	

**Labeler** - Amerisource Bergen (007914906)

Revised: 11/2024

Amerisource Bergen