

SHISEIDO ULTIMATE SUN PROTECTOR CLEAR- avobenzone, homosalate, octisalate, octocrylene stick
Shiseido Americas Corporation

SHISEIDO ULTIMATE SUN PROTECTOR CLEAR

Drug Facts

Active Ingredients

AVOBENZONE 2.5%
OCTISALATE 5%

HOMOSALATE 11%
OCTOCRYLENE 9%

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Diphenylsiloxy Phenyl Trimethicone □ Mineral Oil □ Hydroxystearic Acid □ Triethylhexanoin □ PEG/PPG-9/2 Dimethyl Ether □ Methyl Methacrylate Crosspolymer □ Dibutyl Lauroyl Glutamide □ C12-15 Alkyl Benzoate □ Polyamide-8 □ Silica Dimethyl Silylate □ Argania Spinosa Kernel Oil □ Stearyl Glycyrhethinate □ Tocopheryl Acetate □ PEG/PPG-14/7 Dimethyl Ether □ Lecithin □ Glycyrrhiza Glabra (Licorice) Root Extract □ PPG-17 □ Castor Oil/IPDI Copolymer □

Caprylic/Capric Triglyceride □ BHT □ Simethicone □ PEG-6 □ Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate □ Silica □ Fragrance □

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPLE DISPLAY PANNEL 20g OTHER

SHISEIDO'

GINZA TOKYO

Ultimate Sun Protector

Clear Stick

SPF 60+

Advanced Protection & Age Defense

BROAD SPECTRUM SPF 60+

WATER RESISTANT (80 MINUTES)

SUNSCREEN

20g NET WT..7 OZ.

<p>SHISEIDO ULTIMATE SUN PROTECTOR CLEAR STICK BROAD SPECTRUM SPF 60+</p> <p>A transparent sunscreen stick with SPF 60+ for UV defense on the go! Powered by SynchroShield™, the protective veil becomes more even and strengthened with water and heat*. Provides seamless protection against UVA/UVB rays, micro dust and dryness. Contains Glycyrrhizic Acid Derivatives.</p> <p>*The HeatForce™ technology is activated on hot days, after the formula is applied to the skin. To activate the HeatForce™ technology, expose the applied area to water or perspiration for 30 minutes.</p> <p>NO OCTINOXATE • NO OXYBENZONE • NO PARABENS NON-COMEDOGENIC • DERMATOLOGIST AND OPHTHALMOLOGIST-TESTED.</p> <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Avobenzone 2.5% Homosalate 11.0% Octisalate 5.0% Octocrylene 9.0%</td> <td rowspan="2">Sunscreen</td> </tr> </tbody> </table> <p>Uses • helps prevent sunburn</p> <p>Warnings For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Specially formulated by Shiseido Laboratories, Japan. Shiseido Americas Corporation Dist., New York, NY 10017 Made in U.S.A. GLO, 22298 www.shiseido.com</p>	Active Ingredients	Purpose	Avobenzone 2.5% Homosalate 11.0% Octisalate 5.0% Octocrylene 9.0%	Sunscreen	<p>Drug Facts (continued)</p> <p>Directions For sunscreen use: • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor</p>	 <p>SHISEIDO GINZA TOKYO</p> <p>Ultimate Sun Protector Clear Stick</p> <p>SPF 60+</p> <p>Advanced Protection & Age Defense</p> <p>BROAD SPECTRUM SPF 60+ WATER RESISTANT (80 MINUTES) SUNSCREEN</p> <p>20g NET WT..7 OZ.</p>	<p>Drug Facts (continued)</p> <p>Inactive Ingredients Diphenylsiloxy Phenyl Trimethicone • Mineral Oil • Hydroxystearic Acid • Triethylhexanoin • PEG/PPG-9/2 Dimethyl Ether • Methyl Methacrylate Copolymer • Dibutyl Lauroyl Glutamide • C12-15 Alkyl Benzoate • Polyamide-8 • Silica Dimethyl Silylate • Argania Spinosa Kernel Oil • Stearyl Glycyrrhizinate • Tocopheryl Acetate • PEG/PPG-14/7 Dimethyl Ether • Lecithin • Glycyrrhiza Glabra (Licorice) Root Extract • PPG-17 • Castor Oil/POI Copolymer • Caprylic/Capric Triglyceride • BHT • Simethicone • PEG-6 • Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate • Silica • Fragrance</p> <p>Other Information • protect this product in this container from excessive heat and direct sun</p> <p>Questions or Comments? Call toll free 1-800-906-7503</p> <p>~M14652-81~</p> <p>FSCマーク W30XH14.3</p>
Active Ingredients	Purpose						
Avobenzone 2.5% Homosalate 11.0% Octisalate 5.0% Octocrylene 9.0%	Sunscreen						

SHISEIDO ULTIMATE SUN PROTECTOR CLEAR
avobenzone, homosalate, octisalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-969
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.5 g in 19.98 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.2 g in 19.98 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	1 g in 19.98 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.8 g in 19.98 mL

Inactive Ingredients

Ingredient Name	Strength
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
MINERAL OIL (UNII: T5L8T28FGP)	
HYDROXYSTEARIC ACID (UNII: 933ANU3H2S)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
PEG/PPG-9/2 DIMETHYL ETHER (UNII: LM6Q66468X)	
DIBUTYL LAUROYL GLUTAMIDE (UNII: 3V7K3IA58X)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
ARGANIA SPINOSA KERNEL OIL (UNII: 4V59G5UW9X)	
STEARYL GLYCYRRHETINATE (UNII: 3YYE6VJS0P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
GLYCYRRHIZA GLABRA (LICORICE) ROOT (UNII: 2788Z9758H)	
PPG-17 (UNII: OVOQ322E0U)	
CASTOR OIL/IPDI COPOLYMER (UNII: GSA2TXZ34G)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
BHT (UNII: 1P9D0Z171K)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y10)	
PEG-6 (UNII: 5655G9Y8AQ)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
SILICA (UNII: ETJ7Z6XBU4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-969-90	1 in 1 BOX	09/01/2025	
1		20 mL in 1 PACKAGE; Type 0: Not a Combination Product		

2	NDC:58411-969-91	1 in 1 BOX	09/01/2025	
2		60 mL in 1 PACKAGE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		09/01/2025	

Labeler - Shiseido Americas Corporation (193691821)

Establishment			
Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	manufacture(58411-969) , analysis(58411-969)

Revised: 1/2026

Shiseido Americas Corporation