# DAYTIME NON DROWSY- acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

## McKesson (Health Mart)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Drug Facts**

## Active ingredients (in each softgel)

## Acetaminophen 325 mg

Dextromethoprhan HBr 10 mg

Phenlyephrine HCl 5 mg

## Purpose

#### Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

#### Uses

- temporarily relieves common cold and flu symptoms:
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - fever
  - cough due to minor throat and bronchial irritation

## **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure

- whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

#### Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

#### When using this product,

do not exceed recommended dosage.

#### Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

### Other information

- store between 15-30°C (59-86°F)
- avoid excessive heat

## **Inactive ingredients**

butylated hydroxyanisole\*, butylated hydroxytoluene\*, carminic acid\*, edible white ink, D&C yellow #10\*, FD&C red #40, FD&C yellow#6, gelatin, glycerin, polyethylene glycol\*, povidone, propylene glycol, purified water, sodium metabisulfite\*, sorbitan\*, sorbitol

## Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

compare to Vicks® DayQuil® LiquiCaps® active ingredients†

Non-Drowsy

#### daytime liquid caps

Acetaminophen/dextromethorphan HBr

Phenylephrine HCl

Pain reliever/fever reducer

cough suppressant/nasal decongestant

alcohol free

antihistamine free

multi-symptom • cold & flu relief

Softgels

(\*\*liquid-filled capsules)

This product is not manufactured or distributed by the Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWING ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Another Quality Product Distributed by McKesson

One Post Street, San Francisco, CA 94104

www.healthmart.com/healthmartbrand

#### **Package Label**

<sup>\*</sup>contains one or more of these ingredients

When using this product, do not exceed recommended dosage.

ливпъм вито впипини

Ask a doctor or pharmacist before use if you are taking the blood

- condu gust occruz with too much bujedm (mucus) emprysema
- becalarent or chronic cough such as occurs with smoking, asthma, or ■ trouble uninating due to an enlarged prostate gland
- µigh blood pressure ■ heart disease ■ thyroid disease

■ diabetes ■ IIVer disease Ask a doctor before use if you have

pharmacist before taking this product.

not know if your prescription drug contains an MAOI, ask a doctor or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do (certain drugs for depression, psychiatric, or emotional conditions, or

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) sak a doctor or pharmacist.
- nonprescription). It you are not sure whether a drug contains acetaminophen, ■ with any other drug containing acetaminophen (prescription or osu ton od

cousnit a doctor promptly.

accompanied or followed by fever, headache, rash, nausea, or vomiting, Sore throat warning: If sore throat is severe, persists for more than 2 days, is It a skin reaction occurs, stop use and seek medical help right away. may include: 

skin reddening 

blisters usej 🔳

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms

- 3 or more alcoholic drinks every day while using this product
  - with other drugs containing acetaminophen
  - more than 4,000 mg of acetaminophen in 24 hours

occnr it you take:

Drug Facts

MAPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Liver warning: This product contains acetaminophen. Severe liver damage may Warnings

nund Facts (continued)

#### Call 1-877-753-3935 Monday-Friday 9AM-5PM EST theshous or comments?

contains one or more of these ingredients propylene glycol, purified water, sodium metabisulfite\*, sorbitan\*, sorbitol #40\*, FD&C yellow #6, gelatin, glycerin, polyethylene glycol\*, povidone, hydroxytoluene\*, carminic acid\*, D&C yellow #10\*, edible white ink, FD&C red Inactive ingredients butylated hydroxyanisole\*, butylated

■ store between 15-30°C (59-86°F)
■ avoid excessive heat

## попъттоти тэпо

#### label to ensure correct dosing

- when using other Daytime or Nighttime products, carefully read each
  - children under 12 years: do not use
  - swallow whole; do not crush, chew, or dissolve
- adults and children 12 years and over; take 2 softgels with water every 4 hours
- do not take more than 4 doses in 24 hours DIRECTIONS 

  do not take more than directed (see Overdose warning)

even if you do not notice any signs or symptoms.

right away. Quick medical attention is critical for adults as well as for children damage. In case of overdose, get medical help or contact a Poison Control Center Overdose warning: Taking more than the recommended dose can cause liver Keep out of reach of children.

It pregnant or breast-feeding, ask a health professional before use.

signs of a serious condition.

- condit comes back or occurs with rash or headache that lasts. These could be ■ redness or swelling is present ■ new symptoms occur
  - - fever gets worse or lasts more than 3 days
  - UGLAONZUGES' QIZZIUGSS' OL SIGGDIGSZUGSS OCCUL ■ bain, cough, or nasal congestion gets worse or lasts more than 7 days

■ congh due to minor throat and bronchial irritation

■ temporarily relieves common cold and flu symptoms

Tever ■

рездасре

■ SOFE UNFORT

Stop use and ask a doctor if

nund racts (continued)

■ ugasi congestion

■ minor aches and pains

лазаі оесолдеятал Рһепуlерһппе НСІ 5 тд. Congh suppressant Dextromethorphan HBr 10 mg. ain reliever/fever reducer Асетатіпорһел 325 тд.

Active ingredients (in each sottgel) Purpose

(continued)

NDC 62011-0261-1

compare to Vicks® DayQuil® LiquiCaps® active ingredients†





acetaminophen/dextromethorphan HBr phenylephrine HCl

> pain reliever/fever reducer cough suppressant/nasal decongestant

> > alcohol-free antihistamine-free

multi-symptom • cold & flu relief





<sup>†</sup>This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

Another Quality Product Distributed by McKesson One Post Street, San Francisco, CA 94104 Money Back Guarantee www.healthmart.com/healthmartbrand

PLD-D40P FC002938



#### Health Mart DayTime Cold & Flu Relief

## **DAYTIME NON DROWSY**

acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62011-0261

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg	
<b>DEXTROMETHO RPHAN HYDRO BRO MIDE</b> (UNII: 9 D2RTI9 KYH) (DEXTROMETHO RPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
BUTYLATED HYDRO XYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PO VIDO NE (UNII: FZ989 GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
CARMINIC ACID (UNII: CID8 Z8 N9 5N)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	

<b>Product Character</b>	Product Characteristics		
Color	ORANGE	Score	no score

Shape	CAPSULE	Size	20 mm
Flavor		Imprint Code	P19;95A;512;P119
Contains			

Packaging				
l	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
ı	1 NDC:62011-0261-1	24 in 1 CARTON	09/30/2015	03/31/2021
ı	1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	09/30/2015	03/31/2021

## Labeler - McKesson (Health Mart) (177667227)

Revised: 12/2018 McKesson (Health Mart)