

FLUTICASONE PROPIONATE- fluticasone propionate spray, metered

Target Corporation

Drug Facts

Active ingredient (in each spray)

Fluticasone propionate (glucocorticoid) 50 mcg.

Purpose

Allergy symptom reliever

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- runny nose
- sneezing
- itchy nose
- itchy, watery eyes

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have

something more than allergies, such as an infection.

- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- read the Quick Start Guide for how to:
 - prime the bottle
 - use the spray
 - clean the spray nozzle

- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 - use 2 sprays in each nostril once daily
- Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use - ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. **Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.**
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- **do not use**

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store at 4° to 30°C (39° to 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?

call toll free **1-800-706-5575**, weekdays, 8:30am – 5:00pm Eastern Standard Time

Principal Display Panel - Bottle 72md

BOTTLE LABEL - PRINCIPAL DISPLAY PANEL

Target Corporation

NDC 11673-262-05

Allergy Relief Nasal Spray

Fluticasone Propionate Nasal Spray, USP

50 mcg per spray

72 sprays

Allergy Symptom Reliever Nasal Spray



Principal Display Panel - Carton 72md

CARTON LABEL - PRINCIPAL DISPLAY PANEL

Target Corporation

NDC 11673-262-04

Allergy Relief Nasal Spray

Fluticasone Propionate Nasal Spray, USP

72 metered sprays

50 mcg per spray

Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose

- Sneezing

AP07829_01



Drug Facts (continued)

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- read the Quick Start Guide for how to:
 - prime the bottle
 - use the spray
 - clean the spray nozzle
 - shake gently before each use
 - use this product only once a day
 - do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 – use 2 sprays in each nostril once daily
- Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use – ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your

Drug Facts (continued)

child's doctor if your child needs to use the spray for longer than two months a year.

- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- do not use

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store between 4°C and 30°C (39°F and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carbocymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?

call toll free 1-800-706-5575, weekdays, 8:30am – 5:00pm Eastern Standard Time

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED, TORN OR BROKEN OR IF THE SEAL AROUND THE PRODUCT LABELED "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2024 Target Brands, Inc.
Made in Canada

*This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare, L.P., distributor of Flonase®.

**Fluticasone propionate is a steroid medicine known as a glucocorticoid.

Compare to active ingredient in Flonase®**

Full Prescription Strength

Non-Drowsy Allergy Relief Nasal Spray

Fluticasone Propionate (Glucocorticoid)**, USP 50 mcg per Spray
Allergy Symptom Reliever Nasal Spray

24-Hour relief of itchy watery eyes, nasal congestion, runny nose, itchy nose and sneezing

24
Hours



72
Sprays

up&up

72 METERED SPRAYS
0.38 FL OZ (11.1 mL)

See Below For Important Information About Use In Children

Drug Facts

Active ingredient (in each spray)	Purpose
Fluticasone propionate (glucocorticoid)	Allergy symptom reliever

Uses Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- runny nose
- sneezing
- itchy nose
- itchy, watery eyes

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- antifungal pills (medicines for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else, as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one



NDC 11673-262-04

094 04 7796 R00 C-001472-01-108



3 11673 26204 7



Principal Display Panel - Bottle 144md
Target Corporation

NDC 11673-262-02

Allergy Relief Nasal Spray

Fluticasone Propionate Nasal Spray, USP

50 mcg per spray

72 sprays

Allergy Symptom Reliever Nasal Spray



Principal Display Panel - Carton 144md

CARTON LABEL - PRINCIPAL DISPLAY PANEL

Target Corporation

NDC 11673-262-01

Allergy Relief Nasal Spray

Fluticasone Propionate Nasal Spray, USP

144 metered sprays

50 mcg per spray

Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



Principal Display Panel - Carton 2x144md
CARTON LABEL - PRINCIPAL DISPLAY PANEL
Target Corporation
NDC 11673-262-03
Allergy Relief Nasal Spray

Fluticasone Propionate Nasal Spray, USP

2 x 144 metered sprays

50 mcg per spray

Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



FLUTICASONE PROPIONATE			
fluticasone propionate spray, metered			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-262

Route of Administration NASAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FLUTICASONE PROPIONATE (UNII: O2GMZ0LF5W) (Fluticasone - UNII:CUT2W21N7U)	FLUTICASONE PROPIONATE	50 ug

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-262-01	1 in 1 CARTON	03/11/2021	08/31/2026
1	NDC:11673-262-02	144 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:11673-262-03	2 in 1 CARTON	03/11/2021	08/31/2026
2	NDC:11673-262-02	144 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
3	NDC:11673-262-04	1 in 1 CARTON	03/11/2021	08/31/2026
3	NDC:11673-262-05	72 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208150	03/11/2021	08/31/2026

Labeler - Target Corporation (006961700)

Registrant - Apotex Inc. (209429182)