MECLIZINE HCL- meclizine hcl tablet
Aidarex Pharmaceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Travel Sickness

Active Ingredient

(in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting, or dizziness due to motion sickness

WARNINGS

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives & tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
  If pregnant or breast-feeding, ask a health professional before use.
  Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take dose one hour before travel starts
- tablets can be chewed or swallowed whole with water
- **adults & children 12 years and over:** 1-2 tablets once daily
  children under 12 years: ask a doctor

Other Information

- **phenylketonurics: each tablet contains:** phenylalanine 0.28mg
- store at room temperature 15°-30°C (59°-86°F)

Inactive Ingredients

aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40(Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

Questions or Comments

Call **1-800-645-2158,** 9 am – 5 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Rugby® Duluth, Georgia 30097

Repackaged By :
Aidarex Pharmaceuticals LLC,
Corona, CA 92880

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

Meclizine HCl

COMPARE TO ACTIVE INGREDIENT IN BONINE

Meclizine HCl 25 mg (ANTIEMETIC)

NDC 33261-0413-30

30 CHEWABLE TABLETS

Contains Aspartame

Rugby

Duluth, Georgia 30097

Repackaged By :
Aidarex Pharmaceuticals LLC,
Corona, CA 92880



MECLIZINE HCL

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:33261-413(NDC:0536-3990)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ASPARTAME (UNII: Z0H242BBR1)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SUCROSE (UNII: C151H8M554)	
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
RASPBERRY (UNII: 4N14V5R27W)	

Product Characteristics

Color	RED	**Score**	2 pieces
Shape	ROUND	**Size**	8mm
Flavor	RASPBERRY	**Imprint Code**	AP;115
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33261-413-30	30 in 1 BOTTLE, PLASTIC		
2	NDC:33261-413-60	60 in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	07/22/2008	

Labeler - Aidarex Pharmaceuticals LLC (801503249)

Revised: 1/2014 Aidarex Pharmaceuticals LLC