

**CALCIUM GLUCONATE- calcium gluconate injection, solution  
MWI/VetOne**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Calcium Gluconate 23%**

**EACH 100 mL CONTAINS:**

Calcium Gluconate  
(provides 2.14 grams Calcium).....23 grams  
Water for Injection.....q.s.  
Contains borid acid as a solubilizing agent.

**ELECTROLYTES PER 1000 mL:**

Calcium 1069 mEq  
Hypertonic

**INDICATIONS:**

To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

Distributed by: MWI  
Boise, ID 83705  
(888) 694-8381  
www.VetOne.net

Manufactured by: Nova-Tech, Inc.  
Grand Island, NE 68801

**Solution, USP**

**Sterile  
Preservative Free**

V1 510104            Net Contents: 500 mL

RMS 92-1003  
18-802  
REv. 04/14

LOT NO.:            EXP. DATE:

For animal use only.

Keep out of reach of children.

**DOSAGE AND ADMINISTRATION:**

Cattle: 250 mL to 500 mL. Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly.

This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. Discard any unused portion. Handle under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

## STORAGE:

Store between 15 degrees and 30 degrees C (59 degrees - 86 degrees F).

TAKE TIME OBSERVE LABEL DIRECTIONS

NDC 13985-802-50 500 mL

**VET one**  
**Calcium  
Gluconate 23%**  
Solution, USP

**EACH 100 mL CONTAINS:**  
Calcium Gluconate  
(provides 2.14 grams Calcium) ..... 23 grams  
Water for Injection ..... q.s.  
Contains boric acid as a solubilizing agent.

**ELECTROLYTES PER 1000 mL:**  
Calcium 1069 mEq  
Hypertonic

**INDICATIONS:** To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

Distributed by: MWI      Manufactured by: Nova-Tech, Inc.  
Boise, ID 83705      Grand Island, NE 68801  
(888) 694-8381  
www.VetOne.net



MADE IN USA

**Sterile  
Preservative Free**

For animal use only.  
Keep out of reach  
of children.



Net Contents: 500 mL

**DOSAGE AND ADMINISTRATION:** Cattle: 250 mL to 500 mL. Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly.

This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. Discard any unused portion. Handle under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

**STORAGE:** Store between 15° and 30°C (59°–86°F).

TAKE TIME  OBSERVE LABEL DIRECTIONS

RMS 92-1003  
18-B02  
Rev. 04/14

LOT NO.:      EXP. DATE:

## CALCIUM GLUCONATE

calcium gluconate injection, solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:13985-802
Route of Administration	INTRAVENOUS, INTRAPERITONEAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM GLUCONATE (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	23 g in 100 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-802-50	500 mL in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/12/2014	

**Labeler** - MWI/VetOne (019926120)

**Registrant** - MWI/VetOne (019926120)

**Establishment**

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

Revised: 2/2015

MWI/VetOne