

**TRISEPTIN WATER AIDED- alcohol lotion**  
**DFB Technology Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**TRISEPTIN<sup>®</sup> Water-Aided Surgical Hand Scrub**

***Drug Facts***

***Active ingredient***

Ethyl Alcohol 70% v/v

***Purpose***

Antiseptic

***Uses***

**Surgical Hand Scrub** Significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care.

***Warnings***

**Flammable, keep away from fire or flame.**  
**For external use only.**

**Do not use:**

- if you are allergic to or have a known or suspected hypersensitivity to any ingredient in this product.
- on or near the eyes, mucous membranes, genital skin, or mouth. If product gets into the eyes, flush immediately with water.
- Avoid contact with broken skin.

**Stop use and ask doctor if:**

- irritation and redness develop
- condition persists for more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Clean under nails with a nail pick. Nails should be maintained with a 1 mm free edge.
- Wet hands and forearms.
- Dispense palmful (approx. 7 ml) of TRISEPTIN Scrub into the palm of one hand.
- Twist fingertips of the opposite hand, working TRISEPTIN under the nails.
- Transfer TRISEPTIN to the opposite hand and repeat with fingertips of the other hand.
- Rub TRISEPTIN over the hands and up the forearms to just past the elbow, paying particular

attention to the nails, cuticles and interdigital spaces for 90 seconds.

- Rinse and repeat the procedure to just below the elbows.
- Rinse completely.

### ***Other information***

- Store upright at 20-25°C (68-77°F).
- Avoid freezing and excessive heat.
- Protect from light until use.
- Shake well.

### ***Inactive ingredients***

Benzethonium chloride, citric acid, cocamine oxide, fragrance, glyceryl laurate, hydroxypropylcellulose, phenylethyl alcohol, phosphoric acid, polyoxyl 40 stearate, propyl gallate, propylene glycol, purified water, zinc pyrithione.

### ***Questions?***

Please call 1-800-323-9088 (M-F 8 a.m.-5 p.m. CST).

Distributed by Becton Dickinson, El Paso, TX 79912  
Manufactured for DFB Technology, Ltd., Fort Worth, TX 76107  
by DPT Laboratories, Ltd., San Antonio, TX 78215

**32 fl oz (1 qt)**

**(946 ml)**

140896-0417

### **PRINCIPAL DISPLAY PANEL**

NDC 70472-102-32

**Triseptin<sup>®</sup>**

*Ethyl alcohol 70% v/v*

WATER-AIDED

Surgical Hand Scrub

Alcohol with Persistence™

### ***Directions***

- Clean under nails with a nail pick. Nails should be maintained with a 1 mm free edge.
- Wet hands and forearms.
- Dispense palmful (approx. 7 ml) of TRISEPTIN<sup>®</sup> Scrub into the palm of one hand.
- Twist fingertips of the opposite hand, working TRISEPTIN under the nails.
- Transfer TRISEPTIN to the opposite hand and repeat with fingertips of the other hand.
- Rub TRISEPTIN over the hands and up the forearms to just past the elbow, paying particular attention to the nails, cuticles and interdigital spaces for 90 seconds.
- Rinse and repeat the procedure to just below the elbows.
- Rinse completely.

### ***Warnings***

**Flammable, keep away from fire or flame.**

**For external use only.**

**Do not use:**

- if you are allergic to or have a known or suspected hypersensitivity to any ingredient in this product.
- or on or near the eyes, mucous membranes, genital skin, or mouth. If product gets into the eyes, flush immediately with water.
- Avoid contact with broken skin.

**Stop use and ask doctor if:**

- irritation and redness develop
- condition persists for more than 72 hours.

**Read Drug Facts Before Use.**

**32 fl oz (1 qt)**

**(946 ml)**

140895-0417

BD

REORDER NO. 0064-1030-32

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

NDC 70472-102-32

**Triseptin<sup>®</sup>**

Ethyl alcohol 70% v/v

**WATER-AIDED  
Surgical Hand Scrub**

**Alcohol with Persistence™**

**Directions**

■ Clean under nails with a nail pick. Nails should be maintained with a 1 mm free edge. ■ Wet hands and forearms. ■ Dispense palmful (approx. 7 ml) of TRISEPTIN<sup>®</sup> Scrub into the palm of one hand. ■ Twist fingertips of the opposite hand, working TRISEPTIN under the nails. ■ Transfer TRISEPTIN to the opposite hand and repeat with fingertips of the other hand and repeat with fingertips of the other hand. ■ Rub TRISEPTIN over the hands and up the forearms to just past the elbow, paying particular attention to the nails, cuticles and interdigital spaces for 90 seconds. ■ Rinse and repeat the procedure to just below the elbows. ■ Rinse completely.


**Warnings**

**Flammable, keep away from fire or flame. For external use only.**

**Do not use:** ■ if you are allergic to or have a known or suspected hypersensitivity to any ingredient in this product. ■ on or near the eyes, mucous membranes, genital skin, or mouth. If product gets into the eyes, flush immediately with water. ■ Avoid contact with broken skin. ■ **Stop use and ask a doctor if:** ■ irritation and redness develop. ■ condition persists for more than 72 hours.

**Read Drug Facts Before Use.**

32 fl oz (1 qt)  
(946 ml)  
140895-0417

 **BD**  
REORDER NO. 0064-1030-32

Drug Facts	
<b>Active ingredient</b> Ethyl alcohol 70% v/v	<b>Purpose</b> Antiseptic
<b>Uses</b> <b>Surgical Hand Scrub</b> Significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care.	
<b>Warnings</b> <b>Flammable, keep away from fire or flame.</b> For external use only.	
<b>Do not use:</b> ■ If you are allergic to or have a known or suspected hypersensitivity to any ingredient in this product. ■ On or near the eyes, mucous membranes, genital skin, or mouth. If product gets into the eyes, flush immediately with water. ■ Avoid contact with broken skin.	
<b>Stop use and ask a doctor if:</b> ■ Irritation and redness develop ■ Condition persists for more than 72 hours.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ Clean under nails with a nail pick. Nails should be maintained with a 1 mm free edge. ■ Wet hands and forearms. ■ Dispense sufficient (approx. 7 mL) of TRISEPTIN Scrub into the palm of one hand. ■ Twist fingertips of the opposite hand, working TRISEPTIN under the nails. ■ Transfer TRISEPTIN to the opposite hand and repeat with fingertips of the other hand. ■ Rub TRISEPTIN over the hands and up to the forearms to just past the elbow, paying particular attention to the nails, cuticles and interdigital spaces for 50 seconds. ■ Rinse and repeat the procedure to just below the elbows. ■ Rinse completely.	
<b>Other information</b> ■ Store upright at 20-25°C (68-77°F). ■ Avoid freezing and excessive heat. ■ Protect from light until use. ■ Shake well.	
<b>Inactive ingredients</b> Benzethonium chloride, citric acid, cocamine oxide, fragrance, glyceryl laurate, hydroxypropylcellulose, phenylethyl alcohol, phosphoric acid, polyoxy 40 stearate, propyl gallate, propylene glycol, purified water, zinc pyrithione.	
<b>Questions?</b> Please call 1-800-525-9088 (M-F 8 a.m. - 5 p.m. CST).	

Distributed by Becton Dickinson, El Paso, TX 79912  
Manufactured for DFB Technology, Ltd., Fort Worth, TX 76107  
by DFT Laboratories, Ltd., San Antonio, TX 78215



## TRISEPTIN WATER AIDED

alcohol lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70472-102
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.7 mL in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
COCAMINE OXIDE (UNII: QWA2IZI6FI)	
GLYCERYL LAURATE (UNII: Y98611C087)	
HYDROXYPROPYL CELLULOSE (UNII: RFW2ET671P)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
PYRITHIONE ZINC (UNII: R953O2RHZ5)	

**Product Characteristics**

<b>Color</b>	white (white to off-white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70472-102-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/25/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	08/25/2017	

**Labeler** - DFB Technology Ltd (965516164)**Establishment**

Name	Address	ID/FEI	Business Operations
DPT Laboratories, Ltd.		832224526	manufacture(70472-102)

Revised: 9/2017

DFB Technology Ltd