

PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine hcl capsule, gelatin coated

Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each gletab)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purposes

Pain reliever

Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over: take 2 gels at bedtime. Do not take more than 2 gels of this product in 24 hours.
- children under 12 years: do not use

Other information

- store at 20-25°C (68-77°F)
- avoid high humidity and excessive heat

Inactive ingredients

corn starch, croscarmellose sodium*, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, sodium starch glycolate*, stearic acid, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS IN EXTRA STRENGTH TYLENOL® PM†
EXTRA STRENGTH

PAIN RELIEF PM

ACETAMINOPHEN 500 mg

DIPHENHYDRAMINE HCl 25 mg

PAIN RELIEVER / NIGHTTIME SLEEP-AID

GELTABS

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol® PM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

KANSAS CITY, KS 66106

www.bestchoicebrand.com

Product Label

COMPARE TO THE ACTIVE INGREDIENTS IN EXTRA STRENGTH TYLENOL® PM¹

EXTRA STRENGTH Pain Relief PM

Best
Choice®

ACETAMINOPHEN 500 mg
DIPHENHYDRAMINE HCl 25 mg
PAIN RELIEVER / NIGHTTIME SLEEP-AID

50 Geltabs



Drug Facts

Active ingredients (in each geltab)

Acetaminophen 500 mg..... Pain reliever
Diphenhydramine HCl 25 mg..... Nighttime sleep-aid

Purposes

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

Warnings

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ with any other product containing diphenhydramine, even one used on skin
 ■ in children under 12 years of age

Ask a doctor before use if you have

■ liver disease
 ■ a breathing problem such as emphysema or chronic bronchitis

Drug Facts (continued)

■ trouble urinating due to an enlarged prostate gland
 ■ glaucoma

Ask a doctor or pharmacist before use if you are
 ■ taking the blood thinning drug warfarin
 ■ taking sedatives or tranquilizers

When using this product

■ drowsiness will occur
 ■ avoid alcoholic drinks
 ■ do not drive a motor vehicle or operate machinery
Stop use and ask a doctor if
 ■ sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
 ■ new symptoms occur
 ■ redness or swelling is present
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed (see overdose warning)
 ■ adults and children 12 years and over: take 2 geltabs at bedtime. Do not take more than 2 geltabs of this product in 24 hours.

Drug Facts (continued)

■ children under 12 years: do not use

Other information

■ store at 20-25°C (68-77°F)
 ■ avoid high humidity and excessive heat

Inactive ingredients corn starch, croscarmellose sodium*, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, sodium starch glycolate*, stearic acid, titanium dioxide
 *contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

Best Choice.
100% Guaranteed

www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
 VALU MERCHANTISERS, CO.
 5000 KANSAS AVE
 KANSAS CITY, KS 66106

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Exp. Date:

Lot No.:

PLD-F30S
 FC002794



BEST CHOICE

Best Choice Extra Strength Pain Relief PM Geltabs

PAIN RELIEVER PM EXTRA STRENGTH

acetaminophen, diphenhydramine hcl capsule, gelatin coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-231
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	BLUE, WHITE	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	BPI50
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-231-50	1 in 1 BOX	03/08/2013	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	03/08/2013	

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 10/2018

Best Choice (Valu Merchandisers Company)