

**DEXTROMETHORPHAN HBR 15 MG LIQUID GELS- dextromethorphan  
hbr capsule, liquid filled  
RUGBY LABORATORIES**

-----  
**Dextromethorphan HBr USP 15 mg Liquid Gels**

***Drug Facts***

***Active ingredient (in each softgel)***

Dextromethorphan HBr, USP 15 mg

***Purpose***

Cough Suppressant

***Use***

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

***Warnings***

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

**Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These can be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than 8 softgels in any 24-hour period

- this adult product is not intended for use in children under 12 years of age

|  |   |
|--|---|
| adults and children 12 years and older | take 2 softgels every 6 to 8 hours, as needed |
| children under 12 years                | do not use                                    |

### ***Other information***

- store at 20°-25°C(68°-77°F)
- avoid excessive heat above 40°C(104°F)
- protect from light

### ***Inactive ingredients***

edible white ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, propyl gallate, propylene glycol, purified water, sorbitol sorbitan solution

### ***Questions or comments?***

**1-800-645-2158**

### ***Rugby®***

Compare to the active ingredient in Robitussin® CoughGels®\*

### **ADULT**

#### **Relieves:**

**Cough for up to 8 hours**

**Non-Drowsy**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING FROM BOTTLE**

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Robitussin® CoughGels®.

Distributed by:

**RUGBY® LABORATORIES**

Livonia, MI 48152

[www.rugbylaboratories.com](http://www.rugbylaboratories.com)

Product of UAE

Packaged and Quality

Assured in the USA

## Packaging

|  |   |  |   |                         |            |  |  |
|--|---|--|---|-------------------------|------------|--|--|
| <b>Drug Facts</b><br><b>Active ingredient (in each softgel)</b><br>Dextromethorphan HBr,<br>USP 15 mg.....Cough Suppressant  |   | <b>Purpose</b><br>Cough Suppressant  |   |                         |            |  |  |
| <b>Use</b><br>temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.  |   | <b>Warnings</b><br>Do not use if you are now taking a                                      |   |                         |            |  |  |
| <b>Directions (continued)</b><br><table border="1"> <tr> <td>adults and children 12 years and older</td> <td>take 2 softgels every 6 to 8 hours, as needed</td> </tr> <tr> <td>children under 12 years</td> <td>do not use</td> </tr> </table>             |   | adults and children 12 years and older   | take 2 softgels every 6 to 8 hours, as needed | children under 12 years | do not use | <b>Other information</b><br>■store at 20°-25°C(68°-77°F)<br>■avoid excessive heat above 40°C(104°F)<br>■protect from light |  |
| adults and children 12 years and older   | take 2 softgels every 6 to 8 hours, as needed |  |   |                         |            |  |  |
| children under 12 years  | do not use                                    |  |   |                         |            |  |  |
| <b>Inactive ingredients</b><br>edible white ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, propyl gallate, propylene glycol, purified water, sorbitol sorbitan solution |   | <b>Questions or comments?</b><br>1-800-645-2158  |   |                         |            |  |  |
| Distributed by:<br><b>RUGBY® LABORATORIES</b><br>Livonia, MI 48152<br>www.rugbylaboratories.com  |   | Product of UAE<br>Packaged and Quality Assured in the USA<br>REV.00-062021<br>LB0536133434 |   |                         |            |  |  |

LOT:    EXP:

Back - Label Inside

**DEXTROMETHORPHAN HBR 15 MG LIQUID GELS**

dextromethorphan hbr capsule, liquid filled

## Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:0536-1334 |
| Route of Administration | ORAL           |                    |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength                | Strength |
|--|----------------------------------|----------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 15 mg    |

## Inactive Ingredients

| Ingredient Name                                     | Strength |
|---|----------|
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)                  |          |
| FD&C RED NO. 40 (UNII: WZB9127XOA)                  |          |
| GELATIN, UNSPECIFIED (UNII: 2G86QN327L)             |          |
| GLYCERIN (UNII: PDC6A3C0OX)                         |          |
| ISOPROPYL ALCOHOL (UNII: ND2M416302)                |          |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)       |          |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) |          |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)            |          |
| PROPYL GALLATE (UNII: 8D4SNN7V92)                   |          |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)                 |          |
| WATER (UNII: 059QF0KO0R)                            |          |
| SORBITOL (UNII: 506T60A25R)                         |          |
| SORBITAN (UNII: 6O92ICV9RU)                         |          |

## Product Characteristics

|          |      |              |          |
|----------|------|--------------|----------|
| Color    | red  | Score        | no score |
| Shape    | OVAL | Size         | 13mm     |
| Flavor   |      | Imprint Code | 778      |
| Contains |      |              |          |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0536-1334-34 | 20 in 1 BOTTLE; Type 0: Not a Combination Product | 09/04/2021           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 09/04/2021           |                    |

**Labeler** - RUGBY LABORATORIES (079246066)

Revised: 12/2024

RUGBY LABORATORIES