

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE EFFACLAR DUO DUAL
ACTION ACNE MEDICATION CLEANSER- benzoyl peroxide liquid
L'Oreal USA Products Inc**

Drug Facts

Active ingredient

Benzoyl peroxide 4.0%

Purpose

Acne treatment

Uses

- for the treatment of acne
- helps clear up blemishes and allows skin to heal

Warnings

For external use only

Do not use if you

have very sensitive skin
are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

irritation becomes severe

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply a dime-size amount to damp skin
- gently massage, avoiding the eye area
- rinse well
- use cleanser on entire affected area, every morning and evening
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily, if needed, or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product • if irritation or sensitivity develops, stop use of both products and ask a doctor

Inactive ingredients

water, glycerin, propylene glycol, cocamidopropyl hydroxysultaine, sodium C14-16 olefin sulfonate, xanthan gum, potassium hydroxide, sodium chloride, sodium citrate, niacinamide, sodium hyaluronate, capryloyl salicylic acid, propanediol, diethylhexyl sodium sulfosuccinate, carbomer, benzoic acid, pentylene glycol, sodium hydroxide, glycolic acid, tetrasodium EDTA, trisodium ethylenediamine disuccinate, citric acid

Questions or comments?

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

Quiet zone. All copy must be 1/16" below the eye-mark.

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

Front Panel

NEW

EFFACLAR DUO
DUAL ACTION
ACNE CLEANSER

**4% BENZOYL PEROXIDE
ACNE MEDICATION**

0.1% MICRO-EXFOLIATING LHA

Clears acne blemishes
Helps prevent new acne formation

Exfoliates and renews skin

OIL-FREE, NON-COMEDOGENIC
WITH LA ROCHE-POSAY THERMAL WATER

200 ml - 6.76 FL.OZ.

Cer
Art V

Drug Facts

Active ingredient Purpose
Benzoyl peroxide 4% Acne treatment

Uses

- for the treatment of acne
- helps clear up acne blemishes and allows skin to heal

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply a dime-size amount to damp skin
- gently massage, avoiding the eye area
- rinse well
- use cleanser on entire affected area, every morning and evening
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily, if needed, or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

E

Drug Facts (continued)

Inactive ingredients
water, glycerin, propylene glycol, cocamidopropyl hydroxysulfate, sodium C14-16 olefin sulfonate, xanthan gum, potassium hydroxide, sodium chloride, sodium citrate, niacinamide, sodium hyaluronate, capryloyl salicylic acid, propanediol, diethylhexyl sodium sulfosuccinate, carbomer, benzoic acid, pentylene glycol, sodium hydroxide, glycolic acid, tetrasodium EDTA, trisodium ethylenediamine disuccinate, citric acid

Questions or comments?

1-888-LRP-LABO 1-888-577-5225
Monday - Friday (9 a.m. - 5 p.m. EST)


2061676 7

V70057087/1

FRAGRANCE-FREE
PARABEN-FREE
NON-COMEDOGENIC
OIL-FREE
DERMATOLOGIST TESTED FOR SAFETY
SUITABLE FOR SENSITIVE SKIN



Scan me to learn more about Effaclar Duo Dual Action Cleanser.



3 606000 639645

6" Actual Tube

3"

4864233 - Made in USA of US and/or Imported Ingredients.

Distribution reserved to
La Roche-Posay agreed distributors
L'Oréal USA S/D, Inc., Dist.,
10 Hudson Yards, New York, NY 10001

La Roche-Posay Laboratoire Dermatologique
86270 La Roche-Posay, France
www.laroche-posay.us



Quiet zone. All copy must be 1/16" below the eye-mark.

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

NEW

EFFACLAR DUO
DUAL ACTION
ACNE CLEANSER

4% BENZOYL PEROXIDE
ACNE MEDICATION

0.1% MICRO-EXFOLIATING LHA

Clears acne blemishes
Helps prevent new acne formation

Exfoliates and renews skin

OIL-FREE, NON-COMEDOGENIC
WITH LA ROCHE-POSAY THERMAL WATER

200 ml - 6.76 FL.OZ.

Drug Facts

Active ingredient Purpose
Benzoyl peroxide 4% Acne treatment

Uses

- for the treatment of acne
- helps clear up acne blemishes and allows skin to heal

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply a dime-size amount to damp skin
- gently massage, avoiding the eye area
- rinse well
- use cleanser on entire affected area, every morning and evening
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily, if needed, or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Drug Facts (continued)

Inactive ingredients

water, glycerin, propylene glycol, cocamidopropyl hydroxysulfate, sodium C14-16 olefin sulfonate, xanthan gum, potassium hydroxide, sodium chloride, sodium citrate, salicylic acid, sodium hyaluronate, capryloyl salicylic acid, propanediol, diethylhexyl sodium sulfosuccinate, carbomer, benzoic acid, pentylene glycol, sodium hydroxide, glycolic acid, tetrasodium EDTA, trisodium ethylenediamine disuccinate, citric acid

Questions or comments?

1-888-LRP-LABO 1-888-577-8228
Monday - Friday (9 a.m. - 5 p.m. EST)

2061676 7

V70057097/1

FRAGRANCE-FREE
PARABEN-FREE
NON-COMEDOGENIC
OIL-FREE
DERMATOLOGIST TESTED FOR SAFETY
SUITABLE FOR SENSITIVE SKIN



Scan me to learn more about Effaclar Duo Dual Action Cleanser.



3 606000 639645

4864233 - Made in USA of US and/or Imported Ingredients.

Distribution reserved to
La Roche-Posay agreed distributors
L'Oréal USA S/D, Inc., Dist.,
10 Hudson Yards, New York, NY 10001
La Roche-Posay Laboratoire Dermatologique
86270 La Roche-Posay, France
www.laroche-posay.us



LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE EFFACLAR DUO DUAL ACTION ACNE MEDICATION CLEANSER

benzoyl peroxide liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:49967-647 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| Benzoyl peroxide (UNII: W9WZ N9A0GM) (BENZ OYL PEROXIDE - UNII:W9WZ N9A0GM) | Benzoyl peroxide | 40 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| COCAMIDOPROPYL HYDROXYSULTAINE (UNII: 62V75NI93W) | |
| SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| POTASSIUM HYDROXIDE (UNII: WZH3C48M4T) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| SODIUM HYALURONATE (UNII: YSE9PPT4TH) | |
| CAPRYLOYL SALICYLIC ACID (UNII: 5F7PJF6AA4) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| DIETHYLHEXYL SODIUM SULFOSUCCINATE (UNII: F05Q2T2JA0) | |
| CARBOMER (UNII: 0A5MM307FC) | |
| BENZOIC ACID (UNII: 8SKN0B0MIM) | |
| PENTYLENE GLYCOL (UNII: 50C1307PZG) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| GLYCOLIC ACID (UNII: 0WT12SX38S) | |
| TETRASODIUM EDTA (UNII: MP1J8420LU) | |
| TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q) | |
| CITRIC ACID (UNII: 2968PHW8QP) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:49967-647-01 | 200 mL in 1 TUBE; Type 0: Not a Combination Product | 01/01/2025 | |
| 2 | NDC:49967-647-02 | 1 in 1 CARTON | 01/01/2025 | |
| 2 | | 10 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006 | 01/01/2025 | |

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------|---------|--------|---------------------|
|------|---------|--------|---------------------|

Accupac, LLC

061595175

manufacture(49967-647)

Revised: 7/2025

L'Oreal USA Products Inc