**WALGREENS ICE BLUE GEL- menthol gel**
**Walgreens Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

---

**Walgreens Ice Blue Gel**

Menthol 2%

Topical analgesic

## Uses

Temporarily relieves minor aches and pains of muscles and joints associated with

- simple backache
- arthritis
- strains
- bruises
- sprains

For external use only

- Do not use with other topical pain relievers
- Do not use with heating pads or other heating devices
- Avoid contact with eyes
- Do not bandage tightly
- Do not apply to wounds or damage skin

## Stop use and ask a doctor if:

Condition worsens, or if symptoms persist for more than 7 day or clear up and occur again withing a few days

## If pregnant or breastfeeding

Ask a health professional before use

## Keep out of reach of children

If swallowed get medical help or contact Poison Control Center (800-222-1222) right away

## Directions

- Clean affected area before applying product
- Adults and children 2 years and older, apply to the affected area not more than 3 to

4 times daily
- Children under 2 years of age, ask a doctor before using this product

## Other Information

- Do not freeze
- Store at room temperatiure
- Keep container tightly closed when not in use
- do not use, pour, spill or store near heat or open flame

## Inactive Ingredients

Ammonium hydroxide, benzyl alcohol, carbopol 940, cupric sulphate, FD&C blue no.1, isopropyl alcohol, magnesium sulphate, PEG-40, hydrogenated castor oil, sodium hydroxide, thymol, water

## Walgreens Ice Blue Gel




## WALGREENS ICE BLUE GEL

menthol gel

| Product Information | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:0363-9621 |
| **Route of Administration** | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|---|---|
| **Ingredient Name** | **Basis of Strength** | **Strength** |
| **MENTHOL** (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 2 g in 100 g |

| Inactive Ingredients | |
|---|---|
| **Ingredient Name** | **Strength** |
| **THYMOL** (UNII: 3J50XA376E) | |
| **CARBOMER 940** (UNII: 4Q93RCW27E) | |
| **BENZYL ALCOHOL** (UNII: LKG8494WBH) | |

| | |
|---|---|
| **CUPRIC SULFATE** (UNII: LRX7AJ16DT) | |
| **MAGNESIUM SULFATE, UNSPECIFIED** (UNII: DE08037SAB) | |
| **AMMONIA** (UNII: 5138Q19F1X) | |
| **POLYOXYL 40 HYDROGENATED CASTOR OIL** (UNII: 7YC686GQ8F) | |
| **ISOPROPYL ALCOHOL** (UNII: ND2M416302) | |
| **SODIUM HYDROXIDE** (UNII: 55X04QC32I) | |
| **FD&C BLUE NO. 1** (UNII: H3R47K3TBD) | |
| **WATER** (UNII: 059QF0KO0R) | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:0363-9621-01 | 226.8 g in 1 JAR; Type 0: Not a Combination Product | 04/01/2022 | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| OTC monograph not final | part348 | 04/01/2022 | |

## Labeler - Walgreens Company (008965063)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| ANICARE PHARMACEUTICALS PRIVATE LIMITED | | 916837425 | manufacture(0363-9621) |

Revised: 4/2022 Walgreens Company