

**ACETAMINOPHEN EXTRA STRENGTH - acetaminophen tablet**  
**KROGER COMPANY**

-----

**Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen USP 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)
- **do not use is carton is open or printed foil seal under cap is torn or missing.**

## Inactive ingredients

povidone, pregelatinized starch (maize), stearic acid.

## Questions or comments?

**1-800-632-6900**

**DISTRIBUTED BY HE KROGER CO.  
CINCINNATI, OHIO 45202  
MADE IN INDIA**

Code: TS/DRUGS/16/2014

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (24 Caplets Bottle)  
NDC 30142-033-07**

**Kroger®**  
health

FOR ADULTS  
**EXTRA STRENGTH**

**Acetaminophen  
500 mg**

**PAIN RELIEVER/  
FEVER REDUCER**

**24 CAPLETS  
500 mg EACH**

SEE NEW WARNINGS INFORMATION & DIRECTIONS

**Kroger® health** NDC 30142-033-07

FOR ADULTS  
**EXTRA STRENGTH**  
**Acetaminophen 500 mg**

**PAIN RELIEVER/ FEVER REDUCER 24 CAPLETS 500 mg EACH**

SEE NEW WARNINGS INFORMATION & DIRECTIONS

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**Drug Facts**

**Active ingredient (in each caplet)**  
Acetaminophen USP 500 mg. Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to:  
■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. **Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. **Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if** ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. **If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. **Directions**  
■ do not take more than directed (see overdose warning) adults and children 12 years and over: ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor.  
■ store between 20° to 25°C (68° to 77°F) ■ do not use if printed foil seal under cap is torn or missing. **Inactive ingredients** povidone, pregelatinized starch (maize), stearic acid. **Questions or comments?** Call 1-800-632-6900

**DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202  
MADE IN INDIA**

**Contains No Aspirin**

L.M.-583.4 P-1434908

\*  
Unvarnished Zone  
(dotted line not for printing)  
28.5 x 13 mm

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (24 Caplets Bottle Carton)**

**NDC 30142-033-07**

**Kroger®**  
health

**COMPARE TO THE ACTIVE INGREDIENT  
IN TYLENOL® EXTRA STRENGTH CAPLETS\***

SEE NEW WARNINGS INFORMATION & DIRECTIONS

**EXTRA STRENGTH**            FOR ADULTS

**Acetaminophen 500 mg**

**PAIN RELIEVER/  
FEVER REDUCER**            **24 CAPLETS  
500 mg EACH**

DO NOT USE WITH OTHER  
MEDICINES CONTAINING  
ACETAMINOPHEN

ACTUAL SIZE



## ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-033
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>PALMITOSTEARIC ACID</b> (UNII: Q8Y7S3B85M)	

## Product Characteristics

<b>Color</b>	WHITE (White to off White)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Biconvex)	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	N79
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-033-07	1 in 1 CARTON	02/02/2022	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/02/2022	

**Labeler** - KROGER COMPANY (006999528)

**Registrant** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(30142-033) , MANUFACTURE(30142-033)

Revised: 10/2024

KROGER COMPANY