# LEADER 8 HR MUSCLE ACHES AND PAIN- acetaminophen tablet, film coated, extended release Cardinal Health 110, LLC. dba Leader

-----

# Cardinal Health 8HR Muscle Aches & Pain Drug Facts

# **Active ingredient (in each caplet)**

Acetaminophen 650 mg

# **Purpose**

Pain reliever/fever reducer

# Uses

- temporarily relieves minor aches and pains due to:
- muscular aches
- backache
- minor pain of arthritis
- toothache
- premenstrual and menstrual cramps
- headache
- the common cold
- temporarily reduces fever

# Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

# Do not use

· with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

• if you are allergic to acetaminophen or any of the inactive ingredients in this product

# Ask a doctor before use if you have

liver disease

# Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

# Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

# **Directions**

do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets every 8 hours with water</li> <li>swallow whole; do not crush, chew, split or dissolve</li> <li>do not take more than 6 caplets in 24 hours</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	• do not use

## Other information

- store at 20-25°C (68-77°F)
- do not use if printed foil under cap is broken or missing

meets the requirements of USP Dissolution Test 2

# **Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

# Questions or comments?

1-800-719-9260

# Package/Label Principal Display Panel

8HR Muscle Aches & Pain

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever / Fever Reducer

For up to 8 Hours Relief of Minor Muscle Aches and Pain

100 CAPLETS\*

650 mg EACH \* Capsule-Shaped Tablets

**Actual Size** 

COMPARE TO TYLENOL® 8HR

active ingredient

100% Money Back Guarantee



Contains No Aspirin

U.S. Patent 7,897, 172



DISTRI BUTED BY CARDINAL HEALTH DUBLIN, OHIO 4907 www.myleedeccom 1-600-200-6313 Essential in Care<sup>o</sup> since 1979



02020 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and this Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

# LEADER

# **8HR Muscle** Aches & Pain

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever / Fever Reducer

For Up to 8 Hours Relief of Minor Muscle Aches and Pain


100 CAPLETS" 650 mg EACH Capsule-Shaped Tablets

Actual Size

COMPARE TO TYLENOL® 8HR active ingredient\*



5S1 78 E9 C2



## Drug Facts

- Uses Intemporarity relieves minor aches and pains due to

- wemporary releves mnor aches and pans oue
  windows life aches
  minor pain of arthritis mitodhache
  premenstrual and menstrual cramps
  headache mithe common cold
  memporarily reduces flever

- Warnings

  Liver waming: This product contains aceta minopten.

  Severe Ner dringe in sprocour thyou take in more than foca plat in 24 hours, which is the maximum daily amount in with other drugs containing acetaminopten. In 3 or more absolute drinks every day white using this product. Alter gry alert Acetaminopten may cause severe skin reactions. Symptoms may induse:

  If a skin reaction occurs, stop use and seek medical habitifythal way.

## right away.

- pointer use

  with any other drug containing seatami nother incescription
  or nonpresentation, if you are not sure whether a drug
  contains seataminophen, ask a doctor or pharmacist.

  Whyou are allegic to accistaminophen or any of the inactive
  ing redients in this product.

## Ask a doctor before use if you have liver disease

- Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

# Stop use and ask a decid if pain gets worse or lasts more than 10 days few or gets worse or lasts more than 3 days new symptoms occur redinessor swelling is present These could be signs of a serious condition.

# Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Ke ep out of reach of children. Overdose waming: In case of overdose, get medical help or corriect a Polson Corn't d Center right swey (1-800-222-1223). Ou lek medical attention is critical for a duthsas well as for children even if you do not notice any signs or symptoms.

# Direct ions

no nor rave more right anecied (see mendos a			
adults and children	■ take 2 caplets every8 hours with water		

- with water
  swallow whole; do not crush,
  chew, spit or dissolve
  do not take more than 6 caplets
  in 24 hours
  do not use for more than 10 days
- unless directed by a doctor

## children under ■ do notuse

# Other information

- matter at 20-29°C (68-77°F)

  ado not use if printed toll under cap istroken or missing

  meds the requirements of USP Dissolution Test 2

in active ingredien is carauba wax, coldid al con doxio, crosamelo se sodum, hyprone lose, majnesi un steards, matodedrin, microcydaline celubas, polyethylene glycd, polysartala 80, powłone, pregelatni zed starch, stearic schi, tianium doxide

Questions or comments? 1-800-719-9260

"Thils product is not manufactured or distributed by Michail Consumer Healthcare, distributor of Tylenol © 8HR.





# **LEADER 8 HR MUSCLE ACHES AND PAIN**

acetaminophen tablet, film coated, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0306
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	650 mg	

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	L544
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000- 0306-1	1 in 1 CARTON	05/05/2017	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

No alastina	<b>f - !</b>		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075077	05/05/2017	

# Labeler - Cardinal Health 110, LLC. dba Leader (063997360)

Revised: 6/2021 Cardinal Health 110, LLC. dba Leader