MERCURIUS SULPHURICUS- mercuric sulfate liquid Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

MERCURIUS SULPHURICUS

USES

To relieve the symptoms of watery diarrhea.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

MERCURIUS SULPHURICUS Watery diarrhea

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, consult your practitioner.

DIRECTIONS

Adults: 4 drops into a tsp. of water 3 times a day. Children: 1/2 dose. Repeat at greater intervals as condition subsides. Or as directed by a lic. practitioner.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

The OTC potency range of MERCURIUS SULPHURICUS is 6x–30x, 3c–30c, 200c, 1m, 10m, 50m, and CM.

Availability is subject to change.



All WHP single remedies are made to order; thus, the labels are printed on the same label stock, as the orders are filled.

'Bottle Size,' 'Potency,' and 'Alcohol Percentage' vary on the label depending on customer choice. Standard bottle sizes for dilution-form remedies are 15ml, 30ml, 50ml, and 100ml.

MERCURIUS SULPHURICUS

mercuric sulfate liquid

| - | | T C | | . • |
|----------|------|------|-----|------|
| Prod | luct | Into | rma | tion |

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71919-463 |
|--------------|----------------|--------------------|---------------|
| | | | |

Route of Administration ORAL

| Active Ingredient/Active Mo | ietv |
|-----------------------------|------|
|-----------------------------|------|

| ı | 8 | 3 | | | |
|---|-----------------------------------|--|---|-------------------|-------------------|
| | Ingred | dient Name | 1 | Basis of Strength | Strength |
| | MERCURIC SULFATE (UNII: J4L3PPG58 | 3 I) (SULFATE ION - UNII:7IS9 N8 KPMG) | M | ERCURIC SULFATE | 30 [hp_C] in 1 mL |

Inactive Ingredients

| | Ingredient Name | Strength |
|----------------------------|-----------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | | |
| WATER (UNII: 059QF0KO0R) | | |

Product Characteristics

| Color | white (white) | Score | |
|----------|---------------|--------------|--|
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

| - | . 1 | | • |
|---|-----|-----|------|
| | 20 | 770 | ing |
| | au | Naz | 1112 |
| | | | |

| Itam Cada | Dackage Description | Marketing Sta | rt Marketing End |
|-----------|---------------------|---------------|------------------|
| | | | |

| ## | Item Code | Package Description | Date | Date |
|----|----------------------|--|------------|------|
| 1 | NDC:71919-463- 07 | 15 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product | 02/03/2010 | |
| 2 | NDC:71919-463- 08 | 30 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product | 02/03/2010 | |
| 3 | NDC:71919-463- 09 | 50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 02/03/2010 | |
| 4 | NDC:71919-463- 10 | 100 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 02/03/2010 | |

| Marketing Information | | | | |
|------------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 02/03/2010 | | |
| | | | | |

Labeler - Washington Homeopathic Products (084929389)

| Establishment | | | | |
|---------------------------------|---------|-----------|------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Washington Homeopathic Products | | 084929389 | manufacture(71919-463) | |

Revised: 12/2018 Washington Homeopathic Products