

**SPONGIA TOSTA 200CK- spongia tosta pellet
SEVENE USA**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Sevene USA (as PLD) - SPONGIA TOSTA 200ck (76472-3035)

ACTIVE INGREDIENT

HOMEOPATHIC DILUTION OF HPUS SPONGIA TOSTA 200ck **C,K, CK, AND X ARE HOMEOPATHIC DILUTIONS.

TRADITIONALLY USED FOR

Stinging edemas from stings or allergies, relieved by cold*

DIRECTIONS

(adults/children) Dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a physician.

USE

Condition listed above or as directed by a physician.

WARNINGS

Stop use and ask a physician if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

OTHER INFORMATION

Store at room temperature.

Do not use if pellet-dispenser seal is broken.

INACTIVE INGREDIENT

Sucrose.

QUESTIONS?

INFO@OLLOIS.COM * www.ollois.com * MADE IN FRANCE. NOT REVIEWED BY THE FDA AND NOT GUARANTEED TO BE EFFECTIVE. THIS HOMEOPATHIC DILUTION MAY NOT BE SUSCEPTIBLE TO SCIENTIFIC MEASUREMENT.

Ollois
Homeopathy For All

Homeopathic Medicine
ORGANIC
LACTOSE
FREE

NDC 76472-3035-1

Spongia Tosta 200ck

HPUS

Traditionally used for:
Breathing difficulties associated with barking cough*

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Approx 80 Pellets / 4g

PULL

8 10095 31154 3

FOR DRUG FACTS, DIRECTIONS FOR USE AND MORE.

Spongia Tosta 200ck

●●200ck

ollolis.com/RECYCLEME

Made in France

Drug Facts

Active Ingredient: Spongia Tosta 200CK**

Uses: Breathing difficulties associated with barking cough*.

Warnings: ■ **Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

■ **If pregnant or breastfeeding**, ask a health professional prior to use. ■ **Keep out of reach of children.**

■ **In case of overdose**, get medical help.

Directions: ■ (Adults/Children) Dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other Information: ■ **Store at room temperature.**

■ **Do not use** if tamper-evidence seal is broken.

■ Organic verified by Alpes Contrôle 2021/A03M216K/1.

Drug Facts (continued)


Inactive Ingredient: Organic Sucrose.

**C, K, CK & X are homeopathic dilutions.

Questions or Comments? Email us at: info@ollois.com

Distributed By: SEVENE USA Inc., Pacoima, CA 91331

1-855-OLLOMED (1-855-655-6633)



Welcome to our playground.

Learn more at ollois.com

Ollois

SPONGIA TOSTA 200CK

spongia tosta pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76472-3035
Route of Administration	SUBLINGUAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	200 [kp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76472-3035-1	80 in 1 CYLINDER; Type 0: Not a Combination Product	11/23/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/23/2011	

Labeler - SEVENE USA (969332936)