

EPINEPHRINE - epinephrine injection
Aspen Veterinary Resources®, LTD.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

EPINEPHRINE INJECTION

EPINEPHRINE INJECTION

1 mg/mL

STERILE MULTIPLE DOSE VIAL

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

INDICATIONS

For emergency use only in treating anaphylactoid shock in sheep, swine, cattle, horses, dogs and cats.

DOSAGE AND ADMINISTRATION

Dogs and Cats: 0.1 to 0.5 mL injected Intramuscularly or Subcutaneously.

Cattle, Horses, Sheep and Swine: 1 mL per 100 lbs of body weight injected Intramuscularly or Subcutaneously.

WARNING

Do not use this product if it's color is pinkish or darker than slightly yellow or if it contains a precipitate.

COMPOSITION

Each mL of sterile aqueous solution contains:

Epinephrine 1 mg

Sodium Chloride 0.1%

Benzyl Alcohol 1.5%

Disodium Edetate, Sodium Metabisulfite, Hydrochloric Acid, and Water for Injection.

Store at controlled room temperature between 15° and 30°C (59° - 86°F).

Protect from light.


TAKE TIME OBSERVE LABEL DIRECTIONS

INDICATIONS: For emergency use only in treating anaphylactoid shock in sheep, swine, cattle, horses, dogs and cats.

DOSAGE AND ADMINISTRATION:
Dogs and Cats: 0.1 to 0.5 mL injected intramuscularly or subcutaneously.
Cattle, Horses, Sheep and Swine: 1 mL per 100 lbs of body weight injected intramuscularly or subcutaneously.

WARNING: Do not use this product if it's color is pinkish or darker than slightly yellow or if it contains a precipitate.

LOT NO.: **EXP. DATE:**

TAKE TIME  **OBSERVE LABEL DIRECTIONS**

COMPOSITION: Each mL of sterile aqueous solution contains:
 Epinephrine 1 mg
 Sodium Chloride 0.1%
 Benzyl Alcohol 1.5%
 Disodium Edetate, Sodium Metabisulfite, Hydrochloric Acid, and Water for Injection.

Store at controlled room temperature between 15° and 30°C (59°– 86°F). Protect from light.

Net Contents: 50 mL

For animal use only
Keep out of reach of children

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.


Manufactured For:
 Aspen Veterinary Resources®, LTD.
 Liberty, MO 64068
pivotalvet.com

P1665 E-4000-02 Iss. 03/20

NDC 46066-940-02

Pivotal™
EPINEPHRINE
INJECTION

Sterile multiple dose vial 1 mg/mL




INDICATIONS: For emergency use only in treating anaphylactoid shock in sheep, swine, cattle, horses, dogs and cats.

DOSAGE AND ADMINISTRATION:
Dogs and Cats: 0.1 to 0.5 mL injected intramuscularly or subcutaneously.
Cattle, Horses, Sheep and Swine: 1 mL per 100 lbs of body weight injected intramuscularly or subcutaneously.

WARNING: Do not use this product if it's color is pinkish or darker than slightly yellow or if it contains a precipitate.

LOT NO.: **EXP. DATE:**

TAKE TIME  **OBSERVE LABEL DIRECTIONS**

COMPOSITION: Each mL of sterile aqueous solution contains:
 Epinephrine 1 mg
 Sodium Chloride 0.1%
 Benzyl Alcohol 1.5%
 Disodium Edetate, Sodium Metabisulfite, Hydrochloric Acid, and Water for Injection.

Store at controlled room temperature between 15° and 30°C (59°– 86°F). Protect from light.

Net Contents: 50 mL

For animal use only
Keep out of reach of children

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.


Manufactured For:
 Aspen Veterinary Resources®, LTD.
 Liberty, MO 64068
pivotalvet.com

P1665 E-4000-02 Iss. 03/20

NDC 46066-940-02

Pivotal™
EPINEPHRINE
INJECTION

Sterile multiple dose vial 1 mg/mL




INDICATIONS: For emergency use only in treating anaphylactoid shock in sheep, swine, cattle, horses, dogs and cats.

DOSAGE AND ADMINISTRATION:
Dogs and Cats: 0.1 to 0.5 mL injected intramuscularly or subcutaneously.
Cattle, Horses, Sheep and Swine: 1 mL per 100 lbs of body weight injected intramuscularly or subcutaneously.

WARNING: Do not use this product if it's color is pinkish or darker than slightly yellow or if it contains a precipitate.

LOT NO.: **EXP. DATE:**

TAKE TIME  **OBSERVE LABEL DIRECTIONS**

COMPOSITION: Each mL of sterile aqueous solution contains:
 Epinephrine 1 mg
 Sodium Chloride 0.1%
 Benzyl Alcohol 1.5%
 Disodium Edetate, Sodium Metabisulfite, Hydrochloric Acid, and Water for Injection.

Store at controlled room temperature between 15° and 30°C (59°– 86°F). Protect from light.

Net Contents: 50 mL

For animal use only
Keep out of reach of children

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.


Manufactured For:
 Aspen Veterinary Resources®, LTD.
 Liberty, MO 64068
pivotalvet.com

P1665 E-4000-02 Iss. 03/20

NDC 46066-940-02

Pivotal™
EPINEPHRINE
INJECTION

Sterile multiple dose vial 1 mg/mL



EPINEPHRINE			
epinephrine injection			
Product Information			
Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:46066-940
Route of Administration	INTRAMUSCULAR, SUBCUTANEOUS		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
EPINEPHRINE (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)		EPINEPHRINE	1 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
EDETATE DISODIUM (UNII: 7FLD91C86K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-940-02	50 mL in 1 VIAL		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		04/22/2020		

Labeler - Aspen Veterinary Resources®, LTD. (627265361)

Registrant - Sparhawk Laboratories, Inc (147979082)

Establishment

Name	Address	ID/FEI	Business Operations
Sparhawk Laboratories, Inc		147979082	manufacture, analysis

Establishment

Name	Address	ID/FEI	Business Operations
SYN-TECH CHEM. & PHARM. CO., LTD.		656002532	api manufacture

Revised: 4/2026

Aspen Veterinary Resources®, LTD.