

SENNA- sennosides liquid

Major Pharmaceuticals

Senna

Drug Facts

Active ingredient (per teaspoonful - 5 mL)

Purpose

Sennosides 8.8 mg
Laxative

Uses

- relieves occasional constipation (irregularity)
- generally causes bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor or pharmacist before use if you have

- stomach pain
- nausea
- vomiting
- noticed a change in bowel movement that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use of laxative. These may indicate a serious condition.

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- shake well before using
- Do not exceed recommended dose

Age	Starting Dose	Maximum
-----	---------------	---------

Age	Starting Dose	Dose
adults and children 12 years and older	2 to 3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoons in the morning and 3 teaspoons at bedtime
Under 12 years of age	ask a doctor	ask a doctor

Other Information

- store at room temperature 20° to 25°C (68° to 77°F).
- a brown, natural flavored syrup supplied in the following oral dosage form:

NDC 0904-7528-41: 5 mL unit dose cup, in a tray of ten cups.

NDC 0904-7528-94: Case contains 40 unit dose cups of 5 mL (0904-7528-41) packaged in 4 trays of 10 unit dose cups each.

Inactive ingredients:

citric acid, glycerin, methylparaben, potassium sorbate, propylparaben, purified water, and sucrose.

Questions or comments?

Call 1-800-845-8210.

Distributed by:

R10/24

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

Principal Display Panel

Major®

NDC 09045-7528-41

Senna Syrup

8.8 mg Sennosides/5 mL



SENNA

sennosides liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7528(NDC:0121-4967)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	8.8 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SUCROSE (UNII: C151H8M554)	

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7528-94	4 in 1 CASE	03/06/2025	
1		10 in 1 TRAY		
1	NDC:0904-7528-41	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/06/2025	

Labeler - Major Pharmaceuticals (191427277)