

SUNSCREEN FOR KIDS SPF 50- avobenzone, homosalate, octisalate spray
Valu Merchandisers Company

Best Choice D42.000/D42AA
Sunscreen Spray for Kids SPF 50

Active Ingredients

Avobenzone 3%

Homosalate 12%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable

Keep away from fire or flame.

- After application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/octylacrylamide copolymer, butyloctyl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

Questions or comments?

1-844-292-1112

Disclaimer

May stain or damage some fabrics or surfaces

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone[®] Sunscreen Spray Kids Broad Spectrum SPF 50.

Adverse Reaction

PROUDLY DISTRIBUTED BY:
ASSOCIATED WHOLESALE GROCERS, INC.
KANSAS CITY, KANSAS 66106
For product information please visit:
bestchoicebrand.com/66118

Principal display panel

Best Choice[®]
SUNSCREEN Spray
WATER RESISTANT (80 MINUTES)
PEDIATRICIAN TESTED
UVA/UVBSUNSCREEN
KIDS 50
BROAD SPECTRUM SPF 50
OCTOCRYLENE FREE
FOR ACTIVE FAMILIES
COMPARE TO COPPERTONE[®] KIDS*
NET WT 5.5 OZ (156 g)

| Drug Facts | |
|---|----------------|
| Active Ingredients | Purpose |
| Avobenzone 3% | Sunscreen |
| Homosalate 12% | Sunscreen |
| Octisalate 5% | Sunscreen |
| Uses | |
| <ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun | |
| Warnings | |
| For external use only | |
| <ul style="list-style-type: none"> Flammable: Keep away from fire or flame. After application, wait until product dries before approaching a source of heat or flame, or before smoking. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Keep out of eyes. Do not puncture or incise skin. Do not store at temperature above 120°F. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions | |
| <ul style="list-style-type: none"> spray liberally and spread evenly by hand 15 minutes before sun exposure apply to skin exposed to the sun hold container 4 to 6 inches from the skin to apply do not spray directly into face. Spray on hands then apply to face. do not use in windy conditions use in a well-ventilated area and avoid inhalation reapply after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 am-2 pm. wear long-sleeved shirts, pants, hats and sunglasses children under 6 months of age. Ask a doctor | |

Other information

- protect the product in its container from excessive heat and direct sun

Inactive ingredients alcohol, castor, diethylhexyl 2,6-naphthalate, dimethyl adipate, diethylhexyl sebacate copolymer, butylacrylate copolymer, isopropyl alcohol, octyl salicylate, fragrance, and dimethyl hydroxyacetone, butylacrylate, isopropyl acetate

Questions or comments? 1-844-288-1112

May stain or damage some fabrics or surfaces

PROUDLY DISTRIBUTED BY:
 ASSOCIATED WHOLESALE GROUPS, INC.
 KANSAS CITY, MISSOURI 64114

For product information please visit:
 bestchoicebrand.com/86119

This product is not manufactured or distributed by Sunscreen®. Sunscreen Spray Kids Broad Spectrum SPF 50.

SUNSCREEN FOR KIDS SPF 50

avobenzone, homosalate, octisalate spray

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63941-962 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 120 mg in 1 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM) | |

| | |
|---|--|
| DIISOPROPYL ADIPATE (UNII: P7E6YFV72X) | |
| ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X) | |
| .ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418) | |
| HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR) | |
| LINALOOL, (+/-)- (UNII: D81QY6I88E) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:63941-962-14 | 156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | 11/08/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 11/08/2023 | |

Labeler - Valu Merchandisers Company (868703513)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| Nice-Pak Products, LLC | | 119091514 | manufacture(63941-962) |

Revised: 2/2026

Valu Merchandisers Company