

**RIMMEL LONDON LASTING FINISH 25 HR FOUNDATION SPF 20-  
octinoxate cream  
Rimmel**

-----  
**Rimmel London Lasting Finish 25 Hr Foundation SPF 20**

Octinoxate 2.5%

**Purpose**

Sunscreen

**Inactive ingredients**

Water, Cyclopentasiloxane, Butylene Glucol, Talc, Cetyl PEG/PPG-10/1 Dimethicone, Trimethylsiloxysilicate, Sodium PCA, Silica Silylate, C12-15 Alkyl Ethylhexanoate, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Zinc Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Bis-PEG/PPG- 14/14 Dimethicone, Amodimethicone, Lecithin, Tribehenin, Laureth-7, Disteardimonium Hectorite, Phenoxyethanol, Trihydroxystearin, Chlorphenesin, Triethoxycaprylsilane, Parfum.Fragrance, Xanthan Gum, Pentylene Glycol, Dimethiconol, Hydroxyethyleclulose, Propylene Carbonate, Tocopheryl Acetate, Glycerin, Citric Acid, Fructose, Sodium Hydroxide, Urea, Hexyl Cinnamal, Limonene , Allantoin, Maltose, Sodium Chloride, Sodium Lactate, Trehalose, Benzyl Salicylate, Linalool, Geraniol, BHT, Alpha-Isomethyl Lonone, GLucose, Sodium Hyaluraonate, Penaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, [May Contain/Peut Contenir/+ -: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)].

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

## Keep our of reach of children

- Children under 6 months of age: Ask a doctor

## Sun Protection Measures

- spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun especially from 10 a.m. - 2p.m.
- wear long sleeves, shirts, protect the product in this container from excessive heat and direct sun.

## Package Label



## RIMMEL LONDON LASTING FINISH 25 HR FOUNDATION SPF 20

octinoxate cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76485-1114
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	2.5 g in 100 mL	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
WATER (UNII: 059QF0K00R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1114-1	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	11/02/2021	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	11/02/2021		

**Labeler** - Rimmel (401011325)

### Establishment

Name	Address	ID/FEI	Business Operations
Noxell Corporation		003082997	manufacture(76485-1114)

Revised: 11/2024

Rimmel