

**BD E-Z SCRUB- chlorhexidine gluconate solution**  
**Becton Dickinson and Company**

-----  
**Drug Facts**

**Active Ingredient**

Chlorhexidine gluconate 4% solution

**Purposes**

surgical hand scrub

healthcare personnel handwash

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

**Warnings**

**For external use only**

**Allergy alert:** This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### **Surgical hand scrub:**

- wet hands and forearms with water
- scrub for 3 minutes with about 2.0 cubic inches of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 2.0 cubic inches of product and rinse under running water
- dry thoroughly

### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 1.5 cubic inches of product into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
- dry thoroughly

### **Other information**

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40° C (104° F)

### **Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

### **Questions or comments?**

call **1-800-453-4538**

Monday through Friday 8 AM to 5 PM EST

### **Principal Display Panel - Box Label**

NDC 17271-505-01

**BD E-Z Scrub™**

Chlorhexidine

Gluconate 4% Solution

Antiseptic

REF 372402

Foreign Patents and Patents Pending.

U.S. Patents 6,053,369 - 6,308,866

**Chlorhexidine Gluconate**

32 fl oz (946 mL)

Corner Radius: .125" x .125" x .125" x .125"

NDC 17271-505-01

**BD E-Z Scrub™**  
Chlorhexidine Gluconate 4% Solution Antiseptic

REF 372402  
Foreign Patents and Patents Pending.  
U.S. Patents 6,053,369 - 6,308,866

**Chlorhexidine Gluconate**  
32 fl oz (946 mL)

**Drug Facts (continued)**

**Directions**

- use only on preterm infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Surgical hand scrub:**

- wet hands and forearms with water
- scrub for 3 minutes with about 2.0 cubic inches of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used • rinse thoroughly
- wash for an additional 2 minutes with 2.0 cubic inches of product and rinse under running water • dry thoroughly

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 1.5 cubic inches of product into capped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
- dry thoroughly

**Other information** • store at 20-25° C (68-77° F) • avoid excessive heat above 40° C (104° F)

**Inactive ingredients** tocamide DEA, fragrance, glucono-delta-lactone, isopropyl alcohol, lauramine oxide, PEG-25 lanolin, purified water, triethyl alcohol

**Questions or comments?** call 1-800-453-4338 Monday through Friday 8 AM to 5 PM EST

**WARNING:** This product can expose you to cancer if all diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P07Warnings.ca.gov

**Use instructions:** 1. Remove bottle cap and apply dispensing cap. Slide dispenser into bracket, inserting the open air inlet onto proper receptacle.

**Container is single use only. Discard when empty.**

©2004 BD.  
BD Logo and E-Z Scrub are trademarks of Becton, Dickinson and Company, Franklin Lakes NJ 07417. Made in USA.  
48032RNDLR1C

**Drug Facts**

**Active Ingredient** Chlorhexidine gluconate 4% solution

**Purposes** surgical hand scrub  
healthcare personnel handwash

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

**Warnings**

**For external use only**

**Allergy alert:** This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause darkness when inserted in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. There may be signs of a venous condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Principal Display Panel - Box Label**

NDC 17271-505-02

**BD E-Z Scrub™**

Chlorhexidine

Gluconate 4% Solution

Antiseptic

REF 372412

Foreign Patents and Patents Pending.

U.S. Patents 6,427,875

**Chlorhexidine Gluconate**

32 fl oz (946 mL)

Corner Radius .125" x4

**Drug Facts (continued)**

- a separate nail cleaner may be used • rinse thoroughly
- wash for an additional 3 minutes with 2.0 cubic inches of product and rinse under running water
- dry thoroughly

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 1.5 cubic inches of product into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
- dry thoroughly

**Other information**

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40° C (104° F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Questions or comments?** call 1-800-453-4538 Monday through Friday 8 AM to 5 PM EST

**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Manufactured for:  
**Becton, Dickinson and Company**, Franklin Lakes NJ 07417,  
 Made in USA.  
 BD, BD Logo and BD E-Z Scrub are trademarks of Becton, Dickinson and Company. © 2008 BD. 48D325Q1.B.C

NDC 17271-505-02

**BD E-Z Scrub™**  
 Chlorhexidine  
 Gluconate 4% Solution  
 Antiseptic

REF 372412

Foreign Patents and Patents Pending,  
 U.S. Patent 6,427,875

**Chlorhexidine Gluconate**

32 fl oz (946 mL)

**Drug Facts**

Active ingredient	Purpose
Chlorhexidine gluconate 4% solution	surgical hand scrub
	healthcare personnel handwash

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

**Drug Facts (continued)**

**Warnings**  
**For external use only**  
**Allergy alert:** This product may cause a severe allergic reaction.  
 Symptoms may include:  
 • wheezing/difficulty breathing  
 • shock  
 • facial swelling  
 • hives  
 • rash  
 If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use** if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Surgical hand scrub:**

- wet hands and forearms with water
- scrub for 3 minutes with about 2.0 cubic inches of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces

**BD E-Z SCRUB**  
 chlorhexidine gluconate solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:17271-505
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	40 g in 1000 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>COCO DIETHANOLAMIDE</b> (UNII: 92005F972D)	
<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>LAURAMINE OXIDE</b> (UNII: 4F6FC4MI8W)	
<b>PEG-75 LANOLIN</b> (UNII: 09179OX7TB)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRIDECYL ALCOHOL</b> (UNII: 8I9428H868)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17271-505-01	6 in 1 BOX	01/01/2006	
1		946 mL in 1 BOTTLE; Type 0: Not a Combination Product		

2	NDC:17271-505-02	6 in 1 BOX	01/01/2006	
2		946 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019127	01/01/2006	

**Labeler** - Becton Dickinson and Company (124987988)

Revised: 11/2023

Becton Dickinson and Company