

**ACETAMINOPHEN PM EXTRA STRENGTH- acetaminophen, diphenhydramine
hcl tablet, coated
Sam's West Inc**

Members Mark 44-556

Active ingredients (in each gelcap)

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Pain reliever
Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- glaucoma

- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- any new symptoms appear
- fever gets worse or lasts more than 3 days
- redness or swelling is present

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps at bedtime
 - do not take more than 2 gelcaps of this product in 24 hours
- children under 12 years: do not use

Other information

- use by expiration date on package
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium

dioxide

Principal Display Panel

COMPARE TO EXTRA STRENGTH
TYLENOL® PM
ACTIVE INGREDIENTS*

**Member's
Mark™**

NDC 68196-556-54

EXTRA STRENGTH

Acetaminophen PM

ACETAMINOPHEN 500 mg
DIPHENHYDRAMINE HCl 25 mg

Pain Reliever/Nighttime Sleep-Aid

- NON-HABIT FORMING
 - RELIEVES HEADACHE AND
MINOR ACHES & PAINS
- ACCOMPANIED BY
SLEEPLESSNESS

375 GELCAPS
ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by Kenvue Inc.,
owner of the registered trademark Extra Strength Tylenol® PM.
50844 REV0324D55654

DISTRIBUTED BY: SAM'S WEST, INC., BENTONVILLE, AR 72716

100% MONEY BACK GUARANTEE

SUPERIOR QUALITY AND PERFORMANCE

We would like to hear from you with any comments or suggestions.
In the continental U.S. or Canada, you can call us at 1-800-426-9391
from 8:30 a.m. to 4:00 p.m. EST Monday-Friday.

Drug Facts (continued)

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- any new symptoms appear
- fever gets worse or lasts more than 3 days
- redness or swelling is present

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over
- take 2 gelcaps at bedtime
- do not take more than 2 gelcaps of this product in 24 hours
- children under 12 years: do not use

Other information

- use by expiration date on package
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

100% MONEY BACK GUARANTEE
SUPERIOR QUALITY AND PERFORMANCE

We would like to hear from you with any comments or suggestions. In the continental U.S. or Canada, you can call us at 1-800-426-9391 from 8:30 a.m. to 4:00 p.m. EST Monday-Friday.

no print / no varnish area
lot no& exp. date



COMPARE TO EXTRA STRENGTH
TYLENOL® PM
ACTIVE INGREDIENTS*

NDC 68196-556-54

EXTRA STRENGTH
Acetaminophen PM
ACETAMINOPHEN 500 mg
DIPHENHYDRAMINE HCl 25 mg

Pain Reliever/Nighttime Sleep-Aid



375 GELCAPS
ACTUAL SIZE

- NON-HABIT FORMING
- RELIEVES HEADACHE AND MINOR ACHES & PAINS ACCOMPANIED BY SLEEPLESSNESS

SLEEP AID

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each gelcap)

Active ingredients (in each gelcap)	Purpose
Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep-aid

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

Members Mark 44-556

<h2 style="margin: 0;">ACETAMINOPHEN PM EXTRA STRENGTH</h2> <p style="margin: 0;">acetaminophen, diphenhydramine hcl tablet, coated</p>			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-556
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	
Inactive Ingredients			
Ingredient Name	Strength		
AMMONIA (UNII: 5138Q19F1X)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)			
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
FERROSO FERRIC OXIDE (UNII: XM0M87F357)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)			
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
STARCH, CORN (UNII: O8232NY3SJ)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

SHELLAC (UNII: 46N107B71O)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	blue (light blue) , blue (dark blue)	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	L;6
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-556-54	375 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2007	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/17/2007	

Labeler - Sam's West Inc (051957769)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(68196-556) , pack(68196-556)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(68196-556)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(68196-556)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(68196-556)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(68196-556)

