

**QUALITY CHOICE- oxymetazoline hydrochloride spray**  
**CHAIN DRUG MARKETING ASSOCIATION**

-----  
**Quality Choice 12 Hour Relief Nasal Spray Drug Facts**

**Active ingredient**

Oxymetazoline hydrochloride 0.05%

**Purpose**

Nasal Decongestant

**Uses**

temporarily relieves nasal congestion due to:

- a cold
- hay fever
- upper respiratory allergies
- promotes nasal and sinus drainage
- temporarily relieves sinus congestion and pressure
- helps clear nasal passages; shrinks swollen nasal membranes

**Warnings**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if**

symptoms persist

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- **adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- **children under 6 years of age:** ask a doctor

**Shake well before use:** Before using the first time, remove the protective cap from the tip by pressing and twisting off the cap.

Rotate the lock tab to align arrow marks to unlock the pump. Prime the lock tab to align arrow marks to unlock the pump. Prime metered pump by depressing pump firmly several times.

To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply.

Wipe nozzle clean after use. Lock the pump by ensuring that arrow marks are not aligned and replace the protective cap on tip.

**Other information**

- store at room temperature
- retain carton for future reference on full labeling

**Inactive ingredients**

benzalkonium chloride, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, polysorbate 80, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic.

**Questions or comments?**

**1-866-467-2748**

**Principal Display Panel**

NDC# **63868-699-22**

**QUALITY CHOICE®**

**\*Compare to Active Ingredient in Mucinex® Full Force Nasal Spray**

**12 Hour Relief**

**Nasal Spray**

**Nasal Decongestant**

Oxymetazoline HCl 0.05%

Fast Relief of Sinus Pressure & Nasal Congestion

3/4 FL OZ (22 mL)

100% QC SATISFACTION GUARANTEED

Distributed by C.D.M.A. Inc. ©

43157 W 9 Mile Rd

Novi, MI 48375

[www.qualitychoice.com](http://www.qualitychoice.com)

Questions: 248-449-9300

\*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Mucinex® Full Force™ Nasal Spray.



## QUALITY CHOICE

oxymetazoline hydrochloride spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-699
<b>Route of Administration</b>	NASAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

