HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid Preferred Plus (Kinray)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

first aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

• deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- adults and children 2 years of age and over:
 - mix with an equal amount of water

- swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other information

- Keep tightly closed and in a dark place at room temperature.
- Do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Princiapl Display Panel

HYDROGEN PEROXIDE 3% U.S.P

FIRST AID ANTISEPTIC

ORAL DEBRIDING AGENT

FOR EXTERNAL USE ONLY

PREFERRED PLUS, PREFERRED PLUS ++++ and the PREFERRED PLUS logo are trademarks and/or registered trademarks of Kinray LLC.All other marks are property of their respective owners,

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Distributed by: Kinray LLC.

152-35 Tenth Avenue

Whitestone, NY 11357.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

FL OZ (mL)

Package Label

NDC 61715-119-32



HYDROGEN PEROXIDE

3%

FIRST AID ANTISEPTIC ORAL DEBRIDING AGENT FOR EXTERNAL USE ONLY

KIN 013979 Distributed by: Kinray LLC. 152-35 Tenth Avenue Whitestone, NY 11357.



All Preferred Plus Pharmacy products are satisfaction guaranteed or your money back from retailer where purchased.

@2014 Kinray LLC., All Rights Reserved, PREFERRED PLUS, PREFERRED PLUS++++ and the PREFERRED PLUS logo are trademarks and/or registered trademarks of Kinray LLC. All other marks are property of their respective owners.

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

PLD-F220B LB002105

32 fl oz (1qt) 946 mL

Drug Facts

Active ingredient

Purpose

Hydrogen peroxide 3%......First aid antiseptic/oral debriding agent

Uses first aid to help prevent the risk of infection in minor cuts, scrapes, and burns aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use in the eyes or apply over large areas of the body ■ longer than one week

Ask a doctor before use if you have

deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if the condition persists or gets worse

■ sore mouth symptoms do not improve in 7 days

- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions For use as a first aid antiseptic:

- clean affected area
 apply small amount of product on affected area 1-3 times a day may be covered with a sterile bandage
- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- adults and children 2 years of age and over: mix with an equal amount of water swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor **m** children under 12 years should be supervised in the use of this product
- children under 2 years of age: consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature.
- do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

PLD-B220B LB002087

Preferred Plus Hydrogen Peroxide 3%

HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

Product Information

HUMAN OTC DRUG Product Type Item Code (Source) NDC:61715-119

TOPICAL Route of Administration

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
HYDRO GEN PERO XIDE (UNII: BBX060AN9V) (HYDRO GEN PERO XIDE - UNII: BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL		

Inactive Ingredients					
Ingredient Name	Strength				
WATER (UNII: 059QF0KO0R)					

ı	Packaging	ackaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
	1 NDC:61715-119- 16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/31/2015				
	2 NDC:61715-119- 32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/31/2015				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH NOT FINAL	part356	05/31/2015			

Labeler - Preferred Plus (Kinray) (012574513)

Revised: 11/2019 Preferred Plus (Kinray)