

**OVADINE - pvpi solution solution**  
**Western Chemical Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Fish Egg Disinfectant Ovadine® (Buffered PVP Iodine) Ovadine® is a polyvinylpyrrolidone iodine(PVP-Iodine)complex designed for use as a fish-egg disinfectant. Ovadine contains 10% Povidone Iodine complex which provides 1% available iodine.**

**DESCRIPTION**

DESCRIPTION

DURING Water hardening of fish eggs

- Immerse eggs in a solution of 50 PPM available Iodine for 30 minutes. To achieve a 50 PPM available iodine solution, mix 1 part Ovadine® to 200 parts clean water. This is a 1:200 dilution.

AFTER Water hardening of fish eggs

- Immerse eggs in a solution of 100 PPM available Iodine for 10 minutes. To achieve a 100 PPM available iodine solution, mix 1 part Ovadine® to 100 parts clean water. This is a 1:100 dilution.

Rinse eggs with clean water after treatment.

Ovadine® is non-toxic to green, fertilized and eyed eggs at the recommended application concentration. When in doubt, always seek the advice of a qualified fish health professional.

**AMOUNT OF OVADINE PER UNIT OF WATER**

Desired Available Iodine Concentration

	50 ppm (1:200 dilution)	100 ppm (1:100 dilution)
Per Liter of Water	5 ml Ovadine	10 ml Ovadine
Per Gallon of Water	18.9 ml Ovadine 0.64 oz Ovadine	37.8 ml Ovadine 1.28 oz Ovadine

**Storage**

Store at room temperature between 59°F and 86°F (15°C and 30°C). Protect from direct sunlight.

# Warning

Do not use for disinfection of fish eggs intended for human or animal consumption. If product or diluted solution contaminates eyes, flush well with clean water. If irritation persists, contact a physician.

Keep out of reach of children

**DIRECTIONS FOR USE**  
DURING Water Hardening of Fish Eggs  
Immerse eggs in solution of 50 ppm available iodine for 30 minutes. To achieve a 50 ppm available iodine solution, mix 1 part Ovadine® to 200 parts clean water. This is a 1:200 dilution.  
AFTER Water Hardening of Fish Eggs  
Immerse eggs in a solution of 100 ppm available iodine for 10 minutes. To achieve a 100 ppm available iodine solution, mix 1 part Ovadine® to 100 parts clean water. This is a 1:100 dilution. \*Rinse eggs with clean water after treatment.  
\*Ovadine® is non-toxic to green, fertilized and eyed eggs at the recommended application concentration. When in doubt, always seek the advice of a qualified fish health professional.

DESIRED AVAILABLE IODINE CONCENTRATION		
DILUTION	50 PPM	100 PPM
PER LITER OF WATER	5 mL Ovadine	10 mL Ovadine
PER GALLON OF WATER	18.9 mL Ovadine	37.8 mL Ovadine
	0.64 oz Ovadine	1.28 oz Ovadine

**STORAGE**  
Store at room temperature between 59°F and 86°F (15°C -30°C). Protect from direct sunlight.

**WARNING**  
Do not use for disinfection of fish eggs intended for human or animal consumption. If product or diluted solution contaminates eyes, flush well with clean water. If irritation persists, contact physician.

**KEEP OUT OF REACH OF CHILDREN**

LOT NO:  
EXP. DATE:

  
**OVADINE™**

**ACTIVE INGREDIENT(S):**  
Povidone-Iodine.....10%  
Available Iodine.....1.0%  
pH (buffered): 6.0 - 7.0

Ovadine® is a polyvinylpyrrolidone-iodine (PVP-Iodine) complex designed for use as a fish-egg disinfectant. Ovadine® contains 10% Povidone Iodine complex which provides 1% available Iodine.

NET CONTENTS: 55 GALLONS

NDC: 50378-009-54

  
syndel.com  
sales@syndel.com

 VER. 101724

MANUFACTURED BY:  
SYNDEL

**CONTACT US**  
Phone:  
+1 360 384 5898  
Mail:  
1441 W Smith Road,  
Ferndale, Washington 98248

**DIRECTIONS FOR USE**  
DURING Water Hardening of Fish Eggs  
Immerse eggs in solution of 50 ppm available iodine for 30 minutes. To achieve a 50 ppm available iodine solution, mix 1 part Ovadine® to 200 parts clean water. This is a 1:200 dilution.  
AFTER Water Hardening of Fish Eggs  
Immerse eggs in a solution of 100 ppm available iodine for 10 minutes. To achieve a 100 ppm available iodine solution, mix 1 part Ovadine® to 100 parts clean water. This is a 1:100 dilution. \*Rinse eggs with clean water after treatment.  
\*Ovadine® is non-toxic to green, fertilized and eyed eggs at the recommended application concentration. When in doubt, always seek the advice of a qualified fish health professional.

DESIRED AVAILABLE IODINE CONCENTRATION		
DILUTION	50 PPM	100 PPM
PER LITER OF WATER	5 mL Ovadine	10 mL Ovadine
PER GALLON OF WATER	18.9 mL Ovadine	37.8 mL Ovadine
	0.64 oz Ovadine	1.28 oz Ovadine

**STORAGE**  
Store at room temperature between 59°F and 86°F (15°C -30°C). Protect from direct sunlight.

**WARNING**  
Do not use for disinfection of fish eggs intended for human or animal consumption. If product or diluted solution contaminates eyes, flush well with clean water. If irritation persists, contact physician.

**KEEP OUT OF REACH OF CHILDREN**

LOT NO:  
EXP. DATE:

  
**OVADINE™**

**ACTIVE INGREDIENT(S):**  
Povidone-Iodine.....10%  
Available Iodine.....1.0%  
pH (buffered): 6.0 - 7.0

Ovadine® is a polyvinylpyrrolidone-iodine (PVP-Iodine) complex designed for use as a fish-egg disinfectant. Ovadine® contains 10% Povidone Iodine complex which provides 1% available Iodine.

NET CONTENTS: 55 GALLONS

NDC: 50378-009-54

  
syndel.com  
sales@syndel.com

 VER. 101724

MANUFACTURED BY:  
SYNDEL

**CONTACT US**  
Phone:  
+1 360 384 5898  
Mail:  
1441 W Smith Road,  
Ferndale, Washington 98248

**DIRECTIONS FOR USE****DURING Water Hardening of Fish Eggs**

Immerse eggs in solution of 50 ppm available Iodine for 30 minutes. To achieve a 50 ppm available iodine solution, mix 1 part Ovadine® to 200 parts clean water. This is a 1:200 dilution.

**AFTER Water Hardening of Fish Eggs**

Immerse eggs in a solution of 100 ppm available iodine for 10 minutes. To achieve a 100 ppm available iodine solution, mix 1 part Ovadine® to 100 parts clean water. This is a 1:100 dilution. \*Rinse eggs with clean water after treatment.

\*Ovadine® is non-toxic to green, fertilized and eyed eggs at the recommended application concentration. When in doubt, always seek the advice of a qualified fish health professional.

DESIRED AVAILABLE IODINE CONCENTRATION		
DILUTION	50 PPM	100 PPM
PER LITER OF WATER	5 mL Ovadine	10 mL Ovadine
PER GALLON OF WATER	18.9 mL Ovadine	37.8 mL Ovadine
	0.64 oz Ovadine	1.28 oz Ovadine

**STORAGE**

Store at room temperature between 59°F and 86°F (15°C -30°C). Protect from direct sunlight.

**WARNING**

Do not use for disinfection of fish eggs intended for human or animal consumption. If product or diluted solution contaminates eyes, flush well with clean water. If irritation persists, contact physician.

**KEEP OUT OF REACH OF CHILDREN**

LOT NO:

EXP. DATE:

**ACTIVE INGREDIENT(S):**

Povidone-Iodine.....10%  
Available Iodine.....1.0%  
pH (buffered): 6.0 - 7.0

Ovadine® is a polyvinylpyrrolidone-iodine (PVP-Iodine) complex designed for use as a fish-egg disinfectant. Ovadine® contains 10% Povidone Iodine complex which provides 1% available Iodine.

NET CONTENTS: 55 GALLONS

NDC: 50378-009-54

MANUFACTURED BY:  
SYNDEL

**CONTACT US**

Phone:  
+1 360 384 5898  
Mail:  
1441 W Smith Road,  
Ferndale, Washington 98248



syndel.com  
sales@syndel.com



VER. 101724

# OVADINE

pvpi solution solution

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:50378-009
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Povidone-iodine</b> (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)	Iodine	100 g in 1 L

## Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	900 g in 1 L

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50378-009-54	208 L in 1 DRUM		
2	NDC:50378-009-50	3.8 L in 1 BOTTLE, PLASTIC		
3	NDC:50378-009-51	19 L in 1 PAIL		
4	NDC:50378-009-55	15.2 L in 1 CASE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/09/2002	

**Labeler** - Western Chemical Inc. (085803500)

## Establishment

Name	Address	ID/FEI	Business Operations
Western Chemical Inc.		085803500	manufacture, pack, label, analysis

## Establishment

Name	Address	ID/FEI	Business Operations
BASF Corporation		040776809	api manufacture

Revised: 1/2025

Western Chemical Inc.