

WELL LIDO GEL PATCH- lidocaine patch
True Marker Pharmaceuticals, Inc.

Active Ingredients

Lidocaine 4%

Purposes

Topical Analgesic

Uses

For temporary relief of pain.

Warnings

For External Use only.

Stop use and ask a doctor

- Localized skin reaction occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Condition worsens
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

Keep out of the reach of children

If swallowed, get medical help or contact Poison Control Center right away.

Do Not Use

- More than 1 patch a time
- On wounds or damaged skin
- With a heating pad
- If you are allergic to any ingredients of this product

If pregnant or Breast-Feeding

Ask a health professional before use

When Using this product

- Use only as directed
- Avoid contact with eyes, mucous membranes or rashes
- Do not bandage tightly

Directions

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin
- Apply 1 patch at a time to affected area, not more that 3 to 4 times a daily
- Remove patch from the skin after at most 8-hour application
- Children under 12 year of age. Consult a doctor.

Inactive Ingredients

Dihydroxyaluminum aminoacetate, Edetate disodium, Glycerin, Kaolin, Methylparaben, Polyacrylic acid, Polysorbate 80, Polyvinylpyrrolidone K90, Propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water.

Other Information

- Store at controlled room temperature 68°-77°F (20°-25°C)
- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Product label



WELL LIDO GEL PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83592-071
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	4 g	
Inactive Ingredients				
Ingredient Name			Strength	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				
KAOLIN (UNII: 24H4NWX5CO)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
POVIDONE K90 (UNII: RDH86HJV5Z)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)				
TARTARIC ACID (UNII: W4888I119H)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83592-071-15	15 in 1 BOX	09/12/2024	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	09/12/2024		

Labeler - True Marker Pharmaceuticals, Inc. (119046582)

Revised: 9/2024

True Marker Pharmaceuticals, Inc.