SENNA- sennosides tablet H E B

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a periodof 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• take preferably at bedtime or as directed by a doctor

adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil

Ouestions or comments?

Call toll free 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Senokot® active ingredient**

Senna Laxative

Sennosides 8.6 mg

Laxative

TABLETS

**This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Product Labeling

Compare to Senokot® active ingredient" NDC 37808-675-10 Senna Laxative Sennosides, 8.6 mg Laxative Tot No: End No: Fig. 100 TABLETS Compare to Senokot® active ingredient in control of the probability of the probabi

MADE WITH PRIDE AND CARE FOR H-E-8®, SAN ANTONIQ, TX 78204

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot**.

Questions or comments? Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

stearate, microcrystalline cellulose, mineral oil

Inactive ingredients croscamellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium

- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)
 - m esch tablet contains: calcium 30 mg
 - Other information

Drug Facts (continued)

children under 2 years	sak a doctor	ask a doctor			
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day			
children 6 to under 12 years	1 tablet once a day	S tablets twice a day			
adults and children 12 years of age and over	en 12 years of age and over 2 tablets once a day 4 tablets twice a		ildren 12 years of age and over 2 tablets once a day 4 tablets	and over 2 tablets once a day	4 tablets twice a day
age	agesob gnithsts	agesob mumixem			
Directions Take preferably at bedlime or as directed by	a doctor				
If pregnant or breast-feeding, ask a health p Keep out of reach of children. In case of over right away.	rofessional before use. rdose, get medical help or	contact a Poison Control Center (1-800-222-1222			

- noticed a sudden change in bowel habits that continues over a period of 2 weeks
 - stomach pain nausea vomiting
 - Ask a doctor before use if you have
- po vor nee Issugne broducts for longer than 1 week unless directed by a doctor

SprimsW again for a first property of the prop

- generally produces a bowel movement in 6 -12 hours
 - Lelieves occesional constibation (irregularity)

səsŋ

Active ingredient (in each tablet) Purpose
Sennosides 8.6 mg Lexative

Drug Facts

9003 2...

H-E-B Senna Laxative

sennosides tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37808-675

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TANACIDEC (LINII), DEVDEMOUVY (CENNOCIDEC LINIII) DEVDEMOUVY	CENNOCIDEC	0.6

SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) SENNOSIDES 8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	

DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)

DIBASIC CALCIUM PHOSPHATE DIHTDRATE (UNII: 0/1529/GEP)

HYPROMELLOSES (UNII: 3NXW29V3WO)
MAGNESIUM STEARATE (UNII: 70097M6I30)

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)

MINERAL OIL (UNII: T5L8T28FGP)

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL080
Contains			

Packaging

	T dekaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37808- 675-10	1 in 1 BOX	02/18/2022			
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product				

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M007	02/18/2022	

Labeler - H E B (007924756)

Revised: 4/2024 H E B