

ACETAMINOPHEN- acetaminophen capsule, liquid filled
FOODHOLD U.S.A., LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACETAMINOPHEN

Drug Facts

Active ingredient (in each softgel)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain of arthritis
 - the common cold
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 softgels (3,250 mg) in 24 hours for adults or 5 softgels (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has liver disease

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see Overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> • take 2 softgels every 4 to 6 hours while symptoms last • do not take more than 10 softgels in 24 hours • do not use for more than 10 days unless directed by a doctor
children 6-11 years	<ul style="list-style-type: none"> • take 1 softgel every 4 to 6 hours while symptoms last • do not take more than 5 softgels in 24 hours • do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Other information

- store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special and white edible ink

Questions or Comments?

Call toll free: **1-855-215-8180**

PRINCIPAL DISPLAY PANEL - Bottle Label

CAREONE ACETAMINOPHEN 325 mg 40 SOFTGELS

PAIN RELIEVER FEVER REDUCER

NDC 41520-982-25

*Compare to the active ingredient in **TYLENOL®** Regular Strength

<p>Drug Facts (continued)</p> <p>Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ pain gets worse or lasts more than 10 days in adults ■ pain gets worse or lasts more than 5 days in children under 12 years ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present <p>These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	
<p>Directions</p> <ul style="list-style-type: none"> ■ do not take more than directed (see Overdose warning) 	<p>adults and children 12 years and over</p> <ul style="list-style-type: none"> ■ take 2 softgels every 4 to 6 hours while symptoms last ■ do not take more than 10 softgels in 24 hours ■ do not use for more than 10 days unless directed by a doctor <p>children 6-11 years</p> <ul style="list-style-type: none"> ■ take 1 softgel every 4 to 6 hours while symptoms last ■ do not take more than 5 softgels in 24 hours ■ do not use for more than 5 days unless directed by a doctor <p>children under 6 years</p> <p>ask a doctor</p>
<p>Other information</p> <ul style="list-style-type: none"> ■ store at room temperature 15°-30°C (59°-86°F) <p>Inactive ingredients FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special and white edible ink</p> <p>Questions or comments? Call: 1-855-215-6180</p>	

ACETAMINOPHEN

acetaminophen capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-982
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	red (clear)	Score	no score
Shape	capsule (oblong)	Size	20mm
Flavor		Imprint Code	PC17
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-982-25	40 in 1 BOTTLE; Type 0: Not a Combination Product	10/03/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	10/03/2016	

Labeler - FOODHOLD U.S.A., LLC (809183973)

Establishment

Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceutical (Wuhan) Co., Ltd.		421293287	manufacture(41520-982) , analysis(41520-982)

Revised: 11/2019

FOODHOLD U.S.A., LLC